

# Alta Video MSRP - USD

Pricelist effective November 10, 2025

**Pricelist for products shipping to USA**

## Summary Of Changes

- 2025-03-24 : Effective April 2, 2025, Motorola Solutions will be updating foreign exchange (FX) rates to align with current market conditions. As a result, pricing for Avigilon Alta Video products in CAD currency will be increased by 2.5%.

## Accessories

### Ava Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-ADA-PLA-B	Bullet Adapter plate	69.00
ACC-ADA-PLA-W	Bullet Adapter plate	69.00
ACC-CON-A34-B	Ava cond 34 B	18.00
ACC-CON-A34-W	Ava cond 34 W	18.00
ACC-CON-BCK-B	Conduit Back Box	159.00
ACC-CON-BCK-W	Conduit Back Box	159.00
ACC-CRN-BRA-B	Corner bracket for Alta A5 Dome and 360 cameras. Black. Pendant cap (ACC-PEN-CAP-B) and mounting arm (ACC-MNT-ARM-B) typically required for this part.	66.00
ACC-CRN-BRA-W	Ave Corner W	66.00
ACC-DRO-CEI	Drop ceiling mount	13.00
ACC-MNT-ARM-B	Ava Arm B	66.00
ACC-MNT-ARM-W	Ava Arm W	66.00
ACC-PEN-CAP-B	Ava Cap B	44.00
ACC-PEN-CAP-W	Ava Cap W	44.00
ACC-POL-BRA-B	Ava Pole B	66.00
ACC-POL-BRA-W	Ava Pole W	66.00
ACC-WEA-SHI-B	Weather shield	59.00
ACC-WEA-SHI-W	Weather shield	59.00
ACQ-PEN-HEA	Pendant head	139.00
ACQ-PEN-PIP	Pendant pipe 40cm	87.00
SPARE-AB-01	Cable Grommet	11.00
SPARE-AB-02-B	Top cover Dome, black	119.00
SPARE-AB-02-W	Top cover Dome, white	119.00
SPARE-AB-04-B	Bracket Black, Ava Dome/360	10.00
SPARE-AB-04-W	Bracket White, Ava Dome/360	10.00
SPARE-AB-05-B	Cable inlet covers black, Ava Dome/360	7.00
SPARE-AB-05-W	Cable inlet covers white, Ava Dome/360	7.00
SPARE-AC-02-B	Top cover Ava 360, black	149.00
SPARE-AC-02-W	Top cover Ava 360, white	149.00
SPARE-AD-01-B	Top cover, black, Ava Compact Dome	52.00
SPARE-AD-01-W	Top cover Ava Compact Dome, white	52.00

### Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
H6SL-MT-NPTA1	NPT Adapter for H6SL Dome Cameras	45.15

## Mount / Bracket

MODEL NUMBER	DESCRIPTION	MSRP \$
CRNMT-1001	CORNER MNT FOR LRGE PENDT WLMT-1001	152.25
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	85.03
H6M-MT-NPTA2	MOUNT, Pendant Adapter, Grey, Odr, H6M	52.50
JBOX-1201	Junction Box for Dual Head Cameras	110.25
MSI-NPTCON-1001	ADAPTOR, 1-1/2" x 1/2" NPT Male	120.75
NPTA-1001	1.5 inch NPT Adapter for Large Pendant Mount Camera	68.95
NPTA-1201	1.5 inch NPT Adapter for Dual Head Cameras	73.50
PLMT-1001	POLE MOUNT FOR LRGE PENDT WLMT-1001	120.75
PPMNT-1001	Parapet Wall Arm Mount for Outdoor Pendant Cameras	520.80
PPMNT-2001	Parapet Wall Arm Mount Large for Outdoor Pendant Camera	577.50
RFMNT-1001	Rooftop Arm Mount for Outdoor Pendant Camera	806.40
RFMNT-2001	Rooftop Arm Mount Large for Outdoor Pendant Camera	848.40
SLSPCIL-1001	In-ceiling mount for 6.1" (156mm) Dome camera	34.65
WLMT-1001	Wall Mount for large pendant camera	127.39
WLMT-1021	Mount, Pendant Arm, 20cm Long, 1.5 NPT	110.25
WLMT-1031	Universal Wall Arm Mount, 30cm, 1.5 NPT Adapter.	110.25

## Power

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-POE-15W-EU	Flex POE_EU	61.50
ACC-POE-15W-UK	Flex POE_UK	61.50
ACC-POE-15W-US	Flex POE_US	61.50

## Transmission

MODEL NUMBER	DESCRIPTION	MSRP \$
PD-9001GR/AT/AC-AU-MSI	PoE+ Single port injector 30W with Australian power cord	104.01
PD-9001GR/AT/AC-EU-MSI	PoE+ Single port injector 30W with European power cord	104.01
PD-9001GR/AT/AC-NA-MSI	PoE+ Single port injector 30W with North American power cord	104.01
PD-9001GR/AT/AC-UK-MSI	PoE+ Single port injector 30W with United Kingdom power cord	104.01
POE60U-1BTE	Gigabit 802.3bt 60 W PoE Injector, Indoor, single port	185.85
POE90U-1BT	PoE injector 802.3bt 90W Single Port	299.97
POEA30U-1ATE-M-R-AU-MSI	PoE+ Single port injector 30W with Australian power cord	104.01
POEA30U-1ATE-M-R-EU-MSI	PoE+ Single port injector 30W with European power cord	104.01
POEA30U-1ATE-M-R-NA-MSI	PoE+ Single port injector 30W with North American power cord	104.01
POEA30U-1ATE-M-R-UK-MSI	PoE+ Single port injector 30W with United Kingdom power cord	104.01
ES-PS-S4-NPC		1,905.46

Managed switch, 5 port. Outdoor IP66, -40°C (-40°F) to 50°C (122°F), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. No power cord. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.

---

## Other

MODEL NUMBER	DESCRIPTION	MSRP \$
DCLPNL-1001	Metal ceiling panel for dome camera installations in suspended ceilings	117.72

## Body-Worn Cameras

### VB400

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	640.00

## Camera

### Bullet

MODEL NUMBER	DESCRIPTION	MSRP \$
2.0C-H6SL-BO1-IR-120	2MP, 120 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,952.00
2.0C-H6SL-BO1-IR-30	2MP, 30 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,029.00
2.0C-H6SL-BO1-IR-365	2MP, 365 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	3,049.00
2.0C-H6SL-BO1-IR-60	2MP, 60 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,339.00
3.0C-H6SL-BO1-IR-120	3MP, 120 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	2,349.00
3.0C-H6SL-BO1-IR-30	3MP, 30 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,169.00
3.0C-H6SL-BO1-IR-60	3MP, 60 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,559.00
3.0C-H6SL-BO2-IR-120	3MP, 120 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	2,409.00
3.0C-H6SL-BO2-IR-30	3MP, 30 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	1,229.00
3.0C-H6SL-BO2-IR-60	3MP, 60 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	1,619.00
5.0C-H6SL-BO1-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	2,909.00
5.0C-H6SL-BO1-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,309.00
5.0C-H6SL-BO1-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Outdoor Bullet, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,689.00
5.0C-H6SL-BO2-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	2,969.00
5.0C-H6SL-BO2-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	1,419.00
5.0C-H6SL-BO2-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Outdoor Bullet, 10.9-29 mm f/1.7 Integrated IR, up to 10 year warranty with an active Aware license	1,779.00
BULLET-TE-B-4K-30	Bullet Tele Black 4K 30d	1,779.00
BULLET-TE-B-4K-60	Bullet Tele Black 4K 60d	2,579.00
BULLET-TE-B-5MP-120	Bullet Tele Black 5MP 120d	3,009.00
BULLET-TE-B-5MP-30	Bullet Tele Black 5MP 30d	1,679.00
BULLET-TE-B-5MP-60	Bullet Tele Black 5MP 60d	2,199.00
BULLET-TE-W-4K-30	Bullet Tele White 4K 30d	1,779.00
BULLET-TE-W-4K-60	Bullet Tele White 4K 60d	2,579.00
BULLET-TE-W-5MP-120	Bullet Tele White 5MP 120d	3,009.00
BULLET-TE-W-5MP-30	Bullet Tele White 5MP 30d	1,679.00
BULLET-TE-W-5MP-60	Bullet Tele White 5MP 60d	2,199.00
BULLET-WI-B-4K-30	Bullet Wide Black 4K 30d	1,689.00
BULLET-WI-B-4K-60	Bullet Wide Black 4K 60d	2,489.00
BULLET-WI-B-5MP-120	Bullet Wide Black 5MP 120d	2,929.00
BULLET-WI-B-5MP-30	Bullet Wide Black 5MP 30d	1,499.00

BULLET-WI-B-5MP-60	Bullet Wide Black 5MP 60d	1,899.00
BULLET-WI-W-4K-30	Bullet Wide White 4K 30d	1,689.00
BULLET-WI-W-4K-60	Bullet Wide White 4K 60d	2,489.00
BULLET-WI-W-5MP-120	Bullet Wide White 5MP 120d	2,929.00
BULLET-WI-W-5MP-30	Bullet Wide White 5MP 30d	1,499.00
BULLET-WI-W-5MP-60	Bullet Wide White 5MP 60d	1,899.00
BULLET-TE-B	Ava Bullet Tele Black - 4K	1,619.00
BULLET-TE-B-5MP	Ava Bullet Tele Black - 5MP	1,419.00
BULLET-TE-W	Ava Bullet Tele White - 4K	1,619.00
BULLET-TE-W-5MP	Ava Bullet Tele White - 5MP	1,419.00
BULLET-WI-B	Ava Bullet Wide Black - 4K	1,519.00
BULLET-WI-B-5MP	Ava Bullet Wide Black - 5MP	1,349.00
BULLET-WI-W	Ava Bullet Wide White - 4K	1,519.00
BULLET-WI-W-5MP	Ava Bullet Wide White - 5MP	1,349.00

## Compact

MODEL NUMBER	DESCRIPTION	MSRP \$
COMPACTDOME-B	Compact B 5MP	539.00
COMPACTDOME-B-5MP-120	Compact B 5MP 120	1,319.00
COMPACTDOME-B-5MP-30	Compact B 5MP 30	659.00
COMPACTDOME-B-5MP-60	Compact B 5MP 60	969.00
COMPACTDOME-W	Compact W 5MP	539.00
COMPACTDOME-W-5MP-120	Compact W 5MP 120	1,319.00
COMPACTDOME-W-5MP-30	Compact W 5MP 30	659.00
COMPACTDOME-W-5MP-60	Compact W 5MP 60	969.00

## Dome

MODEL NUMBER	DESCRIPTION	MSRP \$
ACMICR-1001	Internal microphone accessory for Dome Cameras	10.50
CNCVR-1001	Adapter 3/4 inch conduit for 6.1" (156mm) dome camera 5-pack	36.75
H6M-BZL1-BL	Black surface mount bezel for H6M dome cameras, package of 5	32.44
H6M-BZL1-GRY	Grey surface mount bezel for H6M dome cameras, package of 5	32.44
H6M-MT-DCIL1	In-Ceiling mount for H6M dome cameras	37.32
H6M-MT-DCIL1-BL	In-Ceiling mount for H6M dome cameras, Black	37.32
H6M-MT-NPTA1	MOUNT, Pendant Adapter, Grey, Odr, H6M	37.31
H6M-MT-NPTA1-BL	Pendant mount for H6M dome cameras, Black	32.44
H6SL-DD-CLER1	Replacement clear come cover for H6SL outdoor dome camera. Includes dome bubble and camera cover	36.75
H6SL-DD-SMOK1	Product description shown in the price listReplacement smoked transparent cover for H6SL outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and camera cover.	36.75

H6SL-DI-CLER1	Replacement clear come cover for H6SL indoor dome camera. Includes dome bubble and camera cover	36.75
H6SL-DI-SMOK1	Replacement smoked transparent cover for H6SL indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and camera cover.	36.75
H6SL-DO-SHLD1	Weather Shield for H6SL Outdoor Dome Cameras	22.05
MSI-LD-0E	COVER, Repl, 50% Smoke, Grey, Odr, Mini	36.75
MSI-LD-1E	COVER, Repl, Clear, Grey, Odr, Mini	36.75
MSI-MT-ECLR	MOUNT, Side Conduit, Odr, Mini	30.00
2.0C-H6SL-D1-120	2MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	959.00
2.0C-H6SL-D1-30	2MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	629.00
2.0C-H6SL-D1-365	2MP, 365 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	2,059.00
2.0C-H6SL-D1-60	2MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	739.00
2.0C-H6SL-D1-IR-120	2MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	999.00
2.0C-H6SL-D1-IR-30	2MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	669.00
2.0C-H6SL-D1-IR-365	2MP, 365 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	2,099.00
2.0C-H6SL-D1-IR-60	2MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	779.00
2.0C-H6SL-DO1-IR-120	2MP, 120 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,199.00
2.0C-H6SL-DO1-IR-30	2MP, 30 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	869.00
2.0C-H6SL-DO1-IR-365	2MP, 365 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	2,299.00
2.0C-H6SL-DO1-IR-60	2MP, 60 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	979.00
3.0C-H6SL-D1-120	3MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	1,159.00
3.0C-H6SL-D1-30	3MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	739.00
3.0C-H6SL-D1-60	3MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	879.00
3.0C-H6SL-D1-IR-120	3MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,209.00
3.0C-H6SL-D1-IR-30	3MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	789.00
3.0C-H6SL-D1-IR-60	3MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	929.00
3.0C-H6SL-DO1-IR-120	3MP, 120 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,409.00
3.0C-H6SL-DO1-IR-30	3MP, 30 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	989.00
3.0C-H6SL-DO1-IR-60	3MP, 60 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,129.00
5.0C-H6SL-D1-120	5MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	1,479.00
5.0C-H6SL-D1-30	5MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	939.00
5.0C-H6SL-D1-60	5MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6, up to 10 year warranty with an active Aware license	1,119.00
5.0C-H6SL-D1-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,529.00

5.0C-H6SL-D1-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	989.00
5.0C-H6SL-D1-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Indoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,169.00
5.0C-H6SL-DO1-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,729.00
5.0C-H6SL-DO1-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,189.00
5.0C-H6SL-DO1-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR, up to 10 year warranty with an active Aware license	1,369.00
DOME-B-4K-30	Ava cloud-native camera - Dome black. 8MP (4K) resolution. 30 days retention. Up to 10 year warranty with an active Aware license.	1,399.00
DOME-B-4K-60	Ava cloud-native camera - Dome black. 8MP (4K) resolution. 60 days retention. Up to 10 year warranty with an active Aware license.	2,199.00
DOME-B-5MP-120	Ava cloud-native camera - Dome black. 5MP resolution. 120 days retention. Up to 10 year warranty with an active Aware license.	2,199.00
DOME-B-5MP-30	Ava cloud-native camera - Dome black. 5MP resolution. 30 days retention. Up to 10 year warranty with an active Aware license.	1,299.00
DOME-B-5MP-60	Ava cloud-native camera - Dome black. 5MP resolution. 60 days retention. Up to 10 year warranty with an active Aware license.	1,799.00
DOME-W-4K-30	Ava cloud-native camera - Dome white. 8MP (4K) resolution. 30 days retention. Up to 10 year warranty with an active Aware license.	1,399.00
DOME-W-4K-60	Ava cloud-native camera - Dome white. 8MP (4K) resolution. 60 days retention. Up to 10 year warranty with an active Aware license.	2,199.00
DOME-W-5MP-120	Ava cloud-native camera - Dome white. 5MP resolution. 120 days retention. Up to 10 year warranty with an active Aware license.	2,199.00
DOME-W-5MP-30	Ava cloud-native camera - Dome white. 5MP resolution. 30 days retention. Up to 10 year warranty with an active Aware license.	1,299.00
DOME-W-5MP-60	Ava cloud-native camera - Dome white. 5MP resolution. 60 days retention. Up to 10 year warranty with an active Aware license.	1,799.00
DOME-B	Ava Dome Black	1,189.00
DOME-B-5MP	Ava Dome B - 5MP	1,109.00
DOME-W	Ava Cloud-Connector camera - Dome white. 8MP (4K) resolution. Up to 10 year warranty with an active Aware license.	1,189.00
DOME-W-5MP	Ava Dome W - 5MP	1,109.00

## Modular

MODEL NUMBER	DESCRIPTION	MSRP \$
3C-H5MOD-MB2	3MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	277.14
3C-H5MOD-RP4	3MP, H5A Mod, WDR, 3.7mm Fixed Pinhole Lens, f/2.5, Right Angle Imager Module	277.14
5C-H5MOD-MB2	5MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	388.44
BRKTMD-1001	DIN Rail Mount for Modular Camera Main Unit	46.62
BRKTMD-1011	Replacement L Bracket for Modular Camera Microbullet Sensor Head	39.72
BRKTMD-1021	Replacement Flat Bracket for Modular Camera Right Angle Sensor Head	34.85
BRKTMD-1031	Replacement Trimming Bracket for Modular Camera Microbullet Sensor head	32.13
CBL2M-1001	2m (6 ft) HD BNC Cable for Modular Camera	61.22
CBL5M-1001	5m (16 ft) HD BNC Cable for Modular Camera	89.04
H5A-MOD-2P-1-120	Modular base unit, 120 day, Alta, supports 1 imager; up to 10 year warranty with an active Aware licence	1,659.00

H5A-MOD-2P-1-30	Modular base unit, 30 day, Alta, supports 1 imager; up to 10 year warranty with an active Aware licence	1,459.00
H5A-MOD-2P-1-365	Modular base unit, 365 day, Alta, supports 1 imager; up to 10 year warranty with an active Aware licence	2,839.00
H5A-MOD-2P-1-60	Modular base unit, 60 day, Alta, supports 1 imager; up to 10 year warranty with an active Aware licence	1,559.00
H5A-MOD-2P-2-120	Modular base unit, 120 day, Alta, supports up to 2 imagers; up to 10 year warranty with an active Aware licence	2,239.00
H5A-MOD-2P-2-30	Modular base unit, 30 day, Alta, supports up to 2 imagers; up to 10 year warranty with an active Aware licence	1,559.00
H5A-MOD-2P-2-60	Modular base unit, 60 day, Alta, supports up to 2 imagers; up to 10 year warranty with an active Aware licence	1,659.00

## Panoramic

MODEL NUMBER	DESCRIPTION	MSRP \$
12C-H5A-4MH-30	3MP, 30 Day, Alta, 4 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,439.00
12C-H5A-4MH-60	3MP, 60 Day, Alta, 4 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,239.00
15C-H5A-3MH-120	5MP, 120 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	4,539.00
15C-H5A-3MH-30	5MP, 30 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,359.00
15C-H5A-3MH-60	5MP, 60 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,159.00
20C-H5A-4MH-30	5MP, 30 Day, Alta, 4 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,809.00
20C-H5A-4MH-60	5MP, 60 Day, Alta, 4 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,779.00
24C-H5A-3MH-30	8MP, 30 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,859.00
24C-H5A-3MH-60	8MP, 60 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,969.00
32C-H5A-4MH-30	8MP, 30 Day, Alta, 4 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,409.00
9C-H5A-3MH-120	3MP, 120 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	3,889.00
9C-H5A-3MH-30	3MP, 30 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,089.00
9C-H5A-3MH-60	3MP, 60 Day, Alta, 3 head H5A Multisensor Camera; up to 10 year warranty with an active Aware licence	2,689.00
CBLKT-1001	Cable kit replacement for for Multi sensor Multi directional cameras	80.64
CLPNL-1001	Ceiling panel metal white 2 ft X 2 ft to replace existing ceiling tile for Multi Sensor Multi directional camera	115.70
DMSLD-1201	Weathershield, Dual Head Cameras	47.25
H4AMH-AD-IRIL1	Optional IR illuminator ring, up to 30m (100ft), for use with H4AMH-DO-COVR1.	408.87
H5AMH-AD-CEIL1	In-ceiling adapter, must order either a H5AMH-DC-COVR1 or H5AMH-DC-COVR1-SMOKE.	185.85
H5AMH-AD-DOME1	Outdoor surface mount adapter. For use with the Avigilon H5A Multisensor	209.24
H5AMH-AD-PEND1	Outdoor pendant mount adapter. For use with the Avigilon H5A Multisensor	209.24
H5AMH-DC-COVR1	Dome bubble and cover, for in-ceiling mount, clear. For use with the Avigilon H5A Multisensor	92.38
H5AMH-DC-COVR1-SMOKE		92.38

	Dome bubble and cover, for in-ceiling mount, smoked. For use with the Avigilon H5A Multisensor	
H5AMH-DO-COVR1	Dome bubble and cover, for outdoor surface mount or pendant mount, clear. For use with the Avigilon H5A Multisensor	209.24
H5AMH-DO-COVR1-SMOKE	Dome bubble and cover, for outdoor surface mount or pendant mount, smoked. For use with the Avigilon H5A Multisensor	209.24
360-B-30	Ava cloud-native camera - 360 Black. 12MP resolution. 30 days retention. AI-powered, IR and advanced microphone array, indoor and outdoor, up to 10 year warranty with an active Aware license.	1,399.00
360-B-60	Ava cloud-native camera - 360 Black. 12MP resolution. 60 days retention. AI-powered, IR and advanced microphone array, indoor and outdoor, up to 10 year warranty with an active Aware license.	2,199.00
360-W-30	Ava cloud-native camera - 360 White. 12MP resolution. 30 days retention. AI-powered, IR and advanced microphone array, indoor and outdoor, up to 10 year warranty with an active Aware license.	1,399.00
360-W-60	Ava cloud-native camera - 360 White. 12MP resolution. 60 days retention. AI-powered, IR and advanced microphone array, indoor and outdoor, up to 10 year warranty with an active Aware license.	2,199.00
360-B	Ava 360 Black	1,049.00
360-W	Ava 360 White	1,049.00

## PTZ Dome IP Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
PTZ-CPNL-G	In-Ceiling Panel, PTZ Cameras, Grey	84.00
PTZH6A-CLRBBL	Replacement lower dome clear bubble for H6A-PTZ	84.00
PTZH6A-SMK50	Smoked dome with 50% tint for H6A-PTZ.	84.00
2.0C-H6A-PTZ-DC30-120	2MP 120 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	4,399.00
2.0C-H6A-PTZ-DC30-30	2MP 30 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	3,549.00
2.0C-H6A-PTZ-DC30-365	2MP 365 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	6,099.00
2.0C-H6A-PTZ-DC30-60	2MP 60 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	3,799.00
2.0C-H6A-PTZ-DP30-120	2MP 120 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	4,399.00
2.0C-H6A-PTZ-DP30-30	2MP 30 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	3,549.00
2.0C-H6A-PTZ-DP30-365	2MP 365 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	6,099.00
2.0C-H6A-PTZ-DP30-60	2MP 60 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	3,799.00
4.0C-H6A-PTZ-DC30-120	4MP 120 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	4,899.00
4.0C-H6A-PTZ-DC30-30	4MP 30 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	3,799.00
4.0C-H6A-PTZ-DC30-365	4MP 365 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	7,399.00
4.0C-H6A-PTZ-DC30-60	4MP 60 days Alta In-Ceiling PTZ Dome, 30x zoom, 5 year warranty	4,199.00
4.0C-H6A-PTZ-DP30-120	4MP 120 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	4,899.00
4.0C-H6A-PTZ-DP30-30	4MP 30 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	3,799.00
4.0C-H6A-PTZ-DP30-365	4MP 365 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	7,399.00
4.0C-H6A-PTZ-DP30-60	4MP 60 days Alta Pendant PTZ Dome, 30x zoom, 5 year warranty	4,199.00

## Cloud Camera

### Compact

MODEL NUMBER	DESCRIPTION	MSRP \$
2.0C-H6M-D1-120	2MP, 120 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, up to 10 year warranty with an active Alta Video license	749.00
2.0C-H6M-D1-30	2MP, 30 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, up to 10 year warranty with an active Alta Video license	419.00
2.0C-H6M-D1-365	2MP, 365 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, up to 10 year warranty with an active Alta Video license	1,849.00
2.0C-H6M-D1-60	2MP, 60 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, up to 10 year warranty with an active Alta Video license	529.00
2.0C-H6M-D1-IR-120	2MP, 120 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	789.00
2.0C-H6M-D1-IR-30	2MP, 30 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	459.00
2.0C-H6M-D1-IR-365	2MP, 365 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	1,889.00
2.0C-H6M-D1-IR-60	2MP, 60 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	569.00
2.0C-H6M-DO1-IR-120	2MP, 120 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	989.00
2.0C-H6M-DO1-IR-30	2MP, 30 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	659.00
2.0C-H6M-DO1-IR-365	2MP, 365 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	2,089.00
2.0C-H6M-DO1-IR-60	2MP, 60 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	769.00
5.0C-H6M-D1-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	1,139.00
5.0C-H6M-D1-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	599.00
5.0C-H6M-D1-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Indoor Minidome, 2.95mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	779.00
5.0C-H6M-D2-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Indoor Minidome, wide angle, 2.4mm f/2.1, integrated IR, up to 10 year warranty with an active Alta Video license	1,189.00
5.0C-H6M-D2-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Indoor Minidome, wide angle, 2.4mm f/2.1, integrated IR, up to 10 year warranty with an active Alta Video license	649.00
5.0C-H6M-D2-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Indoor Minidome, wide angle, 2.4mm f/2.1, integrated IR, up to 10 year warranty with an active Alta Video license	829.00
5.0C-H6M-DO1-IR-120	5MP, 120 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	1,339.00
5.0C-H6M-DO1-IR-30	5MP, 30 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	799.00
5.0C-H6M-DO1-IR-60	5MP, 60 Day, Alta, WDR, Day/Night Outdoor Minidome, 2.99mm f/2.0, integrated IR, up to 10 year warranty with an active Alta Video license	979.00

### Flex

MODEL NUMBER	DESCRIPTION	MSRP \$
FLEX-2MP-7	Ava Flex - 2MP - 7 days	289.00

## Cloud Connectors

### Cloud Connectors

MODEL NUMBER	DESCRIPTION	MSRP \$
APP-3100-80-BT	Alta A3100 with 80TB net storage, two 10Gb BaseT network, up to 200 cameras, 5-year warranty and power cables included.	39,000.00

## Protect

### Protect Hardware

MODEL NUMBER	DESCRIPTION	MSRP \$
ARMINGSTATION-PRO	Arming Station Pro	699.00

### Protect Licenses

MODEL NUMBER	DESCRIPTION	MSRP \$
PROT-EXP-1Y	Protect expansion software license for 5 additional cameras/sensors and 1 additional zone for 1 year, for one physical location. Can be stacked, requires an active site license.	129.00
PROT-EXP-3Y	Protect expansion software license for 5 additional cameras/sensors and 1 additional zone for 3 years, for one physical location. Can be stacked, requires an active site license.	389.00
PROT-EXP-5Y	Protect expansion software license for 5 additional cameras/sensors and 1 additional zone for 5 years, for one physical location. Can be stacked, requires an active site license.	649.00
PROT-EXP-10Y	Protect expansion software license for 5 additional cameras/sensors and 1 additional zone for 10 years, for one physical location. Can be stacked, requires an active site license.	1,289.00
PROT-MON-EXP-1Y	Protect monitoring service expansion pack, includes 15 additional verification events per month for 1 year, for one physical location. Requires an active monitoring site license. Can be stacked.	269.00
PROT-MON-EXP-3Y	Protect monitoring service expansion pack, includes 15 additional verification events per month for 3 years, for one physical location. Requires an active monitoring site license. Can be stacked.	809.00
PROT-MON-EXP-5Y	Protect monitoring service expansion pack, includes 15 additional verification events per month for 5 years, for one physical location. Requires an active monitoring site license. Can be stacked.	1,349.00
PROT-MON-EXP-10Y	Protect monitoring service expansion pack, includes 15 additional verification events per month for 10 years, for one physical location. Requires an active monitoring site license. Can be stacked.	2,689.00
PROT-MON-SITE-1Y	Protect monitoring service, includes 25 verification events per month for 1 year, for one physical location	579.00
PROT-MON-SITE-3Y	Protect monitoring service, includes 25 verification events per month for 3 years, for one physical location	1,739.00
PROT-MON-SITE-5Y	Protect monitoring service, includes 25 verification events per month for 5 years, for one physical location	2,899.00
PROT-MON-SITE-10Y	Protect monitoring service, includes 25 verification events per month for 10 years, for one physical location	5,789.00
PROT-SITE-1Y	Protect software license for one physical location, includes 15 cameras/sensors and 2 zones for 1 year	419.00
PROT-SITE-3Y	Protect software license for one physical location, includes 15 cameras/sensors and 2 zones for 3 years	1,259.00
PROT-SITE-5Y	Protect software license for one physical location, includes 15 cameras/sensors and 2 zones for 5 years	2,099.00
PROT-SITE-10Y	Protect software license for one physical location, includes 15 cameras/sensors and 2 zones for 10 years	4,189.00

## Sensors

### Halo

MODEL NUMBER	DESCRIPTION	MSRP \$
HALO-V3.00C	HALO IoT Smart Sensor 3C	1,495.00
HALO-V3.00C-BACKBOX	Backbox for HALO 3C or HALO 3C-PC. Required anytime there is a wire mold or conduit connection to the HALO.	125.00
HALO-V3.00C-PC	HALO IoT Smart Sensor 3C PC with Occupancy and People Counting	1,795.00
HALO-LIC-CLOUD-1YR	1-year subscription, per Halo, to HALO Cloud and Alta Video. End user information required.	155.00
HALO-LIC-CLOUD-3YR	3-year subscription, per Halo, to HALO Cloud and Alta Video. End user information required	430.00
HALO-LIC-CLOUD-5YR	5-year subscription, per Halo, to HALO Cloud and Alta Video. End user information required	657.00
HALO-LIC-CLOUD-10YR	10-year subscription, per Halo, to HALO Cloud and Alta Video. Includes upto 10 year warranty extension for the HALO device. End user information required	1,212.00

### Hardware

MODEL NUMBER	DESCRIPTION	MSRP \$
DT-SEN-PT100TEMPPROBE	DT PT100 Temperature Probe	99.00
DT-SEN-TEMPDATABACKFILL-US	DT Temperature Sensor with Data Backfill US	86.00
DT-SEN-TEMPHUMIDITY-US	DT Temperature & Humidity Sensor US	79.00
DT-SEN-TEMPPROBE-US	DT Temperature Probe Sensor US	159.00

### Disruptive Technologies

MODEL NUMBER	DESCRIPTION	MSRP \$
DT-EXT-AMBRANGE	The Ambient Range Extender is designed to measure the air temperature in environments with metal surfaces.	20.45
DT-EXT-PIPERANGE	The Pipe Range Extender is designed to measure the temperature of a metal pipe while getting maximum radio range. The Pipe Range Extender is a variant of the Surface Range Extender.	20.45
DT-EXT-RANGE	The Range Extender is a passive wireless external antenna that increases the connection between a sensor and a Cloud Connector up to quadruple the range.	15.91
DT-EXT-SURFRANGE	The Surface Range Extender is designed to measure a metal surface's temperature and get maximum radio range.	20.45
DT-EXT-WATDETRANGE	The Water Detector Range Extender is a dual-function sensor accessory. Ensures installation on surfaces with sufficient distance to prevent false detection while improving range of the sensor.	20.45
DT-EXT-WATTEXRANGE	The Water Detector Range Extender Textile Addon is used to increase the sensitivity of the Wireless Water Detector.	6.82
DT-LIC--TEMP330-1Y	Annual DT and Aware Temperature - 330s reporting - sensor subscription for 1 sensor. License only, no software.	68.00

DT-LIC--TEMP330-3Y	3 year DT and Aware Temperature - 330s reporting - sensor subscription for 1 sensor. License only, no software.	158.55
DT-LIC-CO2-1Y	Annual DT and Aware CO2 Sensor Subscription for 1 sensor. License only, no software	97.55
DT-LIC-CO2-3Y	3 years DT and Aware CO2 Sensor Subscription for 1 sensor. License only, no software	222.18
DT-LIC-DOORANDWINDOW-1Y	Annual DT Alta Sensor Sub for 1 Sensor	45.00
DT-LIC-DOORANDWINDOW-3Y	3 years DT Alta Sensor Sub for 1 Sensor	112.00
DT-LIC-HUM-1Y	Annual DT and Aware Humidity sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-HUM-3Y	3 year DT and Aware Humidity sensor subscription for 1 sensor. License only, no software.	126.73
DT-LIC-INDTEMP330S-1Y	Annual DT and Aware Industrial Temp Sensor Subscription - 5 min reporting - for 1 sensor. License only, no software.	68.00
DT-LIC-INDTEMP330S-3Y	3 years DT and Aware Industrial Temp Sensor Subscription - 5 min reporting - for 1 sensor. License only; no software.	158.55
DT-LIC-INDTEMPV2-1Y	Annual DT and Aware Industrial Temp - 15 min - sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-INDTEMPV2-3Y	3 years DT and Aware Industrial Temp - 15 min - sensor subscription for 1 sensor. License only, no software.	126.73
DT-LIC-MOTION-1Y	Annual DT and Aware Motion Sensor Subscription for 1 sensor. License only, no software	52.09
DT-LIC-MOTION-3Y	3 years DT and Aware Motion Sensor Subscription for 1 sensor. License only, no software	126.73
DT-LIC-OCCP-1Y	Annual DT and Aware Occupancy sensor subscription for 1 sensor. License only, no software.	58.91
DT-LIC-OCCP-3Y	3 year DT and Aware Occupancy sensor subscription for 1 sensor. License only, no software.	138.09
DT-LIC-PROX-1Y	Annual DT and Aware proximity sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-PROX-3Y	3 year DT and Aware proximity sensor subscription for 1 sensor. License only, no software.	126.73
DT-LIC-SC-1Y	One year DT cloud connector data subscription and integration into Aware.	79.55
DT-LIC-SC-3Y	3 year DT cloud connector data subscription and integration into Aware.	166.67
DT-LIC-TACTOUCH-1Y	Annual DT and Aware Tactile Touch Button sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-TACTOUCH-3Y	3 year DT and Aware Tactile Touch Button sensor subscription for 1 sensor. License only, no software.	126.73
DT-LIC-TEMPV2-1Y	Annual DT and Aware Temperature -15 min reporting - sensor subscription, for 1 sensor. License only, no software.	52.09
DT-LIC-TEMPV2-3Y	3 year DT and Ava Temprature -15 min reporting - sensor subscription, for 1 sensor. License only, no software.	126.73
DT-LIC-TOUCH-1Y	Annual DT and Aware Touch sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-TOUCH-3Y	3 year DT and Aware Touch sensor subscription for 1 sensor. License only, no software.	126.73
DT-LIC-WATER-1Y	Annual DT and Aware Water sensor subscription for 1 sensor. License only, no software.	52.09
DT-LIC-WATER-3Y	3 year DT and Aware Water sensor subscription for 1 sensor. License only, no software.	126.73
DT-SC	Sensor Connector relaying data from sensors to the cloud. Package includes PoE adapter and 4G/LTE connection.	997.73
DT-SEN-CO2	Disruptive Technologies CO2 sensor	497.73
DT-SEN-DOORANDWINDOW	Wireless Door & Window Sensor	123.00
DT-SEN-INDTEMP330S	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Single sensor.	178.03
DT-SEN-INDTEMP330S-PK100		13,296.97

	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Pack of 100 sensor	
DT-SEN-INDTEMP330S-PK25	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors.	3,693.18
DT-SEN-INDTEMPV2	Second Generation Wireless Temperature Sensor reporting the surrounding temperature every 15 minutes, and configurable to intervals down to 30 seconds. Requires a nearby Sensor Connector and an active license. Single sensor	178.03
DT-SEN-INDTEMPV2-PK100	Second Generation Wireless Temperature Sensor reporting the surrounding temperature every 15 minutes, and configurable to intervals down to 30 seconds. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	13,296.97
DT-SEN-INDTEMPV2-PK25	Second Generation Wireless Temperature Sensor reporting the surrounding temperature every 15 minutes, and configurable to intervals down to 30 seconds. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	3,693.18
DT-SEN-MOTION	Quad-element Passive Infrared Sensor (PIR) to detect the presence of people in a room up to 14 meters away. Single sensor	179.55
DT-SEN-OCCP	Wireless Desk Occupancy sensor measures if a desk is occupied or vacant; publishes status every 5 minutes. Single sensor.	143.94
DT-SEN-OCCP-PK100	Wireless Desk Occupancy sensor measures if a desk is occupied or vacant; publishes status every 5 minutes. Pack of 100 sensors.	10,227.27
DT-SEN-OCCP-PK25	Wireless Desk Occupancy sensor measures if a desk is occupied or vacant; publishes status every 5 minutes. Pack of 25 sensors.	2,840.91
DT-SEN-PROX	Wireless Proximity Sensor detecting objects that are removed or placed in front of the sensor. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Single sensor	128.03
DT-SEN-PROX-PK100	Wireless Proximity Sensor detecting objects that are removed or placed in front of the sensor. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	8,795.45
DT-SEN-PROX-PK25	Wireless Proximity Sensor detecting objects that are removed or placed in front of the sensor. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,443.18
DT-SEN-TACTOUCH	Wireless Tactile Touch Sensor transmitting a message every time it is touched. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Single sensor	143.94
DT-SEN-TACTOUCH-PK25	Wireless Tactile Touch Sensor transmitting a message every time it is touched. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,840.91
DT-SEN-TEMP330	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Single sensor	143.94
DT-SEN-TEMP330-PK100	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	10,227.27
DT-SEN-TEMP330-PK25	330s Certified Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 5.5-minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,840.91
DT-SEN-TEMPV2	Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 15-minutes. Requires a nearby Sensor Connector and an active license. Single sensor	143.94
DT-SEN-TEMPV2-PK100	Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 15-minutes. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	10,227.27
DT-SEN-TEMPV2-PK25	Wireless Temperature Sensor measuring the surrounding temperature and wirelessly transmits the results every 15-minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,840.91
DT-SEN-TOUCH	Wireless Touch Sensor transmitting a message every time it is touched. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Single sensor	128.03

DT-SEN-TOUCH-PK100	Wireless Touch Sensor transmitting a message every time it is touched. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	8,795.45
DT-SEN-TOUCH-PK25	Wireless Touch Sensor transmitting a message every time it is touched. Heartbeat indicating active status every 15 minutes. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,443.18
DT-SEN-WATER	Wireless Water Sensor detecting if there is water in contact with the sensor or not, and relays data immediately to nearby Sensor Connectors. Requires a nearby Sensor Connector and an active license. Single sensor	128.03
DT-SEN-WATER-PK100	Wireless Water Sensor detecting if there is water in contact with the sensor or not, and relays data immediately to nearby Sensor Connectors. Requires a nearby Sensor Connector and an active license. Pack of 100 sensors	8,795.45
DT-SEN-WATER-PK25	Wireless Water Sensor detecting if there is water in contact with the sensor or not, and relays data immediately to nearby Sensor Connectors. Requires a nearby Sensor Connector and an active license. Pack of 25 sensors	2,443.18

## Software

### Halo

MODEL NUMBER	DESCRIPTION	MSRP \$
HALO-CLOUD-1YR	1-year subscriptions to HALO Cloud. End user information required	155.00
HALO-CLOUD-3YR	3-year subscriptions to HALO Cloud. End user information required	430.00
HALO-CLOUD-5YR	5-year subscriptions to HALO Cloud. End user information required	657.00
HALO-CLOUD-10YR	10-year subscriptions to HALO Cloud. Includes 10 year warranty extension for the HALO device. End user information required	1,212.00
HALO-CLOUD-FIRST-1YR	Initial year of HALO Cloud, free (for first-time subscribers only). End user information required	0.01

### Alta

MODEL NUMBER	DESCRIPTION	MSRP \$
LIC-SEN-CHAN-1Y	Alta Video Generic Sensor License (per channel) - 1 Year	18.00
LIC-SEN-CHAN-3Y	Alta Video Generic Sensor License (per channel) - 3 Year	53.00
LIC-SEN-CHAN-5Y	Alta Video Generic Sensor License (per channel) - 5 Year	88.00
LIC-SEN-HALO-1Y	Subscription for a single IPVideo Corporation Halo sensor connected to Aware.	179.00
LIC-SEN-HALO-3Y	Subscription for a single IPVideo Corporation Halo sensor connected to Aware.	529.00
LIC-SEN-HALO-5Y	Subscription for a single IPVideo Corporation Halo sensor connected to Aware.	879.00
ACH-INT-1Y	Third-party access-control integration subscription, per deployment, 1 year	879.00
ACH-INT-3Y	Third-party access-control integration subscription, per deployment, 3 years	2,639.00
ACH-INT-5Y	Third-party access-control integration subscription, per deployment, 5 years	4,399.00
ACH-INT-10Y	Third-party access-control integration subscription, per deployment, 10 years	8,799.00
LIC-POS-REG (1 Year )	Point-of-Sale integration subscription, per device	49.00
LIC-POS-REG (10 Years )	Point-of-Sale integration subscription, per device	490.00
LIC-POS-REG (3 Years )	Point-of-Sale integration subscription, per device	147.00
LIC-POS-REG (5 Years )	Point-of-Sale integration subscription, per device	245.00
LIC-AUD-REC	Audio Recording License for Alta Aware	0.00
AWA-CLD-1Y	Alta Video Subscription, per camera, including 30 days cloud storage, 1 year	179.00
AWA-CLD-3Y	Alta Video Subscription, per camera, including 30 days cloud storage, 3 years	499.00
AWA-CLD-5Y	Alta Video Subscription, per camera, including 30 days cloud storage, 5 years	799.00
AWA-CLD-10Y	Alta Video Subscription, per camera, including 30 days cloud storage, 10 years	1,599.00
LIC-FAC-SEA	Enable face search for a deployment. \$0 license.	0.00
LIC-LPR-CHAN-1Y	Alta LPR license, per camera enabled for LPR - 1 Year	399.00
LIC-LPR-CHAN-3Y	Alta LPR license, per camera enabled for LPR - 3 Year	1,189.00

LIC-LPR-CHAN-5Y	Alta LPR license, per camera enabled for LPR - 5 Year	1,979.00
LIC-LPR-CHAN-10Y	Alta LPR license, per camera enabled for LPR - 10 Year	3,958.00
AWA-CLD-BYO-1Y	Alta Cloud Storage Connect - 1 Year	87.00
AWA-CLD-BYO-3Y	Alta Cloud Storage Connect - 3 Year	269.00
AWA-CLD-BYO-5Y	Alta Cloud Storage Connect - 5 Year	439.00
AWA-CLD-BYO-10Y	Alta Cloud Storage Connect - 10 Year	870.00
AWA-CLD-STR-120-1Y	Alta Cloud Storage License 120 Day - 1 year	519.00
AWA-CLD-STR-120-3Y	Alta Cloud Storage License 120 Day - 3 year	1,559.00
AWA-CLD-STR-120-5Y	Alta Cloud Storage License 120 Day - 5 year	2,599.00
AWA-CLD-STR-120-10Y	Alta Cloud Storage License 120 Day - 10 year	5,189.00
AWA-CLD-STR-150-1Y	Alta Cloud Storage License 150 Day - 1 year	589.00
AWA-CLD-STR-150-3Y	Alta Cloud Storage License 150 Day - 3 year	1,769.00
AWA-CLD-STR-150-5Y	Alta Cloud Storage License 150 Day - 5 year	2,949.00
AWA-CLD-STR-150-10Y	Alta Cloud Storage License 150 Day - 10 year	5,889.00
AWA-CLD-STR-30-1Y	Alta Cloud Storage License 30 Day - 1 year	179.00
AWA-CLD-STR-30-3Y	Alta Cloud Storage License 30 Day - 3 year	529.00
AWA-CLD-STR-30-5Y	Alta Cloud Storage License 30 Day - 5 year	879.00
AWA-CLD-STR-30-10Y	Alta Cloud Storage License 30 Day - 10 year	1,790.00
AWA-CLD-STR-335-1Y	Alta Cloud Storage License 335 Day - 1 year	1,089.00
AWA-CLD-STR-335-3Y	Alta Cloud Storage License 335 Day - 3 year	3,269.00
AWA-CLD-STR-335-5Y	Alta Cloud Storage License 335 Day - 5 year	5,449.00
AWA-CLD-STR-335-10Y	Alta Cloud Storage License 335 Day - 10 year	10,889.00
AWA-CLD-STR-365-1Y	Alta Cloud Storage License 365 Day - 1 year	1,189.00
AWA-CLD-STR-365-3Y	Alta Cloud Storage License 365 Day - 3 year	3,569.00
AWA-CLD-STR-365-5Y	Alta Cloud Storage License 365 Day - 5 year	5,949.00
AWA-CLD-STR-365-10Y	Alta Cloud Storage License 365 Day - 10 year	11,889.00
AWA-CLD-STR-60-1Y	Alta Cloud Storage License 60 Day - 1 year	259.00
AWA-CLD-STR-60-3Y	Alta Cloud Storage License 60 Day - 3 year	779.00
AWA-CLD-STR-60-5Y	Alta Cloud Storage License 60 Day - 5 year	1,299.00
AWA-CLD-STR-60-10Y	Alta Cloud Storage License 60 Day - 10 year	2,589.00
AWA-CLD-STR-90-1Y	Alta Cloud Storage License 90 Day - 1 year	389.00
AWA-CLD-STR-90-3Y	Alta Cloud Storage License 90 Day - 3 year	1,169.00
AWA-CLD-STR-90-5Y	Alta Cloud Storage License 90 Day - 5 year	1,949.00
AWA-CLD-STR-90-10Y	Alta Cloud Storage License 90 Day - 10 year	3,889.00

# Cloud Appliances

## Cloud Connectors

MODEL NUMBER	DESCRIPTION	MSRP \$
AACC-DRV-04TB	Replacement Alta Cloud Connector drive 4TB	199.00
AACC-DRV-08TB	Replacement Alta Cloud Connector drive 8TB	379.00
AACC-DRV-12TB	Replacement Alta Cloud Connector drive 12TB	559.00
AACC-DRV-16TB	Replacement Alta Cloud Connector drive 16TB	759.00
APP-RCK-1100	Mounting rack for A1100 with rail bracket and ready rails, including one C13-C14 power cable.	579.00
APP-1100-24-BT	Alta A1100 with 24TB net storage, a 10Gb BaseT and a 1Gb Base-T network, up to 75 cameras, 5-year warranty and power cables included.	10,500.00
APP-1100-48-BT	Alta A1100 with 48TB net storage, a 10Gb BaseT and a 1Gb Base-T network, up to 75 cameras, 5-year warranty and power cables included.	14,100.00
APP-200-4-SG	Alta A200 with 4TB net storage, 1Gb BaseT network, up to 10 cameras, 5-year warranty and power cables included.	2,600.00
APP-200-8-DG	Alta A200 with 8TB net storage, dual 1Gb BaseT network, up to 10 cameras, 5-year warranty and power cables included.	3,400.00
APP-2000-160-BT	Alta A2000 with 160TB net storage and dual 10Gb Base-T and 1Gb Base-T network connection. Support for up to 100 cameras, 2U rack mounted, 12 hard drives, Nvidia RTX GPU, 5 year warranty included.	35,000.00
APP-2000-80-BT	Alta A2000 with 80TB net storage and dual 10Gb Base-T and 1Gb Base-T network connection. Support for up to 100 cameras, 2U rack mounted, 12 hard drives, Nvidia RTX GPU, 5 year warranty included.	26,000.00
APP-2000-80-SFP	Alta A2000 with 80TB net storage and dual 10Gb SFP+ and 1Gb Base-T network connection. Support for up to 100 cameras, 2U rack mounted, 12 hard drives, Nvidia RTX GPU, 5 year warranty included.	26,000.00
APP-2100-160-BT	Alta A2100 with 160TB net storage, two 10Gb BaseT network, up to 100 cameras, 5-year warranty and power cables included.	35,000.00
APP-2100-160-SFP	Alta A2100 with 160TB net storage, two 10Gb SFP28 network, up to 100 cameras, 5-year warranty and power cables included.	35,000.00
APP-2100-80-BT	Alta A2100 with 80TB net storage, two 10Gb BaseT network, up to 100 cameras, 5-year warranty and power cables included.	26,000.00
APP-2100-80-SFP	Alta A2100 with 80TB net storage, two 10Gb SFP28 network, up to 100 cameras, 5-year warranty and power cables included.	26,000.00
APP-3000-160-SFP	Alta A3000 with 160TB net storage and dual 10Gb SFP+ and 1Gb Base-T network connection. Support for up to 200 cameras, 2U rack mounted, 12 hard drives, dual Nvidia RTX GPUs, 5 year warranty included.	49,000.00
APP-3000-80-BT	Alta A3000 with 80TB net storage and dual 10Gb Base-T and 1Gb Base-T network connection. Support for up to 200 cameras, 2U rack mounted, 12 hard drives, dual Nvidia RTX GPUs, 5 year warranty included.	39,000.00
APP-3100-160-BT	Alta A3100 with 160TB net storage, two 10Gb BaseT network, up to 200 cameras, 5-year warranty and power cables included.	49,000.00
APP-3100-160-SFP	Alta A3100 with 160TB net storage, two 10Gb SFP28 network, up to 200 cameras, 5-year warranty and power cables included.	49,000.00
APP-3100-240-BT	Alta A3100 with 240TB net storage, two 10Gb BaseT network, up to 200 cameras, 5-year warranty and power cables included.	55,000.00
APP-3100-240-SFP	Alta A3100 with 240TB net storage, two 10Gb SFP28 network, up to 200 cameras, 5-year warranty and power cables included.	55,000.00
APP-500-16-DG	Alta A500 with 16TB net storage and dual 1Gb Base-T network connection. Support for up to 25 cameras, 3 hard drives, Nvidia GeForce GPU, Alta Aware VMS, 5 year warranty and power cables included.	6,200.00
APP-600-16-DG	Alta A600 with 16TB net storage, two 1Gb BaseT network, up to 25 cameras, 5-year warranty and power cables included.	6,200.00
APP-600-8-DG		5,300.00

	Alta A600 with 8TB net storage, two 1Gb BaseT network, up to 25 cameras, 5-year warranty and power cables included.	
APP-750-32-DG	Alta A750 with 32TB net storage and dual 1Gb Base-T network connection. Support for up to 50 cameras, 3 hard drives, Nvidia GeForce GPU, with Alta Aware VMS, 5 year warranty and power cables included.	9,100.00
APP-800-32-DG	Alta A800 with 32TB net storage, two 1Gb BaseT network, up to 50 cameras, 5-year warranty and power cables included.	9,100.00

# Alta Access MSRP - USD

Pricelist effective November 10, 2025

**Pricelist for products shipping to USA**

**Summary Of Changes**

## Accessories

### Accessories Other

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-CRA-ACC-ADPT	Mercury Bracket for ACC	20.00
OP-CVR-W	Standard Smart Reader Cover in white	20.00
OP-DEMO2-SDC-RKP	Tabletop Demo with Keypad Reader	1,540.00
OP-PI-30W	PoE/PoE+ Injector	60.00
OP-RSC-DESK	Desktop Bracket for Embedded USB Smart Reader	30.00
OP-TABTOP-MF	Tabletop/Travelling Demo Unit w/ OP-R2-STD, OP-ACC and OP-EX-4E	1,540.00

### Controller / Keyboards

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-AC-HID-CARD-ICLASS-SE-3000-AVG	Avigilon HID iClass SE Smart Card	6.59
OP-AC-HID-CARD-SEOS-5006PGCMN-AVG	Avigilon HID iClass SEOS Smart Card	7.64
OP-AC-HID-FOB-ICLASS-3250PNMNM-AVG	Avigilon HID iClass SE Keyfob	8.72
OP-AC-HID-FOB-SEOS-5266PNNA-AVG	Avigilon HID iClass SEOS Keyfob	8.07
OP-AC-HID-READER-SIGNO-20NKS-00-000000-AVG	HID Signo Reader 20 Mullion Pigtail	389.35
OP-AC-HID-READER-SIGNO-20TKS-00-000000-AVG	HID Signo Reader 20 Mullion Terminal	389.35
OP-AC-HID-READER-SIGNO-40NKS-00-000000-AVG	HID Signo Reader 40 Pigtail	401.13
OP-AC-HID-READER-SIGNO-40TKS-00-000000-AVG	HID Signo Reader 40 Terminal	401.13
OP-AC-LSP-16DR-MER-LCK	16 Door Unified Power System	1,731.54
OP-AC-LSP-2DR-MER-LCK	2 Door Unified Power System	680.24
OP-AC-LSP-4DR-MER-LCK	4 Door Unified Power System	782.95
OP-AC-LSP-8DR-MER-LCK	8 Door Unified Power System	1,094.37
OP-AC-MER-CON-MR16IN	MR16IN-S3 Multi-Device Interface Panel	1,379.25
OP-AC-MER-CON-MR16OUT	MR16OUT-S3 Multi-Interface Device	1,379.25
OP-AC-MER-CON-MR50	MR50-S3 Reader Interface Panel	473.51
OP-AC-MER-CON-MR52-S3B	MPR52-S3B Reader Interface Panel	880.89
OP-AC-MER-CONT-MP1501	MP1501 Intelligent Controller	975.00
OP-AC-MER-CONT-MP1502	MP1502 Intelligent Controller	1,697.00
OP-AC-MER-CONT-MP2500	MP2500 Intelligent Controller	2,490.00

## Components

### Core

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-CR-ACC	Access Control Core Board with support for up to 2 Avigilon expansion boards via USB. The core can be wirelessly configured with the Admin app and can be powered by 12V or 24V. Compatible with Mercury LP and MP series controllers and MR series 3 sub panels - see Datasheet for maximum entries by panel type	450.00
OP-CR-SDC	Single Door Controller, 2 entry capacity, 2 reader inputs, 2 Wiegand inputs, 2 REX, 2 contact, 2 output relays. PoE, PoE+ or DV 12V or 24V powered	925.00

### Expansion Boards

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-16EM	Elevator Expansion Board with 2 reader inputs, 16 voltage inputs, 16 output relays. Must be used with a 24V Smart Hub. Back plate for enclosure install included	800.00
OP-EX-32S	32 input + 2 relay expansion module (requires OP-ACC)	750.00
OP-EX-4E	4 entry +2 relay expansion module (requires OP-ACC), 4 reader inputs, 4 REX, 4 contact, 2 generic inputs, 6 output relays. Non-reader inputs can be configured for Wiegand devices (max of 3 fully configured Wiegand entries)	690.00
OP-EX-8E	8 entry +4 expansion module (requires OP-ACC), 8 reader inputs, 8 REX, 8 contact, 4 generic inputs, 12 output relays. Non-reader inputs can be configured for Wiegand devices (max of 5 fully configured Wiegand entries)	1,375.00

### Power Supplies

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-ECL1-PS1224	LifeSafety Power Enclosure, FPV4 12V/4A, 24V/3A power supply + B100 secondary voltage + C4 distribution board + enclosure. Enclosure size: 14" H, 12" W, 5" D (356 x 305 x 114 mm)	640.00
OP-ECL1-PS24	LifeSafety Power Enclosure, FPV4 24V/3A or 12V/4A power supply + enclosure. Enclosure size: 14" H, 12" W, 5" D (356 x 305 x 114 mm)	440.00
OP-ECL2-PS1224	LifeSafety Power Enclosure, FPV6 12V/6A, 24V/3A power supply, high power + B100 secondary voltage + C8 distribution board + enclosure. Enclosure dimensions: 20" H, 16" W, 4.5" D (508 x 406 x 114 mm)	1,065.00

## Physical Credentials

### Cards

MODEL NUMBER	DESCRIPTION	MSRP \$
ALGN-ACH-10	Schlage® MIFARE DESFire EV3 Card, pack of 10	104.00
ALGN-ACHL-10	Proximity and Schlage® MIFARE DESFire EV3 Card, pack of 10	152.00
OP-ACH-10IC	(Legacy) Solid EV3-A, use with Allegion locks that have not been upgraded, pack of 10	60.00
OP-ACH-EV3A10	(Legacy) Punched DESFire EV3-A, use with Allegion locks that have not been upgraded, pack of 10	60.00
OP-ACH-EV3P10	Punched DESFire EV3-B Access Card, use with high frequency readers, pack of 10	60.00
OP-ACH-EV3S10	Solid DESFire EV3-B Access Card, use with high frequency readers, pack of 10	60.00
OP-ACL-10	Punched Prox Card, use with low frequency readers, pack of 10	50.00
OP-ACL-10IC	Solid Prox Card, use with low frequency readers, pack of 10	50.00

### Fobs

MODEL NUMBER	DESCRIPTION	MSRP \$
ALGN-KFH-10	Schlage® MIFARE DESFire EV3 Fob, pack of 10	108.00
ALGN-KFHL-10	Proximity and Schlage® MIFARE DESFire EV3 Fob, pack of 10	163.00
OP-KFL-10	Prox Key Fob, use with low frequency readers, pack of 10	50.00

## Readers

### Smart Readers

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-R2X-EMBD	Embedded USB Smart Reader, black, low and high frequency version	275.00
OP-R2X-MULL	Mullion Smart Reader V2, black, low and high frequency version	275.00
OP-R2X-STND	Standard Smart Reader V2, black, low and high frequency version	275.00

### Keypad Readers

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-RKP-MULL	Mullion Smart Keypad Reader V2, black, low and high frequency version	460.00
OP-RKP-STND	Standard Smart Keypad Reader V2, black, low and high frequency version	460.00

### Video Readers

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-VID-PRO-INT	Video Intercom Reader Pro	1,000.00
OP-VID-PRO-RDR	Video Reader Pro	400.00

## Services

### Expert Services

MODEL NUMBER	DESCRIPTION	MSRP \$
ORCHESTRATE-ALTAACCESS	Orchestrate enables the MSI ecosystem	0.00

MODEL NUMBER	DESCRIPTION	MSRP \$
OP-SERV-CO	Good for new or growing end customer accounts. Package includes up to 20-hours of access to a dedicated Enablement Specialist to help with account optimization including adding users, setting up user credentials and permissions, creating schedules, admin training and end-customer training and a welcome custom packet for a seamless onboarding experience.	2,500.00
OP-SERV-DIA	Are you installing access system hardware but need step-by-step guidance from one of our experienced support team members? No worries. Schedule some time to have a dedicated agent guide you through the installation instead and get direct access to one of our experienced support team members on installation day. Book as many sessions as you need. Each session is an hour-long.	250.00

## Smart Hubs

MODEL NUMBER	DESCRIPTION	MSRP \$
SYS-16ENT-DVE6	Core Series 16 port 12/24V Smart Hub, 16 entry capacity Power supply: FPO series, E6 enclosure	5,725.00
SYS-4ENT-DVE1	Core Series 4 port 12/24V Smart Hub, 4 entry capacity Power supply: FPV series, E1 enclosure	1,780.00
SYS-8ENT-DVE2	Core Series 8 port 12/24V Smart Hub, 8 entry capacity Power supply: FPV series, E2 enclosure	2,890.00
SYS-8ENT-DVE4	Core Series 8 port 12/24V Smart Hub, 8 entry capacity Power supply: FPO series, E4 enclosure	3,125.00
SYS-ELEV-SVE1	Core Series Elevator Smart Hub Combines FPV series, E1 Enclosure, OP-CR-ACC, and OP-16EM	1,690.00

# Software Licenses

## Active Users

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ACTUSER-P100	Active User: Pack of 100 users	300.00
SW-ACTUSER-P100-3Y	Active User: Pack of 100 users (3 Years)	900.00
SW-ACTUSER-P100-5Y	Active User: Pack of 100 users (5 Years)	1,500.00
SW-ACTUSER-P100-10Y	Active User: Pack of 100 users (10 Years)	3,000.00
SW-ACTUSER-P1000	Active User: Pack of 1000 users	1,080.00
SW-ACTUSER-P1000-3Y	Active User: Pack of 1000 users (3 Years)	3,240.00
SW-ACTUSER-P1000-5Y	Active User: Pack of 1000 users (5 Years)	5,400.00
SW-ACTUSER-P1000-10Y	Active User: Pack of 1000 users (10 Years)	10,800.00
SW-ACTUSER-P10000	Active User: Pack of 10000 users	7,200.00
SW-ACTUSER-P10000-3Y	Active User: Pack of 10000 users (3 Years)	21,600.00
SW-ACTUSER-P10000-5Y	Active User: Pack of 10000 users (5 Years)	36,000.00
SW-ACTUSER-P10000-10Y	Active User: Pack of 10000 users (10 Years)	72,000.00
SW-ACTUSER-P500	Active User: Pack of 500 users	600.00
SW-ACTUSER-P500-3Y	Active User: Pack of 500 users (3 Years)	1,800.00
SW-ACTUSER-P500-5Y	Active User: Pack of 500 users (5 Years)	3,000.00
SW-ACTUSER-P500-10Y	Active User: Pack of 500 users (10 Years)	6,000.00
SW-ACTUSER-P5000	Active User: Pack of 5000 users	4,800.00
SW-ACTUSER-P5000-3Y	Active User: Pack of 5000 users (3 Years)	14,400.00
SW-ACTUSER-P5000-5Y	Active User: Pack of 5000 users (5 Years)	24,000.00
SW-ACTUSER-P5000-10Y	Active User: Pack of 5000 users (10 Years)	48,000.00
SW-ACTUSER-P50000	Active User: Pack of 50000 users	24,000.00
SW-ACTUSER-P50000-3Y	Active User: Pack of 50000 users (3 Years)	72,000.00
SW-ACTUSER-P50000-5Y	Active User: Pack of 50000 users (5 Years)	120,000.00
SW-ACTUSER-P50000-10Y	Active User: Pack of 50000 users (10 Years)	240,000.00

## A la carte

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALA-BDGE	Badge Printing	600.00
SW-ALA-BDGE-3Y	Badge Printing (3 Years)	1,800.00
SW-ALA-BDGE-5Y	Badge Printing (5 Years)	3,000.00
SW-ALA-BDGE-10Y	Badge Printing (10 Years)	6,000.00
SW-MAIL	PACK OF 1 MAILROOM (1 Year) Effective on June 2nd 2025	1,500.00
SW-MAIL-3Y	PACK OF 1 MAILROOM (3 Years) Effective on June 2nd 2025	4,500.00
SW-MAIL-5Y	PACK OF 1 MAILROOM (5 Years) Effective on June 2nd 2025	7,500.00
SW-MAIL-10Y	PACK OF 1 MAILROOM (10 Years) Effective on June 2nd 2025	15,000.00
SW-VISIT-LS	Visitor Site License - Large site, Pack of 1 (1 Year License)	3,600.00

SW-VISIT-LS-3YR	Visitor Site License - Large site, Pack of 1 (3 Year License)	10,800.00
SW-VISIT-LS-5YR	Visitor Site License - Large site, Pack of 1 (5 Year License)	18,000.00
SW-VISIT-LS-10YR	Visitor Site License - Large site, Pack of 1 (10 Year License)	36,000.00
SW-VISIT-MS	Visitor Site License - Medium site, Pack of 1 (1 Year License)	2,400.00
SW-VISIT-MS-3YR	Visitor Site License - Medium site, Pack of 1 (3 Year License)	7,200.00
SW-VISIT-MS-5YR	Visitor Site License - Medium site, Pack of 1 (5 Year License)	12,000.00
SW-VISIT-MS-10YR	Visitor Site License - Medium site, Pack of 1 (10 Year License)	24,000.00
SW-VISIT-SS	Visitor Site License - Small site, Pack of 1 (1 Year License)	1,500.00
SW-VISIT-SS-3YR	Visitor Site License - Small site, Pack of 1 (3 Year License)	4,500.00
SW-VISIT-SS-5YR	Visitor Site License - Small site, Pack of 1 (5 Year License)	7,500.00
SW-VISIT-SS-10YR	Visitor Site License - Small site, Pack of 1 (10 Year License)	15,000.00

## Entries

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-BSC-P1	Basic: Pack of 1 entry	240.00
SW-BSC-P1-3Y	Basic: Pack of 1 entry (3 Years)	720.00
SW-BSC-P1-5Y	Basic: Pack of 1 entry (5 Years)	1,200.00
SW-BSC-P1-10Y	Basic: Pack of 1 entry (10 Years)	2,400.00
SW-BSC-P10	Basic: Pack of 10 entries	1,200.00
SW-BSC-P10-3Y	Basic: Pack of 10 entries (3 Years)	3,600.00
SW-BSC-P10-5Y	Basic: Pack of 10 entries (5 Years)	6,000.00
SW-BSC-P10-10Y	Basic: Pack of 10 entries (10 Years)	12,000.00
SW-BSC-P100	Basic: Pack of 100 entries	6,000.00
SW-BSC-P100-3Y	Basic: Pack of 100 entries (3 Years)	18,000.00
SW-BSC-P100-5Y	Basic: Pack of 100 entries (5 Years)	30,000.00
SW-BSC-P100-10Y	Basic: Pack of 100 entries (10 Years)	60,000.00
SW-BSC-P1000	Basic: Pack of 1000 entries	48,000.00
SW-BSC-P1000-3Y	Basic: Pack of 1000 entries (3 Years)	144,000.00
SW-BSC-P1000-5Y	Basic: Pack of 1000 entries (5 Years)	240,000.00
SW-BSC-P1000-10Y	Basic: Pack of 1000 entries (10 Years)	480,000.00
SW-BSC-P25	Basic: Pack of 25 entries	2,400.00
SW-BSC-P25-3Y	Basic: Pack of 25 entries (3 Years)	7,200.00
SW-BSC-P25-5Y	Basic: Pack of 25 entries (5 Years)	12,000.00
SW-BSC-P25-10Y	Basic: Pack of 25 entries (10 Years)	24,000.00
SW-BSC-P5	Basic: Pack of 5 entries	720.00
SW-BSC-P5-3Y	Basic: Pack of 5 entries (3 Years)	2,160.00
SW-BSC-P5-5Y	Basic: Pack of 5 entries (5 Years)	3,600.00
SW-BSC-P5-10Y	Basic: Pack of 5 entries (10 Years)	7,200.00
SW-ETP-P1	Enterprise: Pack of 1 entry	420.00
SW-ETP-P1-3Y	Enterprise: Pack of 1 entry (3 Years)	1,260.00
SW-ETP-P1-5Y	Enterprise: Pack of 1 entry (5 Years)	2,100.00
SW-ETP-P1-10Y	Enterprise: Pack of 1 entry (10 Years)	4,200.00
SW-ETP-P10	Enterprise: Pack of 10 entries	2,400.00
SW-ETP-P10-3Y	Enterprise: Pack of 10 entries (3 Years)	7,200.00

SW-ETP-P10-5Y	Enterprise: Pack of 10 entries (5 Years)	12,000.00
SW-ETP-P10-10Y	Enterprise: Pack of 10 entries (10 Years)	24,000.00
SW-ETP-P100	Enterprise: Pack of 100 entries	12,000.00
SW-ETP-P100-3Y	Enterprise: Pack of 100 entries (3 Years)	36,000.00
SW-ETP-P100-5Y	Enterprise: Pack of 100 entries (5 Years)	60,000.00
SW-ETP-P100-10Y	Enterprise: Pack of 100 entries (10 Years)	120,000.00
SW-ETP-P1000	Enterprise: Pack of 1000 entries	96,000.00
SW-ETP-P1000-3Y	Enterprise: Pack of 1000 entries (3 Years)	288,000.00
SW-ETP-P1000-5Y	Enterprise: Pack of 1000 entries (5 Years)	480,000.00
SW-ETP-P1000-10Y	Enterprise: Pack of 1000 entries (10 Years)	960,000.00
SW-ETP-P25	Enterprise: Pack of 25 entries	4,800.00
SW-ETP-P25-3Y	Enterprise: Pack of 25 entries (3 Years)	14,400.00
SW-ETP-P25-5Y	Enterprise: Pack of 25 entries (5 Years)	24,000.00
SW-ETP-P25-10Y	Enterprise: Pack of 25 entries (10 Years)	48,000.00
SW-ETP-P5	Enterprise: Pack of 5 entries	1,440.00
SW-ETP-P5-3Y	Enterprise: Pack of 5 entries (3 Years)	4,320.00
SW-ETP-P5-5Y	Enterprise: Pack of 5 entries (5 Years)	7,200.00
SW-ETP-P5-10Y	Enterprise: Pack of 5 entries (5 Years)	14,400.00
SW-PRM-P1	Premium: Pack of 1 entry	300.00
SW-PRM-P1-3Y	Premium: Pack of 1 entry (3 Years)	900.00
SW-PRM-P1-5Y	Premium: Pack of 1 entry (5 Years)	1,500.00
SW-PRM-P1-10Y	Premium: Pack of 1 entry (10 Years)	3,000.00
SW-PRM-P10	Premium: Pack of 10 entries	1,800.00
SW-PRM-P10-3Y	Premium: Pack of 10 entries (3 Years)	5,400.00
SW-PRM-P10-5Y	Premium: Pack of 10 entries (5 Years)	9,000.00
SW-PRM-P10-10Y	Premium: Pack of 10 entries (10 Years)	18,000.00
SW-PRM-P100	Premium: Pack of 100 entries	9,000.00
SW-PRM-P100-3Y	Premium: Pack of 100 entries (3 Years)	27,000.00
SW-PRM-P100-5Y	Premium: Pack of 100 entries (5 Years)	45,000.00
SW-PRM-P100-10Y	Premium: Pack of 100 entries (10 Years)	90,000.00
SW-PRM-P1000	Premium: Pack of 1000 entries	72,000.00
SW-PRM-P1000-3Y	Premium: Pack of 1000 entries (3 Years)	216,000.00
SW-PRM-P1000-5Y	Premium: Pack of 1000 entries (5 Years)	360,000.00
SW-PRM-P1000-10Y	Premium: Pack of 1000 entries (10 Years)	720,000.00
SW-PRM-P25	Premium: Pack of 25 entries	3,600.00
SW-PRM-P25-3Y	Premium: Pack of 25 entries (3 Years)	10,800.00
SW-PRM-P25-5Y	Premium: Pack of 25 entries (5 Years)	18,000.00
SW-PRM-P25-10Y	Premium: Pack of 25 entries (10 Years)	36,000.00
SW-PRM-P5	Premium: Pack of 5 entries	1,080.00
SW-PRM-P5-3Y	Premium: Pack of 5 entries (3 Years)	3,240.00
SW-PRM-P5-5Y	Premium: Pack of 5 entries (5 Years)	5,400.00
SW-PRM-P5-10Y	Premium: Pack of 5 entries (10 Years)	10,800.00

## Identity Provider

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALA-ADE-P1000	Azure Active Directory: Pack of 1000 users	1,080.00
SW-ALA-ADE-P1000-3Y	Azure Active Directory, 60 min sync: Pack of 1000 users (3 Years)	3,240.00
SW-ALA-ADE-P1000-5Y	Azure Active Directory, 60 min sync: Pack of 1000 users (5 Years)	5,400.00
SW-ALA-ADE-P1000-10Y	Azure Active Directory, 60 min sync: Pack of 1000 users (10 Years)	10,800.00
SW-ALA-ADE-P10000	Azure Active Directory: Pack of 10000 users	4,200.00
SW-ALA-ADE-P10000-3Y	Azure Active Directory, 60 min sync: Pack of 10000 users (3 Years)	12,600.00
SW-ALA-ADE-P10000-5Y	Azure Active Directory, 60 min sync: Pack of 10000 users (5 Years)	21,000.00
SW-ALA-ADE-P10000-10Y	Azure Active Directory, 60 min sync: Pack of 10000 users (10 Years)	42,000.00
SW-ALA-ADE-P100000	Azure Active Directory: Pack of 100000 users	15,600.00
SW-ALA-ADE-P100000-3Y	Azure Active Directory, 60 min sync: Pack of 100000 users (3 Years)	46,800.00
SW-ALA-ADE-P100000-5Y	Azure Active Directory, 60 min sync: Pack of 100000 users (5 Years)	78,000.00
SW-ALA-ADE-P100000-10Y	Azure Active Directory, 60 min sync: Pack of 100000 users (10 Years)	156,000.00
SW-ALA-ADE-P500	Azure Active Directory: Pack of 500 users	600.00
SW-ALA-ADE-P500-3Y	Azure Active Directory, 60 min sync: Pack of 500 users (3 Years)	1,800.00
SW-ALA-ADE-P500-5Y	Azure Active Directory, 60 min sync: Pack of 500 users (5 Years)	3,000.00
SW-ALA-ADE-P500-10Y	Azure Active Directory, 60 min sync: Pack of 500 users (10 Years)	6,000.00
SW-ALA-ADE-P5000	Azure Active Directory: Pack of 5000 users	3,000.00
SW-ALA-ADE-P5000-3Y	Azure Active Directory, 60 min sync: Pack of 5000 users (3 Years)	9,000.00
SW-ALA-ADE-P5000-5Y	Azure Active Directory, 60 min sync: Pack of 5000 users (5 Years)	15,000.00
SW-ALA-ADE-P5000-10Y	Azure Active Directory, 60 min sync: Pack of 5000 users (10 Years)	30,000.00
SW-ALA-ADE-P50000	Azure Active Directory: Pack of 50000 users	9,600.00
SW-ALA-ADE-P50000-3Y	Azure Active Directory, 60 min sync: Pack of 50000 users (3 Years)	28,800.00
SW-ALA-ADE-P50000-5Y	Azure Active Directory, 60 min sync: Pack of 50000 users (5 Years)	48,000.00
SW-ALA-ADE-P50000-10Y	Azure Active Directory, 60 min sync: Pack of 50000 users (10 Years)	96,000.00
SW-ALA-GSE-P1000	GSuite Identity Provider: Pack of 1000 users	1,080.00
SW-ALA-GSE-P1000-3Y	GSuite Identity Provider, 60 min sync: Pack of 1000 users (3 Years)	3,240.00
SW-ALA-GSE-P1000-5Y	GSuite Identity Provider, 60 min sync: Pack of 1000 users (5 Years)	5,400.00
SW-ALA-GSE-P1000-10Y	GSuite Identity Provider, 60 min sync: Pack of 1000 users (10 Years)	10,800.00
SW-ALA-GSE-P10000	GSuite Identity Provider: Pack of 10000 users	4,200.00
SW-ALA-GSE-P10000-3Y	GSuite Identity Provider, 60 min sync: Pack of 10000 users (3 Years)	12,600.00
SW-ALA-GSE-P10000-5Y	GSuite Identity Provider, 60 min sync: Pack of 10000 users (5 Years)	21,000.00
SW-ALA-GSE-P10000-10Y	GSuite Identity Provider, 60 min sync: Pack of 10000 users (10 Years)	42,000.00
SW-ALA-GSE-P100000	GSuite Identity Provider: Pack of 100000 users	15,600.00
SW-ALA-GSE-P100000-3Y	GSuite Identity Provider, 60 min sync: Pack of 100000 users (3 Years)	46,800.00
SW-ALA-GSE-P100000-5Y	GSuite Identity Provider, 60 min sync: Pack of 100000 users (5 Years)	78,000.00
SW-ALA-GSE-P100000-10Y	GSuite Identity Provider, 60 min sync: Pack of 100000 users (10 Years)	156,000.00
SW-ALA-GSE-P500	GSuite Identity Provider: Pack of 500 users	600.00
SW-ALA-GSE-P500-3Y	GSuite Identity Provider, 60 min sync: Pack of 500 users (3 Years)	1,800.00
SW-ALA-GSE-P500-5Y	GSuite Identity Provider, 60 min sync: Pack of 500 users (5 Years)	3,000.00
SW-ALA-GSE-P500-10Y	GSuite Identity Provider, 60 min sync: Pack of 500 users (10 Years)	6,000.00
SW-ALA-GSE-P5000	GSuite Identity Provider: Pack of 5000 users	3,000.00
SW-ALA-GSE-P5000-3Y	GSuite Identity Provider, 60 min sync: Pack of 5000 users (3 Years)	9,000.00
SW-ALA-GSE-P5000-5Y	GSuite Identity Provider, 60 min sync: Pack of 5000 users (5 Years)	15,000.00
SW-ALA-GSE-P5000-10Y	GSuite Identity Provider, 60 min sync: Pack of 5000 users (10 Years)	30,000.00

SW-ALA-GSE-P50000	GSuite Identity Provider: Pack of 50000 users	9,600.00
SW-ALA-GSE-P50000-3Y	GSuite Identity Provider, 60 min sync: Pack of 50000 users (3 Years)	28,800.00
SW-ALA-GSE-P50000-5Y	GSuite Identity Provider, 60 min sync: Pack of 50000 users (5 Years)	48,000.00
SW-ALA-GSE-P50000-10Y	GSuite Identity Provider, 60 min sync: Pack of 50000 users (10 Years)	96,000.00
SW-ALA-OKE-P1000	Okta Identity Provider: Pack of 1000 users	1,080.00
SW-ALA-OKE-P1000-3Y	Okta Identity Provider, 60 min sync: Pack of 1000 users (3 Years)	3,240.00
SW-ALA-OKE-P1000-5Y	Okta Identity Provider, 60 min sync: Pack of 1000 users (5 Years)	5,400.00
SW-ALA-OKE-P1000-10Y	Okta Identity Provider, 60 min sync: Pack of 1000 users (10 Years)	10,800.00
SW-ALA-OKE-P10000	Okta Identity Provider: Pack of 10000 users	4,200.00
SW-ALA-OKE-P10000-3Y	Okta Identity Provider, 60 min sync: Pack of 10000 users (3 Years)	12,600.00
SW-ALA-OKE-P10000-5Y	Okta Identity Provider, 60 min sync: Pack of 10000 users (5 Years)	21,000.00
SW-ALA-OKE-P10000-10Y	Okta Identity Provider, 60 min sync: Pack of 10000 users (10 Years)	42,000.00
SW-ALA-OKE-P100000	Okta Identity Provider: Pack of 100000 users	15,600.00
SW-ALA-OKE-P100000-3Y	Okta Identity Provider, 60 min sync: Pack of 100000 users (3 Years)	46,800.00
SW-ALA-OKE-P100000-5Y	Okta Identity Provider, 60 min sync: Pack of 100000 users (5 Years)	78,000.00
SW-ALA-OKE-P100000-10Y	Okta Identity Provider, 60 min sync: Pack of 100000 users (10 Years)	156,000.00
SW-ALA-OKE-P500	Okta Identity Provider: Pack of 500 users	600.00
SW-ALA-OKE-P500-3Y	Okta Identity Provider, 60 min sync: Pack of 500 users (3 Years)	1,800.00
SW-ALA-OKE-P500-5Y	Okta Identity Provider, 60 min sync: Pack of 500 users (5 Years)	3,000.00
SW-ALA-OKE-P500-10Y	Okta Identity Provider, 60 min sync: Pack of 500 users (10 Years)	6,000.00
SW-ALA-OKE-P5000	Okta Identity Provider: Pack of 5000 users	3,000.00
SW-ALA-OKE-P5000-3Y	Okta Identity Provider, 60 min sync: Pack of 5000 users (3 Years)	9,000.00
SW-ALA-OKE-P5000-5Y	Okta Identity Provider, 60 min sync: Pack of 5000 users (5 Years)	15,000.00
SW-ALA-OKE-P5000-10Y	Okta Identity Provider, 60 min sync: Pack of 5000 users (10 Years)	30,000.00
SW-ALA-OKE-P50000	Okta Identity Provider, 60 min sync: Pack of 50000 users	9,600.00
SW-ALA-OKE-P50000-3Y	Okta Identity Provider, 60 min sync: Pack of 50000 users (3 Years)	28,800.00
SW-ALA-OKE-P50000-5Y	Okta Identity Provider, 60 min sync: Pack of 50000 users (5 Years)	48,000.00
SW-ALA-OKE-P50000-10Y	Okta Identity Provider, 60 min sync: Pack of 50000 users (10 Years)	96,000.00
SW-ALA-OLE-P1000	OneLogin Identity Provider: Pack of 1000 users	1,080.00
SW-ALA-OLE-P1000-3Y	OneLogin Identity Provider, 60 min sync: Pack of 1000 users (3 Year)	3,240.00
SW-ALA-OLE-P1000-5Y	OneLogin Identity Provider, 60 min sync: Pack of 1000 users (5 Year)	5,400.00
SW-ALA-OLE-P1000-10Y	Onelogin Identity Provider, 60 min sync: Pack of 1000 users (10 Years)	10,800.00
SW-ALA-OLE-P10000	OneLogin Identity Provider: Pack of 10000 users	4,200.00
SW-ALA-OLE-P10000-3Y	OneLogin Identity Provider, 60 min sync: Pack of 10000 users (3 Year)	12,600.00
SW-ALA-OLE-P10000-5Y	OneLogin Identity Provider, 60 min sync: Pack of 10000 users (5 Year)	21,000.00
SW-ALA-OLE-P10000-10Y	Onelogin Identity Provider, 60 min sync: Pack of 10000 users (10 Years)	42,000.00
SW-ALA-OLE-P100000	OneLogin Identity Provider: Pack of 100000 users	15,600.00
SW-ALA-OLE-P100000-3Y	OneLogin Identity Provider, 60 min sync: Pack of 100000 users (3 Year)	46,800.00
SW-ALA-OLE-P100000-5Y	OneLogin Identity Provider, 60 min sync: Pack of 100000 users (5 Year)	78,000.00
SW-ALA-OLE-P100000-10Y	Onelogin Identity Provider, 60 min sync: Pack of 100000 users (10 Years)	156,000.00
SW-ALA-OLE-P500	OneLogin Identity Provider, 60 min sync: Pack of 500 users	600.00
SW-ALA-OLE-P500-3Y	OneLogin Identity Provider, 60 min sync: Pack of 500 users (3 Year)	1,800.00
SW-ALA-OLE-P500-5Y	OneLogin Identity Provider, 60 min sync: Pack of 500 users (5 Year)	3,000.00
SW-ALA-OLE-P500-10Y	Onelogin Identity Provider, 60 min sync: Pack of 500 (10 Years)	6,000.00
SW-ALA-OLE-P5000	OneLogin Identity Provider, 60 min sync: Pack of 5000 users	3,000.00
SW-ALA-OLE-P5000-3Y	OneLogin Identity Provider, 60 min sync: Pack of 5000 users (3 Year)	9,000.00

SW-ALA-OLE-P5000-5Y	OneLogin Identity Provider, 60 min sync: Pack of 5000 users (5 Year)	15,000.00
SW-ALA-OLE-P5000-10Y	Onelogin Identity Provider, 60 min sync: Pack of 5000 (10 Years)	30,000.00
SW-ALA-OLE-P50000	OneLogin Identity Provider: Pack of 50000 users	9,600.00
SW-ALA-OLE-P50000-3Y	OneLogin Identity Provider, 60 min sync: Pack of 50000 users (3 Year)	28,800.00
SW-ALA-OLE-P50000-5Y	OneLogin Identity Provider, 60 min sync: Pack of 50000 users (5 Year)	48,000.00
SW-ALA-OLE-P50000-10Y	Onelogin Identity Provider, 60 min sync: Pack of 50000 (10 Years)	96,000.00
SW-ALA-WDE-P1000-1Y	Workday Integration; 60 min sync: Pack of 1000 users	1,080.00
SW-ALA-WDE-P1000-3Y	Workday Integration; 60 min sync: Pack of 1000 (3 Years)	3,240.00
SW-ALA-WDE-P1000-5Y	Workday Integration; 60 min sync: Pack of 1000 (5 Years)	5,400.00
SW-ALA-WDE-P1000-10Y	Workday Integration; 60 min sync: Pack of 1000 (10 Years)	10,800.00
SW-ALA-WDE-P10000-1Y	Workday Integration; 60 min sync: Pack of 10000 users	4,200.00
SW-ALA-WDE-P10000-3Y	Workday Integration; 60 min sync: Pack of 10000 (3 Years)	12,600.00
SW-ALA-WDE-P10000-5Y	Workday Integration; 60 min sync: Pack of 10000 (5 Years)	21,000.00
SW-ALA-WDE-P10000-10Y	Workday Integration; 60 min sync: Pack of 10000 (10 Years)	42,000.00
SW-ALA-WDE-P100000-1Y	Workday Integration; 60 min sync: Pack of 100000 users	15,600.00
SW-ALA-WDE-P100000-3Y	Workday Integration; 60 min sync: Pack of 100000 (3 Years)	46,800.00
SW-ALA-WDE-P100000-5Y	Workday Integration; 60 min sync: Pack of 100000 (5 Years)	78,000.00
SW-ALA-WDE-P100000-10Y	Workday Integration; 60 min sync: Pack of 100000 (10 Years)	156,000.00
SW-ALA-WDE-P500-1Y	Workday Integration; 60 min sync: Pack of 500 users	600.00
SW-ALA-WDE-P500-3Y	Workday Integration; 60 min sync: Pack of 500 (3 Years)	1,800.00
SW-ALA-WDE-P500-5Y	Workday Integration; 60 min sync: Pack of 500 (5 Years)	3,000.00
SW-ALA-WDE-P500-10Y	Workday Integration; 60 min sync: Pack of 500 (10 Years)	6,000.00
SW-ALA-WDE-P5000-1Y	Workday Integration; 60 min sync: Pack of 5000 users	3,000.00
SW-ALA-WDE-P5000-3Y	Workday Integration; 60 min sync: Pack of 5000 (3 Years)	9,000.00
SW-ALA-WDE-P5000-5Y	Workday Integration; 60 min sync: Pack of 5000 (5 Years)	15,000.00
SW-ALA-WDE-P5000-10Y	Workday Integration; 60 min sync: Pack of 5000 (10 Years)	30,000.00
SW-ALA-WDE-P50000-1Y	Workday Integration; 60 min sync: Pack of 50000 users	9,600.00
SW-ALA-WDE-P50000-3Y	Workday Integration; 60 min sync: Pack of 50000 (3 Years)	28,800.00
SW-ALA-WDE-P50000-5Y	Workday Integration; 60 min sync: Pack of 50000 (5 Years)	48,000.00
SW-ALA-WDE-P50000-10Y	Workday Integration; 60 min sync: Pack of 50000 (10 Years)	96,000.00

## Identity Provider - Advanced

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALA-ADP-P1000	Azure Active Directory - Advanced; 15 min sync: Pack of 1000 users	2,280.00
SW-ALA-ADP-P1000-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 1000 users (3 Years)	6,840.00
SW-ALA-ADP-P1000-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 1000 users (5 Years)	11,400.00
SW-ALA-ADP-P1000-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 1000 users (10 Years)	22,800.00
SW-ALA-ADP-P10000	Azure Active Directory - Advanced; 15 min sync: Pack of 10000 users	12,000.00
SW-ALA-ADP-P10000-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 10000 users (3 Years)	36,000.00
SW-ALA-ADP-P10000-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 10000 users (5 Years)	60,000.00
SW-ALA-ADP-P10000-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 10000 users (10 Years)	120,000.00

SW-ALA-ADP-P100000	Azure Active Directory - Advanced; 15 min sync: Pack of 100000 users	36,000.00
SW-ALA-ADP-P100000-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 100000 users (3 Years)	108,000.00
SW-ALA-ADP-P100000-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 100000 users (5 Years)	180,000.00
SW-ALA-ADP-P100000-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 100000 users (10 Years)	360,000.00
SW-ALA-ADP-P500	Azure Active Directory - Advanced; 15 min sync: Pack of 500 users	1,200.00
SW-ALA-ADP-P500-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 500 users (3 Years)	3,600.00
SW-ALA-ADP-P500-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 500 users (5 Years)	6,000.00
SW-ALA-ADP-P500-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 500 users (10 Years)	12,000.00
SW-ALA-ADP-P5000	Azure Active Directory - Advanced; 15 min sync: Pack of 5000 users	7,800.00
SW-ALA-ADP-P5000-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 5000 users (3 Years)	23,400.00
SW-ALA-ADP-P5000-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 5000 users (5 Years)	39,000.00
SW-ALA-ADP-P5000-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 5000 users (10 Years)	78,000.00
SW-ALA-ADP-P50000	Azure Active Directory - Advanced; 15 min sync: Pack of 50000 users	24,000.00
SW-ALA-ADP-P50000-3Y	Azure Active Directory - Advanced, 15 min sync: Pack of 50000 users (3 Years)	72,000.00
SW-ALA-ADP-P50000-5Y	Azure Active Directory - Advanced, 15 min sync: Pack of 50000 users (5 Years)	120,000.00
SW-ALA-ADP-P50000-10Y	Azure Active Directory - Advanced, 15 min sync: Pack of 50000 users (10 Years)	240,000.00
SW-ALA-GSP-P1000	GSuite Identity Provider - Advanced: Pack of 1000 users	2,280.00
SW-ALA-GSP-P1000-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 1000 users (3 Years)	6,840.00
SW-ALA-GSP-P1000-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 1000 users (5 Years)	11,400.00
SW-ALA-GSP-P1000-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 1000 users (10 Years)	22,800.00
SW-ALA-GSP-P10000	GSuite Identity Provider - Advanced: Pack of 10000 users	12,000.00
SW-ALA-GSP-P10000-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 10000 users (3 Years)	36,000.00
SW-ALA-GSP-P10000-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 10000 users (5 Years)	60,000.00
SW-ALA-GSP-P10000-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 10000 users (10 Years)	120,000.00
SW-ALA-GSP-P100000	GSuite Identity Provider - Advanced: Pack of 100000 users	36,000.00
SW-ALA-GSP-P100000-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 100000 users (3 Years)	108,000.00
SW-ALA-GSP-P100000-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 100000 users (5 Years)	180,000.00
SW-ALA-GSP-P100000-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 100000 users (10 Years)	360,000.00
SW-ALA-GSP-P500	GSuite Identity Provider - Advanced: Pack of 500 users	1,200.00
SW-ALA-GSP-P500-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 500 users (3 Years)	3,600.00
SW-ALA-GSP-P500-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 500 users (5 Years)	6,000.00
SW-ALA-GSP-P500-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 500 users (10 Years)	12,000.00
SW-ALA-GSP-P5000	GSuite Identity Provider - Advanced: Pack of 5000 users	7,800.00

SW-ALA-GSP-P5000-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 5000 users (3 Years)	23,400.00
SW-ALA-GSP-P5000-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 5000 users (5 Years)	39,000.00
SW-ALA-GSP-P5000-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 5000 users (10 Years)	78,000.00
SW-ALA-GSP-P50000	GSuite Identity Provider - Advanced: Pack of 50000 users	24,000.00
SW-ALA-GSP-P50000-3Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 50000 users (3 Years)	72,000.00
SW-ALA-GSP-P50000-5Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 50000 users (5 Years)	120,000.00
SW-ALA-GSP-P50000-10Y	GSuite Identity Provider - Advanced, 15 min sync: Pack of 50000 users (10 Years)	240,000.00
SW-ALA-OKP-P1000	Okta Identity Provider - Advanced: Pack of 1000 users	2,280.00
SW-ALA-OKP-P1000-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 1000 users (3 Years)	6,840.00
SW-ALA-OKP-P1000-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 1000 users (5 Years)	11,400.00
SW-ALA-OKP-P1000-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 1000 users (10 Years)	22,800.00
SW-ALA-OKP-P10000	Okta Identity Provider - Advanced: Pack of 10000 users	12,000.00
SW-ALA-OKP-P10000-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 10000 users (3 Years)	36,000.00
SW-ALA-OKP-P10000-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 10000 users (5 Years)	60,000.00
SW-ALA-OKP-P10000-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 10000 users (10 Years)	120,000.00
SW-ALA-OKP-P100000	Okta Identity Provider - Advanced: Pack of 100000 users	36,000.00
SW-ALA-OKP-P100000-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 100000 users (3 Years)	108,000.00
SW-ALA-OKP-P100000-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 100000 users (5 Years)	180,000.00
SW-ALA-OKP-P100000-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 100000 users (10 Years)	360,000.00
SW-ALA-OKP-P500	Okta Identity Provider - Advanced: Pack of 500 users	1,200.00
SW-ALA-OKP-P500-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 500 users (3 Years)	3,600.00
SW-ALA-OKP-P500-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 500 users (5 Years)	6,000.00
SW-ALA-OKP-P500-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 500 users (10 Years)	12,000.00
SW-ALA-OKP-P5000	Okta Identity Provider - Advanced: Pack of 5000 users	7,800.00
SW-ALA-OKP-P5000-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 5000 users (3 Years)	23,400.00
SW-ALA-OKP-P5000-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 5000 users (5 Years)	39,000.00
SW-ALA-OKP-P5000-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 5000 users (10 Years)	78,000.00
SW-ALA-OKP-P50000	Okta Identity Provider - Advanced: Pack of 50000 users	24,000.00
SW-ALA-OKP-P50000-3Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 50000 users (3 Years)	72,000.00
SW-ALA-OKP-P50000-5Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 50000 users (5 Years)	120,000.00
SW-ALA-OKP-P50000-10Y	Okta Identity Provider - Advanced, 15 min sync: Pack of 50000 users (10 Years)	240,000.00
SW-ALA-OLP-P1000	OneLogin Identity Provider - Advanced: Pack of 1000 users	2,280.00
SW-ALA-OLP-P1000-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 1000 users (3 Year)	6,840.00

SW-ALA-OLP-P1000-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 1000 users (5 Year)	11,400.00
SW-ALA-OLP-P1000-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 1000 users (10 Years)	22,800.00
SW-ALA-OLP-P10000	OneLogin Identity Provider - Advanced: Pack of 10000 users	12,000.00
SW-ALA-OLP-P10000-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 10000 users (3 Year)	36,000.00
SW-ALA-OLP-P10000-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 10000 users (5 Year)	60,000.00
SW-ALA-OLP-P10000-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 10000 users (10 Years)	120,000.00
SW-ALA-OLP-P100000	OneLogin Identity Provider - Advanced: Pack of 100000 users	36,000.00
SW-ALA-OLP-P100000-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 100000 users (3 Year)	108,000.00
SW-ALA-OLP-P100000-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 100000 users (5 Year)	180,000.00
SW-ALA-OLP-P100000-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 100000 users (10 Years)	360,000.00
SW-ALA-OLP-P500	OneLogin Identity Provider - Advanced: Pack of 500 users	1,200.00
SW-ALA-OLP-P500-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 500 users (3 Year)	3,600.00
SW-ALA-OLP-P500-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 500 users (5 Year)	6,000.00
SW-ALA-OLP-P500-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 500 users (10 Years)	12,000.00
SW-ALA-OLP-P5000	OneLogin Identity Provider - Advanced: Pack of 5000 users	7,800.00
SW-ALA-OLP-P5000-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 5000 users (3 Year)	23,400.00
SW-ALA-OLP-P5000-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 5000 users (5 Year)	39,000.00
SW-ALA-OLP-P5000-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 5000 users (10 Years)	78,000.00
SW-ALA-OLP-P50000	OneLogin Identity Provider - Advanced: Pack of 50000 users	24,000.00
SW-ALA-OLP-P50000-3Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 50000 users (3 Year)	72,000.00
SW-ALA-OLP-P50000-5Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 50000 users (5 Year)	120,000.00
SW-ALA-OLP-P50000-10Y	OneLogin Identity Provider - Advanced, 15 min sync: Pack of 50000 users (10 Years)	240,000.00
SW-ALA-WDP-P1000-1Y	Workday Integration; Advanced: Pack of 1000 users	2,280.00
SW-ALA-WDP-P1000-3Y	Workday Integration; Advanced: Pack of 1000 (3 Years)	6,840.00
SW-ALA-WDP-P1000-5Y	Workday Integration; Advanced: Pack of 1000 (5 Years)	11,400.00
SW-ALA-WDP-P1000-10Y	Workday Integration: Pack of 1000 (10 Years)	22,800.00
SW-ALA-WDP-P10000-1Y	Workday Integration; Advanced: Pack of 10000 users	12,000.00
SW-ALA-WDP-P10000-3Y	Workday Integration; Advanced: Pack of 10000 (3 Years)	36,000.00
SW-ALA-WDP-P10000-5Y	Workday Integration; Advanced: Pack of 10000 (5 Years)	60,000.00
SW-ALA-WDP-P10000-10Y	Workday Integration: Pack of 10000 (10 Years)	120,000.00
SW-ALA-WDP-P100000-1Y	Workday Integration; Advanced: Pack of 100000 users	36,000.00
SW-ALA-WDP-P100000-3Y	Workday Integration; Advanced: Pack of 100000 (3 Years)	108,000.00
SW-ALA-WDP-P100000-5Y	Workday Integration; Advanced: Pack of 100000 (5 Years)	180,000.00
SW-ALA-WDP-P100000-10Y	Workday Integration: Pack of 100000 (10 Years)	360,000.00
SW-ALA-WDP-P500-1Y	Workday Integration; Advanced: Pack of 500 users	1,200.00
SW-ALA-WDP-P500-3Y	Workday Integration; Advanced: Pack of 500 (3 Years)	3,600.00
SW-ALA-WDP-P500-5Y	Workday Integration; Advanced: Pack of 500 (5 Years)	6,000.00
SW-ALA-WDP-P500-10Y	Workday Integration: Pack of 500 (10 Years)	12,000.00

SW-ALA-WDP-P5000	Workday Integration; Advanced: Pack of 5000 users	7,800.00
SW-ALA-WDP-P5000-3Y	Workday Integration; Advanced: Pack of 5000 (3 Years)	23,400.00
SW-ALA-WDP-P5000-5Y	Workday Integration; Advanced: Pack of 5000 (5 Years)	39,000.00
SW-ALA-WDP-P5000-10Y	Workday Integration: Pack of 5000 (10 Years)	78,000.00
SW-ALA-WDP-P50000-1Y	Workday Integration; Advanced: Pack of 50000 users	24,000.00
SW-ALA-WDP-P50000-3Y	Workday Integration; Advanced: Pack of 50000 (3 Years)	72,000.00
SW-ALA-WDP-P50000-5Y	Workday Integration; Advanced: Pack of 50000 (5 Years)	120,000.00
SW-ALA-WDP-P50000-10Y	Workday Integration: Pack of 50000 (10 Years)	240,000.00

## Video

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ICUSER-P10	(License V2) Intercom - Pack of 10 recipients (per org)	96.00
SW-ICUSER-P10-3Y	(License V2) Intercom - Pack of 10 recipients (per org) - (3 Years)	288.00
SW-ICUSER-P10-5Y	(License V2) Intercom - Pack of 10 recipients (per org) - (5 Years)	480.00
SW-ICUSER-P10-10Y	(License V2) Intercom - Pack of 10 recipients (per org) - (10 Years)	960.00
SW-INT-CLD-STR-150	(License V2) Cloud video storage - 150 additional days (per camera)	589.00
SW-INT-CLD-STR-150-3Y	(License V2) Cloud video storage - 150 additional days (per camera) - (3 Years)	1,767.00
SW-INT-CLD-STR-150-5Y	(License V2) Cloud video storage - 150 additional days (per camera) - (5 Years)	2,945.00
SW-INT-CLD-STR-150-10Y	(License V2) Cloud video storage - 150 additional days (per camera) - (10 Years)	5,890.00
SW-INT-CLD-STR-30	(License V2) Cloud video storage - 30 additional days (per camera)	179.00
SW-INT-CLD-STR-30-3Y	(License V2) Cloud video storage - 30 additional days (per camera) - (3 Years)	537.00
SW-INT-CLD-STR-30-5Y	(License V2) Cloud video storage - 30 additional days (per camera) - (5 Years)	895.00
SW-INT-CLD-STR-30-10Y	(License V2) Cloud video storage - 30 additional days (per camera) - (10 Years)	1,790.00
SW-INT-CLD-STR-60	(License V2) Cloud video storage - 60 additional days (per camera)	259.00
SW-INT-CLD-STR-60-3Y	(License V2) Cloud video storage - 60 additional days (per camera) - (3 years)	777.00
SW-INT-CLD-STR-60-5Y	(License V2) Cloud video storage - 60 additional days (per camera) - (5 years)	1,295.00
SW-INT-CLD-STR-60-10Y	(License V2) Cloud video storage - 60 additional days (per camera) - (10 years)	2,590.00
SW-INTC-BSC	(License V2) Intercom Device License - Basic	279.00
SW-INTC-BSC-3Y	(License V2) Intercom Device License - Basic (3 Years)	837.00
SW-INTC-BSC-5Y	(License V2) Intercom Device License - Basic (5 Years)	1,395.00
SW-INTC-BSC-10Y	(License V2) Intercom Device License - Basic (10 Years)	2,790.00
SW-INTC-ETP	(License V2) Intercom Device License - Enterprise	480.00
SW-INTC-ETP-3Y	(License V2) Intercom Device License - Enterprise (3 Years)	1,440.00
SW-INTC-ETP-5Y	(License V2) Intercom Device License - Enterprise (5 Years)	2,400.00
SW-INTC-ETP-10Y	(License V2) Intercom Device License - Enterprise (10 Years)	4,800.00
SW-INTC-PRM	(License V2) Intercom Device License - Premium	360.00
SW-INTC-PRM-3Y	(License V2) Intercom Device License - Premium (3 Years)	1,080.00
SW-INTC-PRM-5Y	(License V2) Intercom Device License - Premium (5 Years)	1,800.00

SW-INTC-PRM-10Y	(License V2) Intercom Device License - Premium (10 Years)	3,600.00
SW-ALA-MRKI	Meraki Video Integration, per camera	60.00
SW-ALA-MRKI-3Y	Meraki Integration, basic plan only (3 Years)	180.00
SW-ALA-MRKI-5Y	Meraki Integration, basic plan only (5 Years)	300.00
SW-ALA-MRKI-10Y	Meraki Integration, basic plan only (10 Years)	600.00
SW-ICUSER-P100-1Y	(License V1) Intercom Call Recipients: Pack of 100 users	780.00
SW-ICUSER-P100-3Y	(License V1) Intercom Call Recipients: Pack of 100 users (3 Years)	2,340.00
SW-ICUSER-P100-5Y	(License V1) Intercom Call Recipients: Pack of 100 users (5 Years)	3,900.00
SW-ICUSER-P100-10Y	(License V1) Intercom Call Recipients: Pack of 100 users (10 Years)	7,800.00
SW-ICUSER-P50	(License V1) Intercom Call Recipients: Pack of 50 users	420.00
SW-ICUSER-P50-3Y	(License V1) Intercom Call Recipients: Pack of 50 users (3 Years)	1,260.00
SW-ICUSER-P50-5Y	(License V1) Intercom Call Recipients: Pack of 50 users (5 Years)	2,100.00
SW-ICUSER-P50-10Y	(License V1) Intercom Call Recipients: Pack of 50 users (10 Years)	4,200.00
SW-ICUSER-P500	(License V1) Intercom Call Recipients: Pack of 500 users	3,000.00
SW-ICUSER-P500-3Y	(License V1) Intercom Call Recipients: Pack of 500 users (3 Years)	9,000.00
SW-ICUSER-P500-5Y	(License V1) Intercom Call Recipients: Pack of 500 users (5 Years)	15,000.00
SW-ICUSER-P500-10Y	(License V1) Intercom Call Recipients: Pack of 500 users (10 Years)	30,000.00
SW-VID-ST180	(License V1) Cloud Video Storage: 180 days	720.00
SW-VID-ST180-3Y	(License V1) Cloud Video Storage: 180 days (3 Years)	2,160.00
SW-VID-ST180-5Y	(License V1) Cloud Video Storage: 180 days (5 Years)	3,600.00
SW-VID-ST180-10Y	(License V1) Cloud Video Storage: 180 days (10 Years)	7,200.00
SW-VID-ST30	(License V1) Cloud Video Storage: 30 days	180.00
SW-VID-ST30-3Y	(License V1) Cloud Video Storage: 30 days (3 Years)	540.00
SW-VID-ST30-5Y	(License V1) Cloud Video Storage: 30 days (5 Years)	900.00
SW-VID-ST30-10Y	(License V1) Cloud Video Storage: 30 days (10 Years)	1,800.00
SW-VID-ST60	(License V1) Cloud Video Storage: 60 days	300.00
SW-VID-ST60-3Y	(License V1) Cloud Video Storage: 60 days (3 Years)	900.00
SW-VID-ST60-5Y	(License V1) Cloud Video Storage: 60 days (5 Years)	1,500.00
SW-VID-ST60-10Y	(License V1) Cloud Video Storage: 60 days (10 Years)	3,000.00
SW-VID-ST90	(License V1) Cloud Video Storage: 90 days	420.00
SW-VID-ST90-3Y	(License V1) Cloud Video Storage: 90 days (3 Years)	1,260.00
SW-VID-ST90-5Y	(License V1) Cloud Video Storage: 90 days (5 Years)	2,100.00
SW-VID-ST90-10Y	(License V1) Cloud Video Storage: 90 days (10 Years)	4,200.00

## Mobile

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALA-MOB-P10	PACK OF 10 MOBILE CREDENTIALS (1 Year) Effective on June 2nd 2025	20.00
SW-ALA-MOB-P10-3Y	PACK OF 10 MOBILE CREDENTIALS (3 Years) Effective on June 2nd 2025	60.00
SW-ALA-MOB-P10-5Y	PACK OF 10 MOBILE CREDENTIALS (5 Years) Effective on June 2nd 2025	100.00
SW-ALA-MOB-P10-10Y	PACK OF 10 MOBILE CREDENTIALS (10 Years) Effective on June 2nd 2025	200.00
SW-ALA-WALLET-P10	PACK OF 10 MOBILE APPLE WALLET (1 Year)	95.00
SW-ALA-WALLET-P10-3Y	PACK OF 10 MOBILE APPLE WALLET (3 Years)	285.00

SW-ALA-WALLET-P10-5Y	PACK OF 10 MOBILE APPLE WALLET (5 Years)	475.00
SW-ALA-WALLET-P10-10Y	PACK OF 10 MOBILE APPLE WALLET (10 Years)	950.00

## Wireless Locks (Contact RSM for pricing)

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALLE-OPP100	Allegion Wireless Locks: Openpath sourced, Pack of 100 entries	4,200.00
SW-ALLE-OPP100-3Y	Allegion Wireless locks purchased through Openpath (3 Years)	12,600.00
SW-ALLE-OPP100-5Y	Allegion Wireless locks purchased through Openpath (5 Years)	21,000.00
SW-ALLE-OPP100-10Y	Allegion Wireless locks purchased through Openpath (10 Years)	42,000.00
SW-ALLE-OPP1000	Allegion Wireless Locks: Openpath sourced, Pack of 1000 entries	30,000.00
SW-ALLE-OPP1000-3Y	Allegion Wireless locks purchased through Openpath (3 Years)	90,000.00
SW-ALLE-OPP1000-5Y	Allegion Wireless locks purchased through Openpath (5 Years)	150,000.00
SW-ALLE-OPP1000-10Y	Allegion Wireless locks purchased through Openpath (10 Years)	300,000.00
SW-ALLE-OPP5	Allegion Wireless Locks: Openpath sourced, Pack of 5 entries	240.00
SW-ALLE-OPP5-3Y	Allegion Wireless locks purchased through Openpath (3 Years)	720.00
SW-ALLE-OPP5-5Y	Allegion Wireless locks purchased through Openpath (5 Years)	1,200.00
SW-ALLE-OPP5-10Y	Allegion Wireless locks purchased through Openpath (10 Years)	2,400.00
SW-ALLE-PSP100	Schlage Wireless Locks: Partner sourced, Pack of 100 entries	7,200.00
SW-ALLE-PSP100-3Y	Allegion Wireless locks NOT purchased from Openpath (3 Years)	21,600.00
SW-ALLE-PSP100-5Y	Allegion Wireless locks NOT purchased from Openpath (5 Years)	36,000.00
SW-ALLE-PSP100-10Y	Allegion Wireless locks NOT purchased from Openpath (10 Years)	72,000.00
SW-ALLE-PSP1000	Schlage Wireless Locks: Partner sourced, Pack of 1000 entries	54,000.00
SW-ALLE-PSP1000-3Y	Allegion Wireless locks NOT purchased from Openpath (3 Years)	162,000.00
SW-ALLE-PSP1000-5Y	Allegion Wireless locks NOT purchased from Openpath (5 Years)	270,000.00
SW-ALLE-PSP1000-10Y	Allegion Wireless locks NOT purchased from Openpath (10 Years)	540,000.00
SW-ALLE-PSP5	Schlage Wireless Locks: Partner sourced, Pack of 5 entries	420.00
SW-ALLE-PSP5-3Y	Allegion Wireless locks NOT purchased from Openpath (3 Years)	1,260.00
SW-ALLE-PSP5-5Y	Allegion Wireless locks NOT purchased from Openpath (5 Years)	2,100.00
SW-ALLE-PSP5-10Y	Allegion Wireless locks NOT purchased from Openpath (10 Years)	4,200.00

# Locks

## Wireless Locks (Contact RSM for pricing)

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALTA-SCH-BE-CUSTOM	Schlage® Control BE series mobile enabled smart locks are designed specifically for multifamily residence openings and offer both residents and properties added security and convenience by eliminating the cost and hassle of keys.	950.00
AC-ALTA-SCH-CE-051-849	Required for No-Tour configuration of enrolment readers and locks integrated with Avigilon Alta Access. This is not compatible or to be used with Allegion gateway-connected locks.	13.70
AC-ALTA-SCH-CE-051-850	Allegion configuration to allow gateway-connected locks to support Alta DESFire EV3B Cards. This is not compatible or to be used with Allegion No-Tour locks.	13.70
AC-ALTA-SCH-CFG	Allegion configuration to allow gateway-connected locks to support Alta legacy DESFire EV3A Cards. This is not compatible or to be used with Allegion No-Tour locks.	13.70
AC-ALTA-SCH-ENGAGE-GWE	Gateway can support up to 10 wireless devices for a wide range of applications, including resident units, office and suite entries, conference rooms, sensitive storage areas and perimeter entries. Up to 30 ft range	661.00
AC-ALTA-SCH-FE-CUSTOM	Schlage® Control FE series mobile enabled smart locks are designed specifically for multifamily residence openings and offer both residents and properties added security and convenience by eliminating the cost and hassle of keys.	950.00
AC-ALTA-SCH-LE-CUSTOM	The Schlage® LE wireless mortise lock is designed to affordably extend electronic access control deeper into the building beyond traditional perimeter and high security openings.	1,763.00
AC-ALTA-SCH-MT20W	Schlage® Card Enrollment Reader	788.00
AC-ALTA-SCH-NDE-CUSTOM	The Schlage® NDE wireless cylindrical lock is designed to affordably extend electronic access control deeper into the building beyond traditional perimeter and high security openings.	1,401.00
AC-ALTA-SCH-XE360-EW-CUSTOM	Schlage® XE360 Exit Trim wireless lock	1,434.00
AC-ALTA-SCH-XE360-M-CUSTOM	Schlage® XE360 Mortise wireless lock	1,101.00
AC-ALTA-SCH-XE360-M-D-CUSTOM	Schlage® XE360 Mortise DB wireless lock	1,205.00
AC-ALTA-SCH-XE360-T-CUSTOM	Schlage® XE360 Tubular wireless lock	883.00
AC-ALTA-SW-LIC-WIRELESS-LOCK	Activation fee per lock for Allegion locksets not purchased through Avigilon Alta	200.00

MODEL NUMBER	DESCRIPTION	MSRP \$
SW-ALA-WALLET-P10	PACK OF 10 MOBILE APPLE WALLET (1 Year)	0.00

# Unity Access MSRP - USD

Pricelist effective November 10, 2025

**Pricelist for products shipping to USA**

## Summary Of Changes

- 2025-03-24 : Effective April 2, 2025, Motorola Solutions will be updating foreign exchange (FX) rates to align with current market conditions. As a result, pricing for Avigilon Unity Video and Access products in CAD, EUR, and AUD currencies will be adjusted as follows: CAD will increase by 5%, EUR will increase by 0.6%, AUD will increase by 3%.
- 2023-03-20 : Effective April. 19, 2023 price increase on ACM OEM ASSA ABLOY Sargent and Corbin Russwin wireless locks and accessories: ~7% to 9%.
- 2023-02-21 : Effective Mar. 23, 2023 price increase on ACM OEM ALLEGION Schlage readers and credentials: ~2% to 17%, Schlage AD locks: ~2% to 11%, Schlage NDE and LE locks: ~10% to 16%, Schlage lock accessories: ~7% to 17%, ACM OEM Von Duprin: ~8% to 10%
- 2022-12-06 : Effective Jan. 6, 2023 price increase on all ACM Professional Appliances: 15% to 20%, ACM Enterprise Appliances: 7% to 15%, ACM Enterprise Plus Appliances: 3% to 11%, ACM Virtual Appliances: 1% to 14%, 16 Doors Expansion Software Licenses: 30% and ACM OEM HID Mercury Controllers: ~2% to 8%, HID Credentials : ~3% to 10%, HID EasyLobby: ~10% to 20%, HID Readers: ~8% to 10%, Salto: ~8.5%
- 2022-08-19 : Effective August 19, 2022, price increase in all currencies on ACM OEM ASSA ABLOY (Locks and accessories) ~9.5%, Farpointe Data ~6% to ~22%, Elmdene (available in the EU and UK only) ~7%
- 2022-05-23 : Effective July 4, 2022, price increase in all currencies on ACM OEM HID Global EasyLobby® products ~10% to ~17%
- 2022-05-06 : Effective June 9, 2022, price increase in all currencies on ACM OEM LifeSafety Power ~3% to ~27%, Abloy UK ~3% to ~22%, Schlage ~8%
- 2022-04-14 : Effective April 14, 2022, price increase on ACM OEM HID Cards and Readers: ~1% to 14%, HID pivCLASS: ~5% to 20%, HID Mercury: ~7%, HID VertX ~4%, ACM Kits ~4%
- 2022-03-07 : Effective Mar. 7, 2022, in all currencies, price increase on all Access Control Manager appliances and licensing by ~7%
- 2022-02-21 : Effective February 21, 2022, price increase on ACM OEM Allegion/Schlage: ~5% to 8%, ASSA ABLOY: ~7% to 40%, HID Easy Lobby: ~10%, Salto ~4% to 19%, Farpointe Data ~4% to 39%
- 2021-09-22 : Effective October 31, 2021, price increase on ACM OEM Allegion/Schlage: ~3%, Elmdene: ~5%, ASSA ABLOY: ~3%, HID Easy Lobby: ~1%-14%, HID CARDS: ~1.5%, HID READERS: ~1.5%, HID pivCLASS: ~1.5%, HID Mercury: ~4.50%, LifeSafety Power: ~8% to 13%, ROLEC: ~8%
- 2021-05-05 : ASSA ABLOY European Aperio Manufacturer Price Increase.
- 2021-05-05 : HID Signo Promotion Discount Off MSRP Valid Until September 30, 2021.

## 3rd Party Solutions

### HID pivCLASS

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-PIVCLASS-20HNKS-03-0004XR	Signo PIV 20, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	409.40
AC-HID-PIVCLASS-20HTKS-03-0004XR	Signo PIV 20, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	409.40
AC-HID-PIVCLASS-20KHTKS-03-0004XR	Signo PIV 20K, Keypad, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	654.42
AC-HID-PIVCLASS-40HNKS-03-0004XR	Signo PIV 40, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	420.06
AC-HID-PIVCLASS-40HNKS-03-00059X	Signo PIV 40, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	420.06
AC-HID-PIVCLASS-40HTKS-03-0004XR	Signo PIV 40, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	420.06
AC-HID-PIVCLASS-40HTKS-03-00059X	Signo PIV 40, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	420.06
AC-HID-PIVCLASS-40KHNS-03-0004XR	Signo PIV 40K, Keypad, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	654.42
AC-HID-PIVCLASS-40KHNS-03-00059X	Signo PIV 40K, Keypad, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	654.42
AC-HID-PIVCLASS-40KHTKS-03-0004XR	Signo PIV 40K, Keypad, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	654.42
AC-HID-PIVCLASS-40KHTKS-03-00059X	Signo PIV 40K, Keypad, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	654.42
AC-HID-PIVCLASS-91000-MS	PAM Firmware Standard Maintenance & Support, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	62.54
AC-HID-PIVCLASS-91000BBNNN	PAM, PIVCLASS (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	2,544.77
AC-HID-PIVCLASS-920NHRNEK0001T	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.45
AC-HID-PIVCLASS-920PHRNEK00004	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	411.57
AC-HID-PIVCLASS-920PHRNEK00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	411.57
AC-HID-PIVCLASS-921NHPNEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	631.40
AC-HID-PIVCLASS-921NHPNEK0019D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	631.40
AC-HID-PIVCLASS-921NHPNEK0032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	631.40
AC-HID-PIVCLASS-921NHPTEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	631.40
AC-HID-PIVCLASS-921NHPTEK0033E		631.40

	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-921NHRNEK0004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	631.40
AC-HID-PIVCLASS-921NHRNEK0013W	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	631.40
AC-HID-PIVCLASS-921PHPNK000R2	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHPNK000UE	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	678.15
AC-HID-PIVCLASS-921PHPNK0032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHPNK0033G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	678.15
AC-HID-PIVCLASS-921PHPNK0033H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	678.15
AC-HID-PIVCLASS-921PHPTK0033J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRNEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRNEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRNEK0005P	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRNEK0006F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRNEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRTEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRTEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	678.15
AC-HID-PIVCLASS-921PHRTEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	678.15

AC-HID-PIVCLASS-923NPPNEK0000L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, RF SUPPR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	865.48
AC-HID-PIVCLASS-923PPPNEK0033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	908.10
AC-HID-PIVCLASS-923PPPTEK000P4	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF	908.10
AC-HID-PIVCLASS-924NPRNEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,466.13
AC-HID-PIVCLASS-924NPRTEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,466.13
AC-HID-PIVCLASS-928NFNTEK000TE	RDR/ENROLLER, RKL40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40	1,522.49
AC-HID-PIVCLASS-E91000-MS	EMBEDDED AUTHENTICATION CONTROLLER, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	70.37
AC-HID-PIVCLASS-E920PHPTEK000P2	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RP40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	1,315.58
AC-HID-PIVCLASS-EA-LICENSE2	TWO (2) EMBEDDED AUTHENTICATION LICENSES (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	588.71
AC-HID-PIVCLASS-PVC-CM	PIVCLASS CERTIFICATE MANAGER, 1 LICENSE/PACS, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	17,336.12
AC-HID-PIVCLASS-PVC-CM-MS	CERTIFICATE MANAGER, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	2,713.16
AC-HID-PIVCLASS-PVC-D/S	PIVCLASS VALIDATION WORKSTATION & DOCUMENTATION, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	2,966.96
AC-HID-PIVCLASS-PVC-D/S-MS	VALIDATION WORKSTATION STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	464.40
AC-HID-PIVCLASS-PVC-FXRDR-MS	READER SERVICES, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	46.45
AC-HID-PIVCLASS-PVC-IDPUB1000	PIVCLASS ID PUBLISHER 1000, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	17,970.55
AC-HID-PIVCLASS-PVC-IDPUB1000-MS	PIVCLASS ID PUBLISHER 1000, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	2,813.10
AC-HID-PIVCLASS-PVC-IDPUBUNL	PIVCLASS ID PUBLISHER UNL, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	29,966.15
AC-HID-PIVCLASS-PVC-IDPUBUNL-MS	PIVCLASS ID PUBLISHER UNL, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	4,690.35

AC-HID-PIVCLASS-PVCP-D/S-18-00	PIVCLASS REGISTRATION ENGINE; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	14,423.11
AC-HID-PIVCLASS-PVCP-D/S-MS	REGISTRATION ENGINE, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide <a href="https://www.hidglobal.com/documents/how-to-order">https://www.hidglobal.com/documents/how-to-order</a> )	2,257.22

## Salto

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SALTO-ADAPTER-RING-SP220418.38-IM	SALTO Mortise cylinder collar. B=3/8" (9.5mm) collar, Satin stainless steel (US32D) (Available only in the USA and Canada)	28.02
AC-SALTO-ADAPTER-RING-SP220495-14-IM	Adapter Ring, 1/4" key override depth spacer, satin stainless (Available only in the USA and Canada)	16.07
AC-SALTO-ADAPTER-RING-SP220495-18-IM	Adapter Ring, 1/8" key override depth spacer, satin stainless (Available only in the USA and Canada)	16.07
AC-SALTO-AELEMENT-AEB0IMBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Standard Anthracite BB satin stainless trim (Available only in the USA and Canada)	618.72
AC-SALTO-AELEMENT-AEB0IPBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Standard Anthracite BB polished ss trim (Available only in the USA and Canada)	653.42
AC-SALTO-AELEMENT-AEB1IMBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Elec Privacy Anthracite BB satin stainless trim (Available only in the USA and Canada)	634.85
AC-SALTO-AELEMENT-AEB1IPBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Elec Privacy Anthracite BB polished ss trim (Available only in the USA and Canada)	669.54
AC-SALTO-AELEMENT-FUSION-READER-ANSI-AFB7PMB4A8	SALTO AElement Fusion electronics. Includes split spindles that must be used with the AElement handle set (Mortise lock and handles not included and must be ordered separately)(Available only in the USA and Canada)	723.49
AC-SALTO-AELEMENT-HANDLE-R1SJRIM080	SALTO J handle for AElement handle set. Round rose. To be fitted with the split spindle provided with the AElement electronics. 2 handles set. (Available only in the USA and Canada)	219.56
AC-SALTO-AELEMENT-HANDLE-R3SJRIM081	SALTO J handle for AElement handle set. Round rose. To be fitted with the split spindle provided with the AElement electronics. 2 handles set. (Available only in the USA and Canada)	269.57
AC-SALTO-AELEMENT-HANDLE-R3SWRPM081	SALTO W handle for AElement handle set. Round rose. To be fitted with the split spindle provided with the AElement electronics. 2 handles set. (Available only in the USA and Canada)	245.81
AC-SALTO-AELEMENT-MORTISE-LOCK-LA1T1770A24IMSRH	Mortise Lock AElement ANSI, Door+Egress detectors RH stainless steel (Available only in the USA and Canada)	382.60
AC-SALTO-AELEMENT-MORTISE-LOCK-LA1T1770F24IMSRH	SALTO AElement Fusion mortise lock with dead bolt and panic function. Stainless steel (Available only in the USA and Canada)	390.29
AC-SALTO-AELEMENT-MORTISE-LOCKS-LA1T1770A24PMSLH	SALTO Mortise Lock Deadbolt AElement ANSI   Privacy+Door+Egress detectors LH satin brass (Available only in the USA and Canada)	400.42
AC-SALTO-AELEMENT-MORTISE-LOCKS-LA1T1770F74PMSRH	Mortise Lock AElement ANSI, Door+Egress detectors RH satin brass (Available only in the USA and Canada)	408.29
AC-SALTO-AELEMENT-READER-ANSI-AEB0PMB3A8	SALTO AElement electronics with ANSI mechanical privacy. Includes split spindles that must be used with the AElement handle set (Mortise lock and handles not included and must be ordered separately) (Available only in the USA and Canada)	618.72
AC-SALTO-AELEMENT-READER-ANSI-AFB2IMB4A8M	SALTO AElement Fusion electronics. Includes split spindles that must be used with the AElement handle set (Mortise lock and handles not included and must be ordered separately) (Available only in the USA and Canada)	688.68
AC-SALTO-AELEMENT-READER-ANSI-AFB2PMB3A8	AElement Fusion reader and electronics / Satin Brass front plate / needs AElement mortise and handles (not included) Mifare / 32mm control plate / Satin PVD finish / Black reader / wood doors	697.67
AC-SALTO-ASSEMBLY-TOOL-NEOXX-PADLOCK-SP226009	Assembly Tool Neox Padlock, (Available only in the USA and Canada)	35.07
AC-SALTO-BLUENET-BLACK-GATEWAYB3CUS	Wireless Gateway BLUEnet node black 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	850.72

AC-SALTO-BLUENET-WHITE-GATEWAYW3CUS	Wireless Gateway BLUEnet node white 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	850.72
AC-SALTO-CLUTCH-MECHANISM-SP00946-W67AKO	Clutch mechanism. (Available only in the USA and Canada)	290.95
AC-SALTO-CONTROL-UNIT-IP-CLEARCOVER-CU42E0TUS	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr encl clear cover (Available only in the USA and Canada)	1,540.07
AC-SALTO-CONTROL-UNIT-IP-GREYCOVER-CU42E0GUS	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr encl Grey cover (Available only in the USA and Canada)	1,540.07
AC-SALTO-CONTROL-UNIT-IP-NOCOVER-CU42E0US	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr No enclosure (Available only in the USA and Canada)	1,540.07
AC-SALTO-CONTROL-UNIT-RS485-CLEARCOVER-CU4200TUS	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12V xfmr encl Clear cover (Available only in the USA and Canada)	876.47
AC-SALTO-CONTROL-UNIT-RS485-GREYCOVER-CU4200GUS	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12V xfmr encl Grey cover (Available only in the USA and Canada)	876.47
AC-SALTO-CONTROL-UNIT-RS485-NOCOVER-CU4200US	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12VDC xfmr No enclosure (Available only in the USA and Canada)	876.47
AC-SALTO-COPLE95IMCA	SALTO Cover Plate Pr - ANSI - Wide - Cyl cartridge compatible. (Available only in the USA and Canada)	162.91
AC-SALTO-COVER-PLATE-ANSI-WIDE-COPLE110IMCA	Cover Plate Pr ANSI wide cyl cartridge compatible, 13-53/64" H X 4-21/64" W satin stainless (Available only in the USA and Canada)	121.38
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNL-5	SALTO proximity silicone Bracelets, MIFARE, 01K   1KBytes, Black, Large, Pack of 5 bracelets (Available only in the USA and Canada)	126.72
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNM-5	SALTO proximity silicone Bracelets, MIFARE, 01K   1KBytes, Black, Medium, Pack of 5 bracelets (Available only in the USA and Canada)	126.72
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNS-5	SALTO proximity silicone Bracelets, MIFARE, 01K   1KBytes, Black, Small, Pack of 5 bracelets (Available only in the USA and Canada)	126.72
AC-SALTO-CREDENTIAL-CARD-MIFARE-PCM04KB	SALTO Credential CR80 card dual technology, Mifare 4KB with magstripe pack of 50 (Available only in the USA and Canada)	363.16
AC-SALTO-CREDENTIAL-CONSTRUCTION-HID-PCH002C	Credential Construction Card HID iClass, testing and management prior to initialization (Available only in the USA and Canada)	41.71
AC-SALTO-CREDENTIAL-CONSTRUCTION-MIFARE-PCM01KC	Credential Construction Card Mifare, testing and management prior to initialization	31.95
AC-SALTO-CREDENTIAL-CR80-CARD-HID-ICLASS-PCH004-50	Credential CR80 card printable white HID iClass, 32Kbs sammed for use with Salto standard codes, pack of 50 (Available only in the USA and Canada)	1,994.30
AC-SALTO-CREDENTIAL-CR80-CARD-MIFARE-PCM04KBH-50	SALTO Credential CR80 card dual technology, Mifare 4KB with magstripe pack of 50 (Available only in the USA and Canada)	330.32
AC-SALTO-CREDENTIAL-FOB-DESFIRE-PFD04KB-10	Credential FOB blue with white center Salto logo, DESFire EV2 4KB pack of 10 (Available only in the USA and Canada)	114.28
AC-SALTO-CREDENTIAL-FOB-DESFIRE-PFD04KN-10	Credential FOB black with white center Salto logo, DESFire EV2 4KB pack of 10 (Available only in the USA and Canada)	114.28
AC-SALTO-CREDENTIAL-FOB-MIFARE-PFM04KB-10	Credential FOB blue with white center Salto logo, Mifare 4KB pack of 10 (Available only in the USA and Canada)	112.79
AC-SALTO-CREDENTIAL-FOB-SVN-BLUE-PFD04KBSVNKS-5	SVNKS   SALTO KS + SVN compatible Tags - Blue - Pack of 5 (Available only in the USA and Canada)	96.65
AC-SALTO-CREDENTIAL-FOB-SVN-GREEN-PFD04KGSVNKS-5	SVNKS   SALTO KS + SVN compatible Tags - Green - Pack of 5 (Available only in the USA and Canada)	96.65
AC-SALTO-CREDENTIAL-FOB-SVN-RED-PFD04KRSVNKS-5	SVNKS   SALTO KS + SVN compatible Tags - Red - Pack of 5 (Available only in the USA and Canada)	96.65
AC-SALTO-CREDENTIAL-FOB-SVN-SILVER-PFD04KSSVNKS-5	SVNKS   SALTO KS + SVN compatible Tags - Silver - Pack of 5 (Available only in the USA and Canada)	96.65
AC-SALTO-CREDENTIAL-FOB-SVN-WHITE-PFD04KWSVNKS-5	SVNKS   SALTO KS + SVN compatible Tags - White - Pack of 5 (Available only in the USA and Canada)	96.65
AC-SALTO-CYLINDRICAL-CARTRIDGE-ALIGNMENT-KIT-1848	Alignment Kit Cylindrical Cartridge, use with Ax6xx and LCxK cartridge combination (Available only in the USA and Canada)	16.12
AC-SALTO-CYLINDRICAL-CARTRIDGE-LOCK-LC1KC60IM	SALTO cylindrical latch grade 1. ANSI A156.2 grade1. model K. squared front plate. latch by lever either side. Auxiliar latch (anticard) deadlock the latch. Backset 50mm - 2 3/8. ASA strike, screws and dust box included. (Available only in the USA and Canada)	143.41

AC-SALTO-CYLINDRICAL-CARTRIDGE-LOCK-LC1KC70IM	Cylindrical Cartridge Lock ANSI Grade 2, 2-3/4" backset(std comm) satin stainless (Available only in the USA and Canada)	143.41
AC-SALTO-DEADBOLT-GEO-LD51C70CS	Deadbolt, single cylinder for use with GEO heavy duty deadbolt cylinder, 2 3/4" backset, standard operation, satin chromium finish (Available only in the USA and Canada)	212.75
AC-SALTO-DEADBOLT-NEO-LD51C60CS	Deadbolt less single cyl 2 3/8" backset requires eCylinder satin stainless (Available only in the USA and Canada)	240.06
AC-SALTO-DEADBOLT-NEO-NBB3141N00CSBN	SALTO NEO Heavy duty deadbolt electronic double cylinder. To be used in combination with SALTO deadbolt LD41 series Technology: Bluetooth LE DESFire MIFARE (Available only in the USA and Canada)	1,150.91
AC-SALTO-DESFIRE-2K-CCVD20700-50	Credential CCVD20700-50 card, DESFire 2K, pack of 50	273.29
AC-SALTO-DOOR-DETECTOR-ESCUTCHEON-RFDTCTS18W01	RFDTCT   Door detector with plug connection for the SALTO wireless escutcheon, S   For steel doors, 18   For wide body escutcheons (Available only in the USA and Canada)	58.02
AC-SALTO-DOOR-DETECTOR-ESCUTCHEON-RFDTCTW18W01	SALTO RFDTCT Door detector with plug connection for the SALTO wireless escutcheon - for Wood doors.- for wide body escutcheons	58.02
AC-SALTO-ELEVATOR-FEATURE-SOFTWARE-SPACE-OPT-0035	SALTO SPACE-OPT-0035 This feature permits you to enable the elevators communication module to manage systems like Schindler PORT protocols. Feature only available individually and is not included in any package.(Available only in the USA and Canada)	1,278.00
AC-SALTO-EMERGENCY-POWER-SUPPLY-EPS100	Emergency Power Supply PPD connection cord, battery harness requires 4 AA batteries (Available only in the USA and Canada)	57.14
AC-SALTO-ENCODER-DESFIRE-EC904B0US	SALTO NCode - Proximity card encoder Mifare/DESFire. USB and Ethernet connections. DHCP addressing. Desktop reader capabilities (Bluetooth mobile keys not supported)(Available only in the USA and Canada)	1,106.90
AC-SALTO-ENCODER-DESFIRE-ECB04B0US	Encoder BLE DESFire Mifare ethernet, USB can be used as desktop reader (Available only in the USA and Canada)	1,660.29
AC-SALTO-ENCODER-HID-ECJ04B0US	Encoder BLE HID iClass ethernet, USB can be used as desktop reader (Available only in the USA and Canada)	1,106.90
AC-SALTO-EXPANSION-UNIT-RS485-NOCOVER-CU4EB8US	Expansion Unit XS4 2.0 4 in 8 out RS485 auxillary, exp of CU42xx 12VDC xfmr No enclosure (Available only in the USA and Canada)	757.25
AC-SALTO-INSTALLATION-TOOL-NEO-SP220764	SALTO Geo installation tool (NOT NEO) (Available only in the USA and Canada)	9.49
AC-SALTO-INSTALLATION-TOOL-NEO-SP225542	SALTO Neo installation tool	34.62
AC-SALTO-LOCKER-LOCK-DESFIRE-ANTHRASITE-LB050A30	Locker Lock XS4 BLE DESFire Mifare battery incl, 20-30mm door sandwich mount BioCote anthracite rdr (Available only in the USA and Canada)	489.56
AC-SALTO-LOCKER-LOCK-DESFIRE-WHITE-LB050M30	Locker Lock XS4 BLE DESFire Mifare battery incl, 20-30mm door sandwich mount BioCote white rdr rdr (Available only in the USA and Canada)	489.56
AC-SALTO-LOCKER-LOCK-HID-ANTHRACITE-LJ050A30	Locker Lock XS4 BLE HID iClass SEOS battery incl, 20-30mm door sandwich mount BioCote anthracite rdr (Available only in the USA and Canada)	489.56
AC-SALTO-LOCKER-LOCK-HID-WHITE-LJ050M30	Locker Lock XS4 BLE HID iClass SEOS battery incl, 20-30mm door sandwich mount BioCote white rdr rdr (Available only in the USA and Canada)	489.56
AC-SALTO-LOCKSET-PIN-SPO1047-325	Replacement Part: Single thumbturn knob for locks.(Available only in the USA and Canada)	100.20
AC-SALTO-MOBILE-USER-LICENSE-SPACE-OPT-0016-1	SALTO ProAccess SPACE, SPACE Mobile Users License (0016-1), included for first 12 months from software registration, billed annually thereafter - Requires Annual Subscription Renewal (0028-2) (Available only in the USA and Canada)	3.94
AC-SALTO-MODULAR-XS-WALL-READER-WRMB004B	SALTO Modular XS Wall Reader Proximity BLE DESFire/Mifare. Includes concealed fixing covers. Excludes fixing base that needs to be purchased separately. (Available only in the USA and Canada)	617.09
AC-SALTO-MORTISE-LOCK-LA1T0570A21IM8LH	Mortise Lock ANSI Grade 1 32mm faceplate, Door detector LH(field rev) satin stainless (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T0570A21IM8RH	Mortise Lock ANSI Grade 1 32mm faceplate, Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T0570A71IM8RH	SALTO ANSI mortise lock with latch. Auxiliar latch (anticard) deadlocks the latch. (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSLH	Mortise Lock AElement ANSI, Door+Egress detectors LH satin stainless (Available only in the USA and Canada)	348.03

AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSLR	Mortise Lock AE Element ANSI, Door+Egress detectors LHR satin stainless (Available only in the USA and Canada)	348.03
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSRH	Mortise Lock AE Element ANSI, Door+Egress detectors RH satin stainless (Available only in the USA and Canada)	348.03
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSRR	Mortise Lock AE Element ANSI, Door+Egress detectors RHR satin stainless (Available only in the USA and Canada)	348.03
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSLH	Mortise Lock AE Element ANSI, Privacy+Door+Egress detectors LH satin stainless (Available only in the USA and Canada)	382.60
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSLR	Mortise Lock AE Element ANSI, Privacy+Door+Egress detectors LHR satin stainless (Available only in the USA and Canada)	382.60
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSRH	Mortise Lock AE Element ANSI, Privacy+Door+Egress detectors RH satin stainless (Available only in the USA and Canada)	382.60
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSRR	Mortise Lock AE Element ANSI, Privacy+Door+Egress detectors RHR satin stainless (Available only in the USA and Canada)	382.60
AC-SALTO-MORTISE-LOCK-LA1T1570A21IM8LH	Mortise Lock Deadbolt ANSI Grade 1 32mm faceplate - Door detector LH (field rev) satin stainless (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T1570A21IM8RH	Mortise Lock Deadbolt ANSI Grade 1 32mm faceplate - Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T1570A21PM8LH	ANSI Mortise with latch and deadbolt / Grade 1 / 32mm front plate / satin brass Left Handing	181.86
AC-SALTO-MORTISE-LOCK-LA1T1570A21PM8RH	ANSI Mortise with latch and deadbolt / Grade 1 / 32mm front plate / satin brass Right Handing	181.86
AC-SALTO-MORTISE-LOCK-LA1T1570A71IM8R	SALTO Mortise Lock Deadbolt ANSI Grade 1 27mm faceplate, Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	188.61
AC-SALTO-MORTISE-LOCK-LA1T3570A21IM8LH	SALTO Mortise Lock - ANSI with latch and automatic deadbolt. with panic function Auto-DB ANSI Grade 1 32mm faceplate  Door detector LH(field rev) satin stainless (Available only in the USA and Canada)	317.90
AC-SALTO-MORTISE-LOCK-LA1T3570A21IM8RH	SALTO Mortise Lock - ANSI with latch and automatic deadbolt. with panic function Auto-DB ANSI Grade 1 32mm faceplate  Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	317.90
AC-SALTO-NEO-CAM-CYL-NJCL119M28BCBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-CAM-CYL-NJCL119M28BCBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	716.56
AC-SALTO-NEO-CAM-CYL-NJCL119M28CPBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-CAM-CYL-NJCL119M28CPBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-CAM-CYL-NJCL119M28CSBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-CAM-CYL-NJCL119M28CSBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-CAM-LOCK-CYLINDER-NMCL119M40BCBA	SALTO NEO Cam lock electronic cylinder. Cylinder body: 19mm. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-CINLINDER-RIM-ANSI-NMB1100N00CSBN	SALTO NEO RIM USA profile electronic cylinder. Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-CUSTOM	SALTO NEO Cam - RIM - Mortise - Server Rack Cylinder	0.00
AC-SALTO-NEO-CYLINDER-ANSI-NMB1100N00BCBN	SALTO NEO RIM USA profile electronic cylinder. Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-CYLINDER-ANSI-NMB1100N00BCBNR	SALTO NEO RIM USA profile electronic cylinder. Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	716.56
AC-SALTO-NEO-DEADBOLT-CYLINDER-ANSI-NMB3141N00CSBN	SALTO NEO Heavy duty deadbolt electronic double cylinder. To be used in combination with SALTO deadbolt LD41 series Technology: Mifare, Bluetooth LE + HSE.(Available only in the USA and Canada)	1,193.49
AC-SALTO-NEO-DEADBOLT-CYLINDER-ANSI-NMB3151N00CSBN	SALTO NEO Heavy duty deadbolt electronic cylinder. To be used in combination with SALTO deadbolt LD51 or LD71series Technology: Mifare, Bluetooth LE + HSE.	610.21

AC-SALTO-NEO-MORTISE-ANSI-NMM1132N00BCBN	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-MORTISE-ANSI-NMM1132N00BCBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	716.56
AC-SALTO-NEO-MORTISE-ANSI-NMM1135N00CSBN	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-MORTISE-ANSI-NMM1135N00CSBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. Technology: Mifare, Bluetooth LE + HSE. (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00NEBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. (Can be initialized in SALTO SPACE or SALTO KS) (Available only in the USA and Canada)	635.02
AC-SALTO-NEO-MORTISE-CYL-NBM1135N00CSBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn - BLE DESFire MIFARE: Standard - standard length, standard cams, standard finish (Available only in the USA and Canada)	619.55
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00BCBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 BioCote (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00BCBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 BioCote (Available only in the USA and Canada)	716.56
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CPBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 polished chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CPBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 polished chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CSBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 satin chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CSBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 satin chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-PADLOCK-G4-NMP4P60150CPB1	Salto G4 NEOXX Padlock - permanent 50mm Shackles, 11 MM diameter, polished chrome, black, with chain. (Available only in USA and Canada)	1,137.60
AC-SALTO-NEO-PADLOCK-G4-NMP4R60150CPB0	SALTO Neox Padlock G4 (Available only in the USA and Canada)	1,079.20
AC-SALTO-NEO-RIM-CYL-BLKRDR-NBB3151N00BCBN	SALTO NEO Rim Cylinder BLE Mifare DESFire SVN - Black Rdr Salto DB not incl IP55 BioCote (Available only in the USA and Canada)	658.05
AC-SALTO-NEO-RIM-CYL-BLKRDR-NBB3151N00BCBNR	SALTO NEO Rim Cylinder BLE Mifare DESFire SVN - Black Rdr Salto DB not incl IP66 BioCote (Available only in the USA and Canada)	689.03
AC-SALTO-NEO-SERVER-RACK-CYL-NJE9130N00NEBR	NEO Server Rack Cyl HID iClass SEOS SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	748.75
AC-SALTO-NEO-SERVER-RACK-CYL-NJE9130N00NEBRR	NEO Server Rack Cyl HID iClass SEOS SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	780.94
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00BCBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	684.36
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00BCBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	716.56
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CPBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CPBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CSBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	610.21
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CSBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	642.41
AC-SALTO-NEOXX-PADLOCK-HID-ICLASS-NJP4R60150CPB0	Neox Padlock HID iClass SEOS BLE SVN Black, Non-removable shackle 11mm dia-60mm len IP66 (Available only in the USA and Canada)	1,419.85
AC-SALTO-OUTDOOR-KIT-XS4-ESCUTCHEON-SP220475-6	Outdoor Kit, pair of gaskets for weather exposed, XS4 escutcheons, pack of 6 sets (Available only in the USA and Canada)	110.68
AC-SALTO-PORTABLE-PROGRAMMING-DEVICE-PPD800	Portable Programming Device NFC USB connection, 3 pin harness connector req 3 AAA batteries, incl (Available only in the USA and Canada)	995.63
AC-SALTO-PRO-ACCESS-STARTER-KIT-SPAONLMBMB	SPAONLINE. Starter kit includes choice of ProAccess Space Software, PCM04K-50 (contactless Mifare smart card, 4KBytes, SALTO Design, 1 color, pack of 50), Portable Programming Device (PPD800), Ncoder	7,920.75

	(ECB04B0), XS4 2.0 Controller - Ethernet (CU42E0TUS) and 2 Mullion LE DESFire/Mifare readers (Available only in the USA and Canada)	
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPACE-OPT-0032	SALTO ProAccess SPACE software SPACE-OPT-0032, SALTO event-alarms & communication module. Enables event alarms and also sends emails to the operators generated by the events. (Available only in the USA and Canada)	1,278.00
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPAONLINE	SALTO ProAccess SPACE, ProAccess SPACE Software  Online SVN RF Lockdown, Event Stream Automatic Key Assignment Less Photo (Available only in the USA and Canada)	1,816.95
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPAPART	SALTO ProAccess SPACE software Partitional package that includes: - All the features included in the SALTO ProAccess SPACE ID System package - Partitional functionalities (department operator) (Available only in the USA and Canada)	4,386.64
AC-SALTO-PROACCESS-SPACE-STARTER-KIT-SPAONLABAB	SALTO Starter Kit - ProAccess SPACE Software - Online, standard readers, ANSI, black readers (Available only in the USA and Canada)	3,882.06
AC-SALTO-RFNET-BLACK-GATEWAYB2CUS	Wireless Gateway RFnet node black 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	850.72
AC-SALTO-RFNET-WHITE-GATEWAYW2CUS	Wireless Gateway RFnet node white 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	850.72
AC-SALTO-RIM-PB-PBF110033IM	Rim Panic Bar Device 33" length - Use w/KPB03 satin stainless (Available only in the USA and Canada)	1,393.60
AC-SALTO-RIM-PB-PBF110045IM	SALTO RIM Panic Bar Device. Stainless steel finish. Latchdeadlocking system. Max 1220mm wing width. Strike plate included. To be used with KPB03. Exit signal when bar is depressed included. (Available only in the USA and Canada)	1,393.60
AC-SALTO-SAMKIT9	Salto Authorization Module(SAM) DESFire EndUser, requires EC9xx application subject to approval, SAM Software Kit. Includes SAM Software, SAM card. (Available only in the USA and Canada)	18,055.90
AC-SALTO-SAMKITH	Salto Authorization Module(SAM) HID iClass EndUser, requires ECHxx application subject to approval, SAM Software Kit. Includes SAM Software, SAM card. (Available only in the USA and Canada)	18,055.90
AC-SALTO-SHACKLE-CHAIN-NEOXX-PADLOCK-SP226335	Shackle Chain collar attached 300mm length, For use with Neoxx Padlock, Padlock Not Included (Available only in the USA and Canada)	58.40
AC-SALTO-SHIP-OPTION-SPACE-OPT-0018	SALTO ProAccess SPACE, SPACE SHIP Interface Option (0018) (Available only in the USA and Canada)	511.25
AC-SALTO-SP226850	SALTO Outdoor kit for exterior doors. (Available only in the USA and Canada)	11.94
AC-SALTO-SPACE-RING-SILVER-SP226077-S-10	SALTO Cover for space ring. Silver (Available only in the USA and Canada)	82.84
AC-SALTO-SPACE-TRAINING-KIT-TR-SPACE-V1	Salto SPACE Training Kit (one user) (Available only in the USA and Canada)	5,975.60
AC-SALTO-SPACER-PLATE-SP226233.02-BM	Spacer Plate for door thickness 1-1/4" - 1-3/8" (30-35mm) (Available only in the USA and Canada)	20.89
AC-SALTO-STICKERS-SMARTCARD-PSD04K-20	SALTO Contactless smart stickers.(Available only in the USA and Canada)	218.62
AC-SALTO-STICKERS-SMARTCARD-PSM04K-20	Credential smart sticker 1" round white PVC   Pack of 20 stickers   Mifare 4KB pack of 20 (Available only in the USA and Canada)	218.62
AC-SALTO-THUMBTURN-SP01027-IM	Replacement Part: 25 Pack. Internal pin for lockset. (Available only in the USA and Canada)	30.20
AC-SALTO-UPDATER-KIT-UBOX42DBABTUS	The UBOX4000 offers a compact solution updater kit based on a SALTO Controller and a Wall Reader that permits to integrate with third party products. ANSI - North American - Single gang mount reader, Black, Transparent Cover, US version, Includes UBOX 42 controller in a case with translucent cover and black ANSI rectangular BLE Mifare DESFire reader. (Available only in the USA and Canada)	787.95
AC-SALTO-UPDATER-KIT-UBOX42DBMBTUS	The UBOX4000 offers a compact solution updater kit based on a SALTO Controller and a Wall Reader that permits to integrate with third party products. Mullion - narrow reader, Black, Transparent Cover, US version, Includes UBOX 42 controller in a case with translucent cover and black mullion BLE Mifare DESFire reader. (Available only in the USA and Canada)	787.95
AC-SALTO-WALL-READER-ICLASS-BLACK-WRDJ0A4B	Wall Reader ANSI XS4 2.0 BLE HID iClass Black, series CU42xx controller req IP66 (Available only in the USA and Canada)	617.09
AC-SALTO-WALL-READER-ICLASS-WHITE-WRDJ0A4W	Wall Reader ANSI XS4 2.0 BLE HID iClass White, series CU42xx controller req IP66 (Available only in the USA and Canada)	617.09
AC-SALTO-WALL-READER-MULLION-ICLASS-BLACK-WRDJ0M4B		617.09

	Wall Reader Mullion XS4 2.0 BLE HID iClass, Black series CU42xx controller req IP66 (Available only in the USA and Canada)	
AC-SALTO-WALL-READER-MULLION-ICLASS-WHITE-WRDJ0M4W	Wall Reader Mullion XS4 2.0 BLE HID iClass, White series CU42xx controller req IP66 (Available only in the USA and Canada)	617.09
AC-SALTO-WIRELESS-NODE-BLUENET-RFNODE3	Wireless Node BLUENet white, Wired requires GATEWAYxx for operation (Available only in the USA and Canada)	162.67
AC-SALTO-WIRELESS-NODE-RFNET-RFNODE	Wireless Node RFnet white, Wired requires GATEWAYxx for operation (Available only in the USA and Canada)	162.67
AC-SALTO-WIRELESS-OPTION-BLUENET-SPACE-OPT-0033	SALTO ProAccess SPACE, SPACE BLUENet Wireless Connection Option (0033), 1ea per Lockset (online)	154.23
AC-SALTO-WIRELESS-OPTION-RF-SPACE-OPT-0021	SALTO ProAccess SPACE, SPACE Wireless Option (0021) enables RF (Available only in the USA and Canada)	121.90
AC-SALTO-WIRELESS-REPEATER-BLUENET-REPEATER03US	Wireless Repeater BLUENet white, Wired requires GATEWAYx3 or RFNODE3 for operation (Available only in the USA and Canada)	162.67
AC-SALTO-WRDM0A4B	Salto Wall Reader Mifare BLE HSE ANSI (standard) Black	617.09
AC-SALTO-WRDM0A4W	Salto Wall Reader Mifare BLE HSE ANSI (standard) White	617.09
AC-SALTO-WRDM0M4B	Salto Wall Reader Mifare BLE HSE Mullion Black	617.09
AC-SALTO-XS4-ANSI-MINI-CJ250N60BCB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset BioCote (Available only in the USA and Canada)	1,017.62
AC-SALTO-XS4-ANSI-MINI-CJ250N60CPB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset polished chrome (Available only in the USA and Canada)	961.30
AC-SALTO-XS4-ANSI-MINI-CJ250N60CSB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset satin chrome (Available only in the USA and Canada)	935.55
AC-SALTO-XS4-ANSI-MINI-CM250G70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock. Mifare Desfire + Bluetooth LE + HSE. Standard -G Handle Standard spindle - 2 3/4 backset (Available only in the USA and Canada)	935.55
AC-SALTO-XS4-ANSI-MINI-CM250N60BCB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock. Mifare Desfire + Bluetooth LE + HSE. Standard - standard square spindles, finishes and handles.(Available only in the USA and Canada)	1,017.62
AC-SALTO-XS4-ANSI-MINI-CM250N60CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock. MIFARE DESFire + Bluetooth LE + HSE. Standard - standard square spindles, finishes and handles. (Available only in the USA and Canada)	935.55
AC-SALTO-XS4-ANSI-MINI-CM250N70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock. Mifare Desfire + Bluetooth LE + HSE. Standard - standard square spindles, finishes and handles. (Available only in the USA and Canada)	935.55
AC-SALTO-XS4-ANSI-MINI-CM260G70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. Mifare Desfire + Bluetooth LE + HSE. Standard -G Handle Standard Spindle 2 3/4 backset. satin Chrome. Mechanical cylinder not included. (Available only in the USA and Canada)	935.55
AC-SALTO-XS4-ANSI-MINI-CM260G70CSB4	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. Mifare Desfire + Bluetooth LE + HSE. Standard - standard square spindles, finishes and handles. Mechanical cylinder not included. (Available only in the USA and Canada.)	935.55
AC-SALTO-XS4-ANSI-MINI-CM260N70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. Mifare Desfire + Bluetooth LE + HSE. Standard - standard square spindles, finishes and handles. Mechanical cylinder not included. (Available on in the USA and Canada) (Replacement for CB260N70CSB3)	902.17
AC-SALTO-XS4-ANSI-MINI-CUSTOM	SALTO XS4 ANSI MINI Lock	0.00
AC-SALTO-XS4-CABLE-SP01045-100	XS4 Original connection circuit cable. For XS4 Originalwith door thickness up to 100mm (Available only in the USA and Canada)	9.82
AC-SALTO-XS4-CREDENTIAL-UHF-WINDSHLD-TRPDR-PWU008B	SALTO Windshield transponder ISO-Format UHF 8 bytes for SALTO WRLUD readers. White neutral. UHF UID printed on the card. (Available only in the USA and Canada)	44.89
AC-SALTO-XS4-ESCUTCHEON-KEYPAD-ANSI-AB650G00IM38WK	SALTO XS4 Electronic Escutcheon Ax650, with keypad For ANSI mortise locks, 2 handles, any type. BLE DESFire Technology:Wireless - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,516.68
AC-SALTO-XS4-ONE-ESCUTCHEON-DEADLAT-EB756HDLIMB4MD5	SALTO XS4 ONE Electronic Escutcheon Ex756, 2 Handles, any type. Electronic "do not disturb" system. BLE Mifare DESFire: Standard -	1,368.69

	standard square spindles, finishes and handles. (Available only in the USA and Canada)	
AC-SALTO-XS4-OP-ESCUTCHEON-ANSI-AM660W00IMB48G	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE, finishes and handles.(Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM656N00BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN   Privacy Button ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,206.92
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM656N00BCB48	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN   Privacy Button ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,206.92
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM658N61BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN  eadbolt ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,206.92
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM658N62BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN  eadbolt ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,206.92
AC-SALTO-XS4-OP-ESCUTCHEON-DC-KIT-SP01798-C8-4	SALTO XS4 Original + Escutcheon  Door Thickness Change Kit (Available only in the USA and Canada)	15.89
AC-SALTO-XS4-OP-HALF-ESCUTCH-ANSI-AM660A00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALF-ESCUTCH-ANSI-AM660W00PMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650A00BCWH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles (Available only in the USA and Canada)	1,261.75
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650A00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650G00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650G00IMBP8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type for concealed rod panic bars. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles.(Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-HALF-ESCUTCHN-ANSI-AM650G00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALF-ESCUTCHN-ANSI-AM650N00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALF-ESCUTCHN-ANSI-AM660B00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALF-ESCUTCHN-ANSI-AM660J00IMBH8	SALTO XS4 Original+ Half escutcheon ANSI - Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. Mechanical cylinder not included. (Available only in the USA and Canada)	1,195.74
AC-SALTO-XS4-OP-HALFESCUTCHEONANSI-AM650W00DBBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, W handle type. Technology: Mifare + Bluetooth LE + HSE square 8MM spindle, Dark Bronze IP56 (Available only in the USA and Canada)	1,281.76
AC-SALTO-XS4-OP-HALFESCUTCHEONANSI-AM650W00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, W handle type. Technology: Mifare + Bluetooth LE + HSE square 8MM spindle, Satin Stainless IP56 (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALFESCUTCHEONANSI-AM660W00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALFESCUTCHEONANSI-AM660N00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare +	1,179.66

Bluetooth LE + HSE and standard square spindles, finishes and handles. Mechanical cylinder not included, for technical specifications consult SALTO. Gain durability feature included by default. For exterior use, consider adding the E5 (IP56) option.(Available only in the USA and Canada)

AC-SALTO-XS4-OP-HALFESCUTHEON-ANSI-AM660N00IMBH8E5	XS4 Original+ Half escutcheon BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI N lever satin ss, SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-HALFESCUTHEON-ANSI-AM660N00IMBP8	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit for concealed rod panic bars. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. Mechanical cylinder not included. Half escutcheon model, only compatible for Von Duprin 98 / 9957 concealed vertical rod panic bar. Gain durability feature included by default. For exterior use, consider adding the E5 (IP56) option.(Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-PANIC-BAR-BIOCOTE-AM650N00BCBH8	SALTO XS4 Original + Panic Bar Trim BLE Mifare DESFire HSE SVN   RIM compatible ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,261.75
AC-SALTO-XS4-OP-PANIC-BAR-BIOCOTE-AM650N00BCBP8	SALTO XS4 Original + Panic Bar Trim BLE Mifare DESFire HSE SVN   Con rod compatib ANSI N lever BioCote   BlueNet Capable (Available only in the USA and Canada)	1,261.75
AC-SALTO-XS4-OP-PANIC-BAR-KIT-CR-KPP17IM	SALTO XS4 Original + PB Kit  Corbin Russwin ED2500 & Yale 7100   SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-DK-KPP55IM	SALTO XS4 Original + PB Kit   Dorma Kabba   SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-DORMA-KPP19IM	SALTO XS4 Panic Bar Kit for versions of DORMA. (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-SAR-KPP08IM	SALTO XS4 Original + PB Kit  SARGENT 8888   SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-SAR-KPP39IM	SALTO XS4 Panic Bar Kit for versions of SARGENT 8800 prior to 2002 (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPB03IM-U	Kit panic bars - UNIVERSAL - KPB   Kit panic bars   SALTO XS4 Panic Bar Kit for versions of VON DUPRIN   Satin stainless steel   Ul-listed (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP03IM	SALTO XS4 Original + PB Kit Salto PBF110 Von Duprin series 98 & 99   SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP04IM	SALTO XS4 Original + PB Kit Von Duprin series 98/9927 & 98/9957   SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP37IM	SALTO XS4 Panic Bar Kit for versions of VON DUPRIN. (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00BCB38E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,301.57
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB38E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650N00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM658A62IMB38E5G	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM658A62IMB48E5G	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM660U00IMB38E5G		1,219.49

	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM666A00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM668U62IMB48E5G	SALTO XS4 Electronic Escutcheon Ax668, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEN-ANSI-AM660N00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB38	XS4 Original+ Wide Body Escutcheon - ANSI BLE Mifare DESFire HSE Black Rdr Entrance ANSI A lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB48	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB48G	SALTO XS4 Original+ Wide Body Escutcheon - ANSI - Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,226.99
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650G00IMB38E5	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650G00IMB48	SALTO XS4 Electronic Escutcheon AM650, For ANSI mortise locks, G Handle. Technology: Mifare + Bluetooth LE + HSE, Satin Stainless 1 3/4 to 2 3/8" thick. (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650N00IMB38	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650N00IMB38E5	SALTO XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI N lever satin ss, XS4 Original+ Wide Body Escutcheon - ANSI Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650W00IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650W00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,179.66
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650W00NEB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever blk chromium (Available only in the USA and Canada)	1,179.60
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650W00NEBH8	XS4 Original+ Half Escutcheon for Panic Bar BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever blk chromium (Available only in the USA and Canada)	1,234.43
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM656A00IMB38	XS4 Original + 656 provacy button ANSI Mifare DesFire HSE Bluetooth A handle satin Stainless Black Reader Interior door thickness 1 3/8 to 1 3/4 8 mm square spindle	1,084.71
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM656A00IMB48	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI A lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM656A00IMB48G	SALTO XS4 Electronic Escutcheon Ax656, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM656G00IMB38	SALTO XS4 Electronic Escutcheon Ax656, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare	1,124.84

+ Bluetooth LE + HSE, Satin Stainless, G Handle. (Available only in the USA and Canada)

AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656N00IMB38	SALTO XS4 original+ Wide Body Electronic Escutcheon, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI N lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656N00IMB38G	SALTO XS4 Electronic Escutcheon Ax656, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656W00IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI W lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM658N62DBB38	SALTO XS4 original+ Wide Body Electronic Escutcheon, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare HSE Dark Bronze  Black Rdr ANSI N lever (Available only in the USA and Canada)	1,179.60
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM658N62IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Deadbolt ANSI N lever satin ss (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM658N62IMB48	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660A00IMB38E5	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI A lever satin ss (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660A00IMB3SG	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm split square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660G00IMB38	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660G00IMB48	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada.)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660J00IMB38	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,157.04
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666A00IMB48G	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666G00IMB38	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles.(Available only in the USA and Canada)	1,084.72
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666N00BCB38	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,206.92
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666N00IMB38	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles.(Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666N00IMB38G	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical	1,172.17

	cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666N00IMB48	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,124.84
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-CUSTOM	SALTO XS4 Original Plus Wide Body Eschutcheon ANSI	0.00
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM658N62IMB38E5G	SALTO XS4 Original+ Wide Body Escutcheon - ANSI - Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type. inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM660A00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles.(Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM668U61IMW38E5G	SALTO XS4 Electronic Escutcheon Ax668, For ANSI mortise locks, 2 handles, any type,inside thumbturn 90°, with connector for mortise lock, built in mechanical cylinder with audit housing,(mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles.(Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660N00IMB38E5	XS4 Original+ BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI N lever satin ss, SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,172.17
AC-SALTO-XS4-OP-WBESCUTCHEON-ANSI-AM650N00IMB38E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE, finishes and handles. (Available only in the USA and Canada)	1,219.49
AC-SALTO-XS4-PB-KIT-CR-KPB17IM	XS4 PB Kit Corbin Russwin ED2500 & Yale 7100 - SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-PB-KIT-SG-KPB08IM	XS4 PB Kit  SARGENT 8888 - SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-PB-KIT-SG-KPB08IMW	XS4 PB Kit  SARGENT 8888 - SVN RFnet satin stainless (Available only in the USA and Canada)	520.38
AC-SALTO-XS4-PB-KIT-VD-KPB03IM	XS4 PB Kit Salto PBF110 Von Duprin series 98 & 99 - SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-PB-KIT-VD-KPB04IM	XS4 PB Kit Von Duprin series 98/9927 & 98/9957 - SVN satin stainless (Available only in the USA and Canada)	380.16
AC-SALTO-XS4-PB-KIT-VONDUPRIN-98-99-KPB03IMW	SALTO KPB03XX.. Adapter Kit for Von Duprin 98/99 Panic Bar Single Point (Available only in the USA and Canada)	520.38
AC-SALTO-XS4-READER-UHF-LD-WRLUD24BUS	SALTO XS4 UHF Long Distance Reader. Up to 7 meters distance reading. To be used with CU42E0 controller. Needs a WRLUD-SIC1 to be connected to the CU. Mounting bracket included. Cable and WRLUD-SIC1 not included. (Available only in the USA and Canada)	4,789.17
AC-SALTO-XS4-UHF-LD-CONNECTION-CABLE-10M-WRLUD-C10	SALTO XS4 UHF Long Distance Reader 10 meters connetion cable - 10m lenth Connection cable - 10m with 4 pin connector. (Available only in the USA and Canada)	254.88
AC-SALTO-XS4-UHF-LD-SIC-MODULE-CONVERTR-WRLUD-SIC1	SALTO XS4 UHF long Distance Reader SIC module LD Reader - CU42E0 Wiegand signal converter device. (Available only in the USA and Canada)	548.63

## Visitor Management

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™(HID Part Number: EL-96000-SVM10)	4,789.55
AC-HID-EL-96300-ADM10	Administrator™ (additional licenses) per workstation(HID Part Number: EL-96300-ADM10)	950.74
AC-HID-EL-97000-EKIOSK		3,838.81

EasyLobby® eKiosk™ Self Registration Software makes it fast and easy for visitors to register themselves upon arrival at a facility using a tablet computer. Runs on Windows®, an Apple® iPad® or an Android® tablet computer. Configurable self-registration screen can support any field including fields designated as required. Provides ability to display PDF or HTML file for visitors to review and acknowledge or agree to terms. Utilizes intuitive touch screen menu. Alerts employee being visited via email when visitor has completed self registration process and is checked-in. Enables badge to be printed upon check-in at the main guard station. Stores visitor record in central database.

AC-HID-EL-98000-EADV10	eAdvance™ (web pre-registration) per web server(HID Part Number: EL-98000-EADV10)	5,856.88
AC-HID-EL-ACI-AVIG	Access Control Integration - Access Control Manager from EasyLobby -Must also purchase Avigilon Rest License (Avigilon Part Number: AC-SW-LIC-REST)	5,740.28
AC-HID-EL-ACI-UPGRD	Access control integration upgrade to latest version(HID Part Number: EL-ACI-UPGRD)	4,708.82
AC-HID-EL-AST-ID150	AssureTec ID-150 (reads driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150)	4,305.19
AC-HID-EL-AST-ID150A	AssureTec ID-150A (reads/authenticates driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150A)	6,027.28
AC-HID-EL-AST-UPDATEA	AssureTec PRO software library updates for 1 year (data and authentication) (HID # EL-AST-UPDATEA )	1,372.30
AC-HID-EL-DESKO-ICON	The HID EasyLobby DESKO ICON Scanner's class leading scan technology, developed by DESKO, provides high-resolution and reflection free scans of ID's and passports under white light and IR. The ICON Scanner therefore provides excellent images for OCR data collection. (COO: Germany)	2,668.52
AC-HID-EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)(HID Part Number: EL-DYMO-30856)	82.20
AC-HID-EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)(HID Part Number: EL-DYMO-30911)	140.92
AC-HID-EL-DYMO-550	DYMO LABELWRITER 550 B&W PRINTER (HID Part Number: EL-DYMO-550)	435.33
AC-HID-EL-EADV-UPGRD	eAdvance software upgrade to latest version(HID Part Number: EL-EADV-UPGRD)	4,484.60
AC-HID-EL-K12-SVM	1 copy of SVM software, includes Free Administrator™ software (admin/reporting) Special bundle package for K-12 schools only (HID # EL-K12-SVM)(HID Part Number: EL-K12-SVM)	2,690.77
AC-HID-EL-SOS-K12	Sex offender screening service per year per system Special bundle package for K-12 schools only (HID # EL-SOS-K12)(HID Part Number: EL-SOS-K12)	1,004.55
AC-HID-EL-SS-R2	ACUANT SNAPSHELL R2 DRIVER'S LICENSE SCANNER (COO: Israel) (HID # EL-SS-R2)	2,795.56
AC-HID-EL-SSA-ACIS	A/C INTEGRATION ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)	1,472.37
AC-HID-EL-SSA-EADV	EADVANCE ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)(HID Part Number: EL-SSA-EADV)	1,472.37
AC-HID-EL-SSA-K12S	K12 ANNUAL SOFTWARE MAINTENANCE PLAN (FOR FREE UPDATES AND UPGRADES) = PER YEAR PER SYSTEM	538.16
AC-HID-EL-SSA-SVMS	SVM ANNUAL MAINTENANCE PER COPY (INCLUDES ALL UPDATES AND UPGRADES)(HID Part Number: EL-SSA-SVMS)	1,227.01
AC-HID-EL-SVM10-UPGRD	SVM software upgrade to SVM10(HID Part Number: EL-SVM10-UPGRD)	3,587.67
AC-HID-EL-TOP-1X5	Topaz SignatureGem LCD 1x5 SigPad (signature block only) (HID Part Number: EL-TOP-1X5)	1,143.59

# ACM Software Options

## ACM Options

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALTA-SW-LIC-WIRELESS-LOCK	UA7 Wireless Lock License	200.00
AC-SW-ACM-DEMO-30D-6-P	Access Control Manager 6 License 30 Day Demonstration: includes licensing for Badging, Exacc, Milestone, one Bosch intrusion panel, ViRIDI BEManager integration, Replication, Hot Stand By Auto Failover, SQL collaboration, Oracle collaboration, LDAP collaboration, XML collaboration, REST collaboration	0.00
AC-SW-LIC-16RCU-6-P	Additional 16 Doors Expansion Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual	2,550.00
AC-SW-LIC-AF-6-P	Access Control Manager 6 Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP-6-P; Requires duplicate licensing for failover appliance	5,457.00
AC-SW-LIC-BDGE-6-P	Badging Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual	909.14
AC-SW-LIC-PART-6-P	Access Control Manager 6 Partitioning License for additional partitions (per appliance)	4,547.86
AC-SW-LIC-REP-6-P	Access Control Manager 6 Multi-Appliance Replication Software License (per appliance)	3,637.64
AC-SW-LIC-REST-6-P	Access Control Manager 6 REST Connectivity Software License (per appliance)	909.14
AC-SW-LIC-WIRELESS-LOCK-6-P	Access Control Manager 6 Wireless Lock Connectivity Software License for each wireless locks not purchased from Motorola Solutions	200.00
UA-SW-LIC-1000DOORS	UA7 1000 Door License	100,000.00
UA-SW-LIC-100DOORS	UA7 100 Door License	13,400.00
UA-SW-LIC-10DOORS	UA7 10 Door License	1,650.00
UA-SW-LIC-1DOORS	UA7 1 Door License	200.00
UA-SW-LIC-ALL-IN-ADDON	Includes the Availability & Network, Situational Awareness, Data & Templates, and Integrations Add-on	6,000.00
UA-SW-LIC-AVAILABILITY-ADDON	UA7 Availability and Network Add-on	2,000.00
UA-SW-LIC-AWARENESS-ADDON	UA7 Situational Awareness Add-on	2,000.00
UA-SW-LIC-BASE-PACK	UA7 Base Package License (includes 20 doors)	4,000.00
UA-SW-LIC-DATA-ADDON	UA7 Data and Templates Add-on	2,500.00
UA-SW-LIC-INTEGRATIONS-ADDON	UA7 Integrations Add-on	2,000.00
UA-SW-LIC-SERVICE-PLAN-1000-1Y	UA7 Service Plan for up to 1000 doors, 1 Year	2,500.00
UA-SW-LIC-SERVICE-PLAN-1000-3Y	UA7 Service Plan for up to 1000 doors, 3 Years	7,500.00
UA-SW-LIC-SERVICE-PLAN-1000-5Y	UA7 Service Plan for up to 1000 doors, 5 Years	12,500.00
UA-SW-LIC-SERVICE-PLAN-2000-1Y	UA7 Service Plan for up to 2000 doors, 1 Year	4,600.00
UA-SW-LIC-SERVICE-PLAN-2000-3Y	UA7 Service Plan for up to 2000 doors, 3 Years	13,800.00
UA-SW-LIC-SERVICE-PLAN-2000-5Y	UA7 Service Plan for up to 2000 doors, 5 Years	23,000.00
UA-SW-LIC-SERVICE-PLAN-250-1Y	UA7 Service Plan for up to 250 doors, 1 Year	750.00
UA-SW-LIC-SERVICE-PLAN-250-3Y	UA7 Service Plan for up to 250 doors, 3 Years	2,250.00
UA-SW-LIC-SERVICE-PLAN-250-5Y	UA7 Service Plan for up to 250 doors, 5 Years	3,750.00
UA-SW-LIC-SERVICE-PLAN-4000-1Y	UA7 Service Plan for up to 4000 doors, 1 Year	8,000.00
UA-SW-LIC-SERVICE-PLAN-4000-3Y	UA7 Service Plan for up to 4000 doors, 3 Years	24,000.00
UA-SW-LIC-SERVICE-PLAN-4000-5Y	UA7 Service Plan for up to 4000 doors, 5 Years	40,000.00
UA-SW-LIC-UPGRADE-PLAN-1000-1Y		5,000.00

	ACM6 to UA7 Upgrade Package for up to 1000 doors (include 1 Year Service Plan)	
UA-SW-LIC-UPGRADE-PLAN-2000-1Y	ACM6 to UA7 Upgrade Package for up to 2000 doors (include 1 Year Service Plan)	9,200.00
UA-SW-LIC-UPGRADE-PLAN-250-1Y	ACM6 to UA7 Upgrade Package for up to 250 doors (include 1 Year Service Plan)	1,500.00

## Collaborations

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-LDAP-6-P	Access Control Manager 6 LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)(per appliance)	2,728.50
AC-SW-LIC-ORCL-6-P	Access Control Manager 6 Oracle Server Connectivity Software License (from Oracle DB 9i forward)(per appliance)	3,637.64
AC-SW-LIC-SQL-6-P	Access Control Manager 6 Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)(per appliance)	1,819.36
AC-SW-LIC-XML-6-P	Access Control Manager 6 XML Events Connectivity Software License (per appliance)	909.14

## Hardware Licensing

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-ACMEC-MIG-6-P	Access Control Manager 6 License for the migration and conversion of a single ACM Embedded Controller into an ACM Professional, Enterprise of Virtual system. One license is required for each ACM Embedded Controller to be migrated. License includes migration of Cardholders into Identities and conversion of the ACM EC into a HID VertX EVO V1000 controller. The ACM system does require the appropriate number of HID licensing (AC-SW-HID-RDR).	218.28
AC-SW-LIC-BOSCHINTR-10PANEL-6-P	Bosch Intrusion (10 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	3,274.20
AC-SW-LIC-BOSCHINTR-1PANEL-6-P	Bosch Intrusion (1 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	354.71
AC-SW-LIC-DMPINTR-10PANEL-6-P	Access Control Manager 6 for 10 panel license for DMP intrusion panel integration. Panels supported: XR150 & XR550 Command Processor Intrusion Panels	3,274.20
AC-SW-LIC-DMPINTR-1PANEL-6-P	Access Control Manager 6 per panel license (one panel) for DMP intrusion panel integration. Panels supported: XR150 & XR550 Command Processor Intrusion Panels	354.71
AC-SW-LIC-HID-VERTEX-ASM-6-P	Access Control Manager 6 NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License (One required per VertX EVO Controller)	545.70
AC-SW-LIC-VIRDI-BIO-6-P	ViRDI BE Manager Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	2,728.50

## Video Integration

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-EXACQ-6-P	Access Control Manager 6 License for Video Integration for Exacq (per appliance)	4,546.77

AC-SW-LIC-MILEST-6-P

Access Control Manager 6 License for Video Integration for Milestone (per appliance)

4,546.77

---

## Virtual Stations

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-AVO-VER-16VS-6-P	Access Control Manager 6 (ACM) Verify license for 16 virtual stations (per appliance)	909.14
AC-SW-LIC-AVO-VER-5VS-6-P	Access Control Manager 6 (ACM) Verify license for 5 virtual stations (per appliance)	327.42

---

## ACM Solutions

### ACM Enterprise

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-ENT2-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Appliance	733.42
AC-APP-ENT2-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Appliance	1,466.84
UA-APP-0R-ENT-7	UA7 Enterprise Appliance	4,473.00
UA-APP-ENT-7	UA7 Enterprise Appliance	4,473.00
UA-APP-ENT-WARR-EXTEND-1YR	1 Year Extended Warranty for UA Enterprise Appliance	733.42
UA-APP-ENT-WARR-EXTEND-2YR	2 Year Extended Warranty for UA Enterprise Appliance	1,466.84

### ACM Enterprise Plus

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-ENT-PLUS-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	865.21
AC-APP-ENT-PLUS-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	1,736.14
UA-APP-0R-ENT-PLUS-7	UA7 Enterprise Plus Appliance	10,200.00
UA-APP-ENT-PLUS-7	UA7 Enterprise Plus Appliance	10,710.00
UA-APP-ENT-PLUS-WARR-EXTEND-1YR	1 Year Extended Warranty for UA Enterprise Plus Appliance	865.21
UA-APP-ENT-PLUS-WARR-EXTEND-2YR	2 Year Extended Warranty for UA Enterprise Plus Appliance	1,736.14

### ACM Professional

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Professional Appliance	257.85
AC-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Professional Appliance	515.69
AC-HID-CARD-ICLASS-PROX-2120BGGMNM	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish, no slot punch (HID #: 2120BGGMNM), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	15.69
UA-APP-PRO-7	UA7 Professional Appliance	1,953.00
UA-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for UA Professional Appliance	257.85
UA-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for UA Professional Appliance	515.69

# ACM Virtual

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-128R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 128 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   128 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 128 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	9,850.00
AC-SW-2048R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 2048 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   2048 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity cannot be expanded   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	58,750.00
AC-SW-256R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 256 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   256 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 256 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	16,900.00
AC-SW-512R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 512 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   512 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 512 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	31,300.00
UA-SW-LIC-APP-VIRTUAL-HYPERV	UA7 Virtual Hyper-V Appliance License	200.00
UA-SW-LIC-APP-VIRTUAL-VMWARE	UA7 Virtual VMware Appliance License	200.00

## Controller and Sub Panels

### Mercury

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-MER-A-RES-1K32	AXIAL LEADED 1K1%1/4W RESISTORS, 32-pack(Mercury Part Number: RES-1K32)	11.21
AC-MER-A-TC-MR50	CABLE FOR MR-50 TAMPER (Mercury Part Number: A-TC-MR50)	4.40
AC-MER-A-TERM5-3	Replace 3-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-3)	32.93
AC-MER-A-TERM5-4	Replace 4-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-4)	43.98
AC-MER-A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-5)	54.95
AC-MER-A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-6)	65.95
AC-MER-CON-MR16IN	16 Zone Input Monitor Module with 2 relays (Mercury Part Number: MR16in-S3)	1,379.25
AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury Part Number: MR16out-S3)	1,379.25
AC-MER-CON-MR50	Series 3 Single Reader Interface Module: mag or wiegand, 2 inputs, 2 relays (Mercury Part Number: MR50-S3)	473.51
AC-MER-CON-MR52-S3B	HID® Mercury™ MR52-S3B Controller Serial I/O Dual Card Reader Interface, 2-Reader Interface Module - (2 reader: mag, wiegand, 4 reader OSDP, 8 inputs, 6 relays) (Mercury MR52-S3B)	880.89
AC-MER-CONT-LP4502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP4502)	3,223.04
AC-MER-CONT-MP1501	MERCURY MP1501 INTELLIGENT CONTROLLER WITH POE+ (1 DOOR, 2 READERS, 2 INPUTS, 2 OUTPUTS)	975.00
AC-MER-CONT-MP1502	MERCURY MP1502 INTELLIGENT CONTROLLER (2 DOORS, 4 READERS, 8 INPUTS, 4 OUTPUTS)	1,697.00
AC-MER-CONT-MP2500	MERCURY MP2500 INTELLIGENT CONTROLLER (NO ON-BOARD IO)	2,490.00
AC-MER-CONT-MP4502	MERCURY MP4502 INTELLIGENT CONTROLLER WITH EXTENDED APPLICATIONS (2 DOORS, 4 READERS, 8 INPUTS, 4 OUTPUTS)	3,417.00
AC-MER-MUX8	RS-232/485 to 8 RS-485 Channel Mux (Mercury Part Number: MUX8)	1,067.57
AC-MER-RIM-MR62E	Reader Interface Module with 2 doors, 4 inputs and 4 outputs, PoE+ Support. (Mercury Part #: MR62e)	1,366.46

# Credentials

## Allegion Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-SCH-FOB-9651	Schlage 13.56 MHz smart credential, keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651)	8.42
AC-ALL-SCH-FOB-9651T	Schlage 13.56 MHz smart credential, thin keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651T)	8.59
AC-ING-CARD-APTIQ-XF7510	Proximity Card ISO Glossy White	6.15
AC-ING-CARD-APTIQ-XF8740	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 4K byte/32k bit PVC Patch (Allegion Part Number: XF8740)	8.25
AC-ING-CARD-APTIQ-XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White (Allegion Part Number: XF9520)	6.24
AC-ING-CARD-APTIQ-XF9551	MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White (Allegion Part Number: XF9551)	7.52
AC-ING-CARD-APTIQ-XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White (Allegion Part Number: XF9558)	10.60
AC-ING-FOB-APTIQ-XF7610	Proximity Keyfob, minimum order quantity: 50 (Allegion Part Number: XF7610)	6.41
AC-SCH-CARD-8543	Schlage 13.56 MHz Smart credential ISO glossy white 4K byte/32k bit card (minimum order 100)	8.67
AC-SCH-CARD-8543M1	Schlage MIFARE DESFire EV3 4K byte/32K bit with Magnetic Stripe ISO Glossy White (minimum order 100)	9.50
AC-SCH-CARD-CE404033	Enable CSN; Disable Secure MIFARE Classic, MIFARE DESFire EV1, EV3, and PIV - Manufacturer part number: CE-404-033	31.94
AC-SCH-CARD-MT-8943	Schlage Multi-technology credential, 125 kHz + 13.56 MHz, Proximity and Schlage MIFARE DESFire EV3 4K byte/32K bit ISO Glossy White Card, No Slot Punch (Minimum order 100)	12.67
AC-SCH-FOB-8643T	Schlage 13.56 MHz Smart credential Thin keyfob 4K byte/32k bit card (minimum order 100)	9.00
AC-SCH-FOB-MT-8843T	Schlage Multi-technology credential, 125 kHz + 13.56 MHz, Proximity and Schlage MIFARE DESFire EV3 4K byte/32K bit, Thin keyfob, keyring hole (Minimum order 100)	13.59

## Farpointe Data Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-FP-CARD-CONEKT-CSM-2P	CONEKT™ High-security ISO-style composite card	7.60
AC-FP-CARD-CSC-2	High-security clamshell-style card; MIFARE® DESFire® EV2	7.48
AC-FP-CARD-CSM-2S	CONEKT™ Credential High-security ISO-style composite card with HiCo (2750Oe) magnetic stripe	7.79
AC-FP-CARD-DC1-1	DC1-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 1K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty. Memory of the model number DC4-1 is 4K-bytes (Minimum order is 50) (Farpointe Data Part Number: DC1-1)	4.67
AC-FP-CARD-DC4-1	DC4-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 4K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: DC4-1)	6.25
AC-FP-CARD-DE2	DE2 MIFARE® DESFire® EV1 SMARTCARD, Frequency: 13.56 MHz, Read Range: Up to 2.5 inches (64 mm) (Farpointe Data Part Number: DE2)	9.42

AC-FP-CARD-DM1-3	DM1-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM1-3)	4.94
AC-FP-CARD-DM1-3S	DM1-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM1-3S)	5.44
AC-FP-CARD-DM4-3	DM4-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM4-3)	6.66
AC-FP-CARD-DM4-3S	DM4-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM4-3S)	7.59
AC-FP-CARD-PSC-1-H	PSC-1 Standard Light Proximity Card - Clamshell style proximity card backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: PSC-1-H)	2.63
AC-FP-CARD-PSI-4-H	PSI-4 Image Technology Proximity Card - Thicker-format (0.046 inches (1.17 mm)) proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSI-4-H)	3.26
AC-FP-CARD-PSM-2P-H	PSM-2P Multi Technology Proximity Card - ISO-style multi technology proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSM-2P-H)	5.48
AC-FP-CARD-PSM-2S-H	PSM-2S Multi Technology Proximity Card - ISO-style multi technology style proximity card appropriate for dye sublimation imaging with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: PSM-2S-H)	5.97
AC-FP-CONEKT-CMC-2-25	CONEKT Credentials, 2.4-GHz Mobile supporting BLE-enabled smartphones, 25 Pack with QR Code	180.54
AC-FP-FOB-CSK-2	High-security key fob-style tag; MIFARE® DESFire® EV2	8.58
AC-FP-FOB-DK1-3	DK1-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 1K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK1-3)	8.02
AC-FP-FOB-DK4-3	DK4-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 4K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK4-3)	11.42
AC-FP-TAG-PDT-1-H	Model PDT-1 Proximity Disc Tag - Has an adhesive on one side that allows for the prox-enabling of a variety of non RFID devices, including ID credentials, cell phones and wallets. The PDT-1 offers a read range up to 3.5 inches (88.9 mm) when used with a P-500. Model P-PDT-1-H is 125 HID kHz compatible, while PDT-1-A is 125 kHz AWID compatible (Minimum order 50) (Farpointe Data Part Number: PDT-1-H)	3.66
AC-FP-TAG-PSK-3-H	PSK-3 Proximity Key Ring Tag - Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty (Minimum order 50) (Farpointe Data Part Number: PSK-3-H)	6.07
AC-FP-TRANS-LONG-RANGE-WRT-2+D2	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and MIFARE® DESFire® EV2 2K memory smartcard insert 13.56-MHz Smartcard protocols operation. (Farpointe Data Part Number: WRT-2+D2)	43.85
AC-FP-TRANS-LONG-RANGE-WRT-2+S1	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 1K insert. (Farpointe Data Part Number: WRT-2+S1)	44.26
AC-FP-TRANS-LONG-RANGE-WRT-2+S4	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 4K insert. (Farpointe Data Part Number: WRT-2+S4)	47.40
AC-FP-TRANS-LONG-RANGE-WRT-2M	Ranger® 433-MHz Long-Range Transmitters, Mini 2-button, no proximity insert. (Farpointe Data Part Number: WRT-2M)	26.94
AC-FP-TRANS-LONG-RANGE-WRT-4+S4	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and w/ Farpointe 13.56-MHz 4K memory smartcard insert. (Farpointe Data Part Number: WRT-2+S4)	49.39

AC-FP-TRANS-LONG-RANGE-WRT-4+SI	Ranger® 433-MHz Long-Range Transmitters, 4-button, with 1K insert. (Farpointe Data Part Number: WRT-4+SI)	46.25
AC-FP-TRANS-WRT-2+H	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and 125 kHz proximity operation. (Farpointe Data Part Number: WRT-2+H)	37.16
AC-FP-TRANS-WRT-4+H	WRT-4+ Ranger Four-Button Long Range Transmitter - 4-button clicker-type access credential, featuring both long range (upon button push) and proximity operation. (Farpointe Data Part Number: WRT-4+H)	38.08

## HID

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-CARD-DESFIRE-EV3-802FPGGAN	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	7.37
AC-HID-CARD-ICLASS-2000HPGGAV	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH LASER ICLASS #, VERT SLOT	7.04
AC-HID-CORP1K-MC-1000	Service fee per card for Corporate 1000 card format. (HID Part Number: MC-1000)	0.46
AC-HID-MOB-MID-SUB-T103	HID Origo Mobile Identities - User licenses - initial and renewal. Number of user licenses (maximum number of concurrent users) valid for three years in an HID Origo account (linked to the Organization ID). Please provide the organization and credential access control data format information (Organization ID, Organization Name, MOB or ICE and format: facility/site code, card number range, etc.). Require automated onboarding form to be completed. (LINK to Automated Onboarding: <a href="https://managedservices.hidglobal.com/faces/maUserOnBoardingStart">https://managedservices.hidglobal.com/faces/maUserOnBoardingStart</a> ). Minimum Order Quantity: 20. (HID Part Number: MID-SUB-T103)	15.04

## HID Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-CARD-2122BGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	18.42
AC-HID-CARD-3000PG1MN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, NO SLOT, Minimum Order 100 (HID Part Number: 3000PG1MN)	8.42
AC-HID-CARD-3150RGGMMN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX # MIN ORDER QUANTITY 100	15.69
AC-HID-CARD-ADMIN-SEC9X-CRD-0-005J	Configuration card used to adjust CSN output settings from 32 bit MSB to 56 bit LSB on iCLASS Standard, SE and SEOS readers. (HID #: SEC9X-CRD-0-005J)	50.79
AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe, Minimum Order 100 (HID Part Number: 1336LGGMN)	9.02
AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2000PGGMN)	7.04
AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 2002PGGMN)	12.75
AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 2004PGGMN)	13.26
AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key Fob 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2050PNNMN)	9.15
AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080PMSMV)	4.69
AC-HID-CARD-ICLASS-2100	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, MATCHING#, Minimum Order 100, (HID Part Number: 2100PG1MN )	8.92
AC-HID-CARD-ICLASS-3000PGGMB		7.04

	HID ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT Minimum Order 100 (HID Part Number: 3000PGGMB)	
AC-HID-CARD-ICLASS-3000PGGMV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, VERT SLOT, Minimum Order 100 (HID Part Number: 3000PGGMV)	7.04
AC-HID-CARD-ICLASS-3050PGGMN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, Minimum Order 100 (HID Part Number: 3050PGGMN)	7.54
AC-HID-CARD-ICLASS-3350PMSMV	iCLASS SE Clamshell Card, 2k bits with 2 application areas, plain white vinyl with matte finish, HID logo on back, vertical slot punch. Minimum Order 100 (HID Part Number: 3350PMSMV).	4.69
AC-HID-CARD-ICLASS-PROX-2120BG1MNN	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish on front, plain white with magnetic stripe on back, no slot punch (HID #: 2120BG1MNN), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	17.07
AC-HID-CARD-ICLASS-PROX-2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT, MATCH 125K #	15.69
AC-HID-CARD-ICLASS-PROX-3150RGGMNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX #	15.69
AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 3000PGGMN)	7.04
AC-HID-CARD-ICLASS-SE-3000-AVG	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	7.04
AC-HID-CARD-ICLASS-SE-3000-AVG-NL	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon logo, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	7.04
AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 3002PGGMN)	12.75
AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 3004PGGMN)	13.26
AC-HID-CARD-ICLASS-SE-UHF-6014SGGANN	ISO CARD COMPOSITE UHF/iCLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/16+16k/1, Minimum Order 100 (HID Part Number: 6014SGGANN)	14.38
AC-HID-CARD-ICLASS-SEOS-5005PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16K, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, MIN ORDER QUANTITY 100 (HID Part Number 5005PG1MN)	13.53
AC-HID-CARD-ICLASS-SR-2080	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080HPMSMV)	4.69
AC-HID-CARD-ICLASS-UHF-600TGGAN	ISO CARD COMPOSITE UHF, PROG, WHITE, LASER MATCHING, 860-960 MHz, Minimum Order 100 (HID Part Number: 600TGGAN)	11.13
AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card, Minimum Order 100 (HID Part Number: 1386LGGMN)	8.19
AC-HID-CARD-MIFARE-DESFIRE-EV3-801FPGGAN	HID MIFARE® DESFire® EV3 Card - Compatibility Profile	7.99
AC-HID-CARD-MOB-ADMIN-SEC9X-CRD-MADD	Configuration card which enables the use of the Mobile Configuration App used to adjust Bluetooth range settings on Mobile-Enabled Readers. Require automated onboarding form to be filled. (LINK to Automated Onboarding: <a href="https://managedservices.hidglobal.com/faces/maUserOnBoardingStart">https://managedservices.hidglobal.com/faces/maUserOnBoardingStart</a> ) (HID Part Number: ADMIN-SEC9X-CRD-MADD)	46.89
AC-HID-CARD-MOB-SEC9X-CRD-E-MKYD	Configuration Card used to personalize and convert a Mobile-Ready reader to a Mobile-Enabled reader. (HID Part #: SEC9X-CRD-E-MKYD)	39.24
AC-HID-CARD-PROXCARDII-CL	ProxCARD II Proximity Access Card (Clam Shell), Minimum Order 100 (HID Part Number: 1326LMSMV)	4.46
AC-HID-CARD-SEOS-5005PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5005PGGMN)	13.53
AC-HID-CARD-SEOS-5005PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5005PGGSN)	13.53
AC-HID-CARD-SEOS-5006PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PG1MN)	8.02
AC-HID-CARD-SEOS-5006PGCMN-AVG		7.64

	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-AVIGILON, MATCHING #, NO SLOT, CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50, PACK 100/BOX, LAM, AVIGILON LOGO, (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGCMN)	
AC-HID-CARD-SEOS-5006PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGMN)	6.64
AC-HID-CARD-SEOS-5006PGGMN-AVG	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50, PACK 100/BOX, LAM, (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGGMN) No Logo	6.64
AC-HID-CARD-SEOS-5006PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGNN)	6.64
AC-HID-CARD-SEOS-5006PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PGGSN)	6.64
AC-HID-CARD-SEOS-5656PMSAV	SEOS CLAMSHELL 8K CARD, PROG. SEOS, F-MATT, B-HID LOGO, LASER MATCH SEOS#, Minimum Order 100 (HID Part Number: 5656-PMSAV)	6.64
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGMNN)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGNNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGNNN)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1MNM)	19.09
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RG1MNN)	19.09
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1NMM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS/PROX F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1NMM)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNM)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNN)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGNNS	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ. PROX #, Minimum Order 100 (HID Part Number: 5105RGGNNS)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGSNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGSNN)	17.72
AC-HID-CARD-SEOS-ICLASS-PROX-5106PG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS , F - GLOSS, B - GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106PG1MNN)	13.99
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS,NON PROGRAM PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGMNN)	13.88
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS,NON PROGRAM PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGNNN)	13.88
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, MATCH PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNM)	13.88
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNN)	13.88

AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ICLASS SIO PROGRAMMED, PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5106RGGNNN)	13.88
AC-HID-ELITE-FEE-MC-0036	Service fee, per card, Elite Card Maintenance Fee (HID Part Number: MC-0036)	0.47
AC-HID-FOB-3250PNNMN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, Minimum Order 100 (HID Part Number: 3250PNNMN)	9.15
AC-HID-FOB-ICLASS-3250PNNMN-AVG	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, Available with Avigilon format, Stock Item, Order quantity must be in boxes of 100, no partial boxes allowed, Packed in box of 100	9.15
AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob, Minimum Order 100 (HID Part Number: 1346LNSMN)	8.87
AC-HID-FOB-SEOS-5266PNNA	SEOS KEY FOB 8K, PROG SEOS, F-BLACK W/HID ARTWORK, B-BLACK, LASER MATCH SEOS #, PROGRAMMING INFORMATION REQUIRED (MOQ 100)(HID - 5266PNNA)	7.83
AC-HID-FOB-SEOS-5266PNNA-AVG	SEOS KEY FOB 8K, PROG SEOS, F-BLACK W/HID ARTWORK, B-BLACK, LASER MATCH SEOS #, (AVIGILON FORMAT - NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5266PNNA)	8.62
AC-HID-MOB-MID-SUB-CRD	HID Origo Mobile Identities - User licenses - Additional credential format - one time fee. Minimum Order Quantity: 1	110.47
AC-HID-MOB-MID-SUB-T100	HID Origo Mobile Identities - User licenses - initial and renewal. Number of user licenses (maximum number of concurrent users) valid for one year in an HID Origo account (linked to the Organization ID). Please provide the organization and credential access control data format information (Organization ID, Organization Name, MOB or ICE and format: facility/site code, card number range, etc.). Require automated onboarding form to be completed. (LINK to Automated Onboarding: <a href="https://managedservices.hidglobal.com/faces/maUserOnBoardingStart">https://managedservices.hidglobal.com/faces/maUserOnBoardingStart</a> ). Minimum Order Quantity: 20. (HID Part Number: MID-SUB-T100)	6.52
AC-HID-MOB-MID-SUB-T100-ADD	HID Origo Mobile Identities - User licenses - add-on order cost is per month. Number of user licenses (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Price is pro-rate: full-month till the end of the contract. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD)	6.52
AC-HID-MOB-MID-SUB-T100-ADD-1-MONTH	ADDON USER LICENSE HID ORIGO, MOBILE IDENTITIES	0.76
AC-HID-TAG-ICLASS-SE-3300	iCLASS SE Tag, Contactless Smart Tag , 2k bit with 2 application areas, Black with HID Standard Artwork, Sequential Matching Internal/External – Peel-off self-adhesive back, Minimum Order 100 (HID Part Number: 3300PKSMN)	6.16
AC-HID-TAG-MICROPROX-ADH	MICROPROX TAG, PROG, GRAY, MATCH #, Minimum Order 100 (HID Part Number: 1391LGSMN)	5.96
AC-HID-TAG-PROXPASSII-VEH	ProxPass II Long Range Active Proximity Access Tag for Vehicle Access, Minimum Order 10 (HID Part Number: 1351LBSMN)	50.77

## STid

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-MOBILE-CREDENTIAL-CREDIT-BLE-OFFLINE	STid Mobile ID OFFLINE virtual card credit - SECARD	2.01
AC-STID-MOBILE-CREDENTIAL-CREDIT-BLUE-ONL	Credit for STid Mobile ID® Bluetooth® Virtual card - Online STid Mobile ID® Portal. (Minimum Order of 10 Credits)	2.01
AC-STID-MOBILE-CREDENTIAL-PRES-ADD-CREDIT	Preloading of STid Mobile ID Credits in an encoder	112.96
AC-STID-TAG-UHF-WINDSHIELD-ETA-W90B-574BE10	UHF GEN2 Self-destroying programmable customized adhesive label Secure & encrypted EPC mode - 100 x 30 mm	6.32

## STid Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-CARD-NONPROGRAMED-CCTW670	NON PROGRAMED 13.56 MHz NXP MIFARE® DESFire® EV2 2K chip - DESFire EV2 2K ISO Card (MOQ 200) - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	6.11
AC-STID-KEYFOB-NONPROGRAMED-PCGW671	NON PROGRAMED 13.56 MHz NXP MIFARE® DESFire® EV2 2K chip - DESFire EV2 2K Keyfob (MOQ 100) - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	10.86
AC-STID-TAG-UHF-WINDSHIELD-ETA-W75B-574BE10	NON PROGRAMED UHF GEN2 Self-destroying programmable adhesive windshield tag (MOQ 100) Requires AC-STID-SPECTRE-PROGRAMMING-KIT-ULTRYSV2 for configuration programming	5.65

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-CARD-CCTW490	UHF GEN2 programmable - Impinj Monza 4QT chip (ETSI & FCC), Frequency: 13.56 MHz, Color: White - Customizable	6.60

## Power Supplies

### LifeSafety Power

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-LSP-16DR-MER	Sixteen Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with Seven AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/12A or 24V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-D8PE4M1)	1,050.20
AC-LSP-16DR-MER-LCK	Sixteen Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with seven AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power Mercury boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 150 watt 12V/12A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each Mercury board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 6.5" with door lock and two (2) keys. Weight 26 lb.(LifeSafety Power Part Number: FPO150/250-2C82D8PE4M1)	1,731.54
AC-LSP-2DR-MER	Two Door Mercury Single Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-D8PE1M)	556.56
AC-LSP-2DR-MER-LCK	Two Door Mercury Dual Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to each Mercury board and lock power and control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-B100C4PE1M)	680.24
AC-LSP-4DR-MER	Four Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board)	625.04

	delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-D8PE2M)	
AC-LSP-4DR-MER-LCK	Four Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and four fused output (C4 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-B100C4D8PE2M)	782.95
AC-LSP-8DR-MER	Eight Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO75-D8PE4M)	768.60
AC-LSP-8DR-MER-LCK	Eight Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and eight fused output (C8 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-B100C8D8PE4M )	1,094.37
AC-LSP-B100	The B100 Secondary Voltage Module provides a means to easily and economically add an additional voltage to any power system. Primary power for the B100 is derived from an main FPO power supply and the B100 steps the FPO voltage down to the user defined range (typically 12VDC). B100 delivers up to 4A maximum current at 12VDC.(LifeSafety Power Part Number: B100)	80.40
AC-LSP-C4	The C4 (4 Door) Lock Control Module adds four (4) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C4 provides four (4) access control inputs capable of voltage or dry contact activation and four (4) relay controlled outputs, individually fuse protected at 3A per output. (LifeSafety Power Part Number: C4)	94.19
AC-LSP-C8	The C8 (8 Door) Lock Control Module lock adds eight (8) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C8 provides eight (8) access control inputs capable of voltage or dry contact activation and eight (8) relay controlled outputs, individually fuse protected at 3A per output.(LifeSafety Power Part Number: C8)	120.61
AC-LSP-CUSTOM	LifeSafety Power Custom	0.00
AC-LSP-D8P	The D8P (8 Out) Power Distribution Module provides 8 auxiliary power outputs, each one individually protected by a solid state circuit breaker (D8P) rated at 2.5A each. Each output is programmable to either of the two voltages available when used in a dual voltage power system, or to	53.99

	the continuous output or the resettable output of the power supply when used in a single voltage system. (LifeSafety Power Part Number: D8P)	
AC-LSP-E1M	Backplate, Standoffs & E1M size cabinet kit: Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: E1M)	393.71
AC-LSP-E2-BOXED	LifeSafety Power E series enclosures are engineered to house FlexPower® power management boards in multiple configurations for maximum design flexibility. The modular mounting pattern on the back wall allows flexible positioning of FlexPower modules within the enclosure. E series enclosures are black powdercoated steel. All enclosures come with installed door ground strap, lockset and tamper switch. 20 x 16 x 4.5" (510 x 410 x 120 mm) 18 lbs. (8 kg). LifeSafety Part Number: E2-BOXED	290.49
AC-LSP-E2-BS1	Locking battery enclosure with one 4" battery shelf. 20x16x4.5 enclosure with pre-installed lock set and tamper switch.	357.71
AC-LSP-E2M	Backplate, Standoffs & E2M size cabinet kit: Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: E2M)	450.13
AC-LSP-E4-3BS1	Locking battery enclosure with three 4" battery shelf. 24x20x4.5 enclosure with pre-installed lock set and tamper switch.	572.57
AC-LSP-E4M	8 Door Mercury enclosure with removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M)	595.36
AC-LSP-E4M1	16 Door Mercury enclosure with door mount & removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 26 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M1)	767.01
AC-LSP-E4V	8 Door HID VertX enclosure with removable backplate *** Accomodates single voltage only *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V)	624.17
AC-LSP-E4V1	8 - 16 Door HID VertX enclosure with door mount & removable backplate *** Accomodates single or dual voltage *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 75 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V1)	849.83
AC-LSP-E6M-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security™ access panels (sold separately) in one compact, secure UL294 listed system. The E6M1 enclosures cover a door count from eight to eighteen with dual voltage distribution and network monitoring. To prevent damage to system electronics, the backplate(s) separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplate can be remounted for final ties and checkout.	1,117.51
AC-LSP-E6M1-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security™ access panels (sold separately) in one compact, secure UL294 listed system. The E6M1 enclosures cover a door count from four to eight with dual voltage distribution and network monitoring. To prevent damage to system electronics, the backplate(s) separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplate can be remounted for final ties and checkout.	1,375.58
AC-LSP-E8M-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security® access panels (sold separately) in one compact, secure system. The E8M can be configured for a maximum of twelve doors with dual voltage distribution.	1,486.01
AC-LSP-E8M2-BOXED	LifeSafety Power FLEXPPOWER E8M2 16 Door Mercury Security® MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security® access panels in one compact, secure system. The E8M2 can be configured for a maximum of sixteen doors with dual voltage distribution. To prevent damage to system electronics, the backplates separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplates can be remounted for final ties and checkout.	1,632.44
AC-LSP-EPLT-1M	LifeSafety Power - FLEXPPOWER EPLT-1M - Mercury Expansion Plate for MCLASS- Mercury/LSP board addition.	68.92
AC-LSP-F8		67.22

	The F8 module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage ATM style fuse: 3A/per output	
AC-LSP-F8P	The F8P module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage Solid state circuit breaker: 2.5A/per output Class 2 power limited	67.22
AC-LSP-FPO150	150W-12/24VDC PS, Backplate, Standoffs, & E4M size cabinet kit: The FlexPower AC-LSP-FPO150 (FPO150-2D8E4M1) is an offline switchmode power supply battery charger system. The unit is user selectable for 12 or 24VDC. Providing two independent outputs, the first output provides continuous output power for system use and the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Also providing 16 auxiliary power distributed outputs, the unit has provisions for mounting a variety of Mercury boards in the cabinet proper (E4M) and cabinet door (EM1). The unit is configured in painted, steel, locking enclosure with tamper switch and integral battery space. Size: 20" x 24" x 4.5", Weight: 21 lb. (LifeSafety Power Part Number: FPO150-2D8E4M1)	1,089.94
AC-LSP-FPO150-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-B100C8D8E2)	831.54
AC-LSP-FPO150-8DR-SV	8 Door Access/Single Voltage 150W PS/C , 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-C8D8E2)	767.49
AC-LSP-FPO150-B1002D8PM8NL4E4M/T8-C	LifeSafety Power, Mercury 8DR, ProWire, Tie Wrap Cable Management, Networked, 170W dual voltage, 120/230VAC Input access power system.	2,391.41
AC-LSP-FPO150-B1002D8PM8NL4E4M1-P8-A	150W power supply, 12A/12V or 6A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 16 DC auxiliary outputs class 2 power limited at 2.5A per output, each output selectable for Bus1 or Bus2 8 out managed distribution module, fused at 3A per output Four port network monitoring module E4 enclosure size 24H x 20W x 4.5D with Mercury back plate and door mount kit, Panduit, 8 Doors, Mercury LP1502/MR52 board(s)(LifeSafety Power AC-LSP-FPO150-B100C8P2D8PE4M-T8-A)	2,826.99
AC-LSP-FPO150-B100C82D8PE4M-T8-A	150W power supply, 12A/12V or 6A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 8 relay lock control outputs fused at 3A per output, each output selectable for FAI, failsafe, failsecure 16 DC auxiliary outputs class 2 power limited at 2.5A per output, each output selectable for Bus1 or Bus2 E4 enclosure size 24H x 20W x 4.5D with Mercury back plate, Prewired, Tiewrap, 8 doors, Mercury MR52 / LP1502 board(s) (LifeSafety Power Part Number: FPO150-B100C82D8PE4M/T8-A)	1,881.71
AC-LSP-FPO150-B100C8D8E4-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold seperately) in one compact and secure UL Listed solution. This unit is a 150W 12V and 24V DC dual voltage access power system. The C8 lock control module provides eight access control inputs capable of voltage or dry contact activation, and eight fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 24.00H x 20.00W x 6.50D in. (61.00 x 50.00 x 17.50 cm)   Weight: 38 lbs., Pre-installed brackets for four (4) SALTO controllers - CU42E0, CU4200, CU4EB8	1,088.84
AC-LSP-FPO150-B100C8D8NL4E4M	150W Dual Voltage, 120 VAC Input, AC Fault System Fault form C contacts may be triggered by low/no battery, 8 Lock Outputs/8 Auxiliary	1,614.70

	Outputs. Backplate mounting for LP1502, LP4502, LP2500, MR52, MR16IN, E4M Enclosure Size: 24H x 20W x 6.5D in (LifeSafety Power Part Number: FPO150-B100C8D8NL4E4M)	
AC-LSP-FPO150-B100C8P2D8PE4M-T8-A	LifeSafety Power AC-LSP-FPO150-B100C8P2D8PE4M-T8-A , Mercury ProWire Power Systems, 150W Dual Voltage, 120 VAC, 8 Lock Outputs / 16 Auxiliary Outputs, Size: 24.0H x 20.0W x 6.5D in (60.96 x 50.8 x 16.51 cm), 8 Doors, TieWrap, Prewired for one LP1502 and three MR52 boards, 31.50 lbs (14.29kg)	1,881.71
AC-LSP-FPO150-B100D8M8NL4E4-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 12V and 24V DC dual voltage network managed access power system. One M8 managed control module provides eight access control inputs capable of voltage or dry contact activation, and eight outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. All inputs / outputs are software controlled for remote operation. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 24.00H x 20.00W x 6.50D in. (61.00 x 50.00 x 17.50 cm)   Weight: 38 lbs., Pre-installed brackets for four (4) SALTO controllers - CU42E0, CU4200, CU4EB8	1,738.16
AC-LSP-FPO150-B100D8PM8NL4E4M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 24. (20W x 24H x 4.5D) with backplate which can hold up to four Mercury boards. Battery space available in front of Mercury boards.	1,653.14
AC-LSP-FPO150-B100D8PM8NL4E6M	Power supply board 150W, 4A/12V or 4A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 30W x 23H x 6.5D with Mercury backplate (Lifesafety Power Part #: FPO150-B100D8PM8NL4E6M)	2,221.85
AC-LSP-FPO150-PS	The FPO150 150W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO150)	381.35
AC-LSP-FPO150/150-16DR-DV	16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150/150-2C82D8E4)	1,381.48
AC-LSP-FPO150/250-2D82M8NL4E6M1	LifeSafety Power Mercury Unified Unified Power Systems, 400W Dual Voltage, 120 VAC, 16 Managed / 16 Auxiliary Outputs	2,993.75
AC-LSP-FPO150/250-2D8P2M8NL4E4M1	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure 20W x 24H x 4.5D with backplate and door mount which can hold up to eight Mercury boards. Requires separate enclosure for batteries.	2,444.91
AC-LSP-FPO150/250-2D8P2M8NL4E6M1	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure 30W x 23H x 6.5D with Mercury backplate and door mount option (Lifesafety Power Part #: FPO150/250-2D8P2M8NL4E6M1)	3,128.49
AC-LSP-FPO150/250-2D8P2M8NL4E8M2	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   16 output smart distribution module, fused at 3A per	3,364.81

	output   Four port network monitoring module   Enclosure 30W x 36H x 4.5D with backplate which can hold up to eight Mercury boards. Battery space available.	
AC-LSP-FPO150/250-3D8P2M8NL4E4M1/T16-A	LifeSafety Power, Mercury 16DR, ProWire, Tie Wrap Cable Management, Networked, 452W dual voltage, 120/230VAC Input access power system.	4,032.90
AC-LSP-FPO150/250-3D8P2M8NL4E4M1/T16-C	LifeSafety Power, Mercury 16DR, ProWire, Tie Wrap Cable Management, Networked, 452W dual voltage, 120/230VAC Input access power system.	4,032.90
AC-LSP-FPO150/250-3D8P2M8NL4E8M2/P16-B	LifeSafety Power ProWire 16 Door Panduit Unified Power wall mount dual voltage access power system, precision wired for MERCURY controllers (sold separately). ProWire enables the specification and installation of standardized access power equipment across an enterprise for uniform operation, maintenance and servicing.	5,244.31
AC-LSP-FPO250	The FPO250 250W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO250)	477.83
AC-LSP-FPO250-16DR-SV	16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250-2C82D8E4)	1,099.89
AC-LSP-FPO250-2M8PNL4E4M	LifeSafety Power Mercury Unified Power Systems, 250W Single Voltage, 120 VAC, for 8 Doors	1,804.92
AC-LSP-FPO250-B100D8PM8NL4E6M	250W power supply, 20A/12V or 10A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 8 DC auxiliary outputs class 2 power limited at 2.5A per output, each output selectable for Bus1 or Bus2 8 out managed distribution module, fused at 3A per output Four port network monitoring module E6 enclosure size 30H x 23W x 6.5D with Mercury back plate. (LifeSafety Power Part Number: FPO250-B100D8PM8NL4E6M)	2,192.74
AC-LSP-FPO250-M8PNL4E4M-NU02	LifeSafety Power Mercury Unified Unified Power Systems, 250W NETWORKED / 12/24VDC / 8 Doors, 8 Managed Outputs	1,590.40
AC-LSP-FPO250/250-16DR-DV	16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250/250-2C82D8E4)	1,476.45
AC-LSP-FPO250/250-3C85D8PE12M/T24-A	LifeSafety Power, Mercury 24DR, ProWire, Tie Wrap Cable Management, Networked, 564W dual voltage, 120/230VAC Input access power system.	8,709.58
AC-LSP-FPO250/250-4M8PNLXE8M2-NU01	LifeSafety Power MCLASS™ WIRED UNIFIED POWER SYSTEM, NETWORKED 500W / 12 & 24VDC / 16 Doors, 32 Managed Outputs	4,083.69
AC-LSP-FPO250/250-5M8NLXE8M2/P16-A	LifeSafety Power FPO250/250-5M8NLXE8M2/P16-A Mercury ProWire Power System, 500W Dual Voltage, 120VAC, 40 network managed fused outputs, 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards, Enclosure Size: 36.0H x 30.0W x 6.5D in (91.44 x 76.2 x 16.51 cm) System Weight 61.90 lbs (28.08kg)	6,171.90
AC-LSP-FPO250/250-NLXE4M	LifeSafety Power - Mercury Unified Power Systems - 500W Dual Voltage, 120 VAC	2,145.65
AC-LSP-FPO250/250-NLXE8M2	Mercury Unified Power System combine FlexPower modules alongside preview access control hardware in one compact and secure UL listed solution. ProWire system are prewired for power to the access control modules, faults, tamper switch, lock control wiring (where applicable) and communication.	3,005.90
AC-LSP-FPO75		240.06

The FPO75 75W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO75)

AC-LSP-FPO75-2D8E2-5SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V DC single voltage access power system. Two D8 modules provides sixteen fused protected outputs. SALTO access enclosures are painted steel with five removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm)   Weight: 18 lbs., Pre-installed brackets for five (5) SALTO controllers - CU42E0, CU4200, CU4EB8	736.57
AC-LSP-FPO75-4DR-SV	4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75-C4E1)	468.23
AC-LSP-FPO75-B100C4D8NL4E2M	75W power supply, 6A/12V or 3A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 4 relay lock control outputs fused at 3A per output, each output selectable for FAI, failsafe, failsecure 8 DC auxiliary outputs fused at 3A per output, each output selectable for Bus1 or Bus2 Four port network monitoring module E2 enclosure size 20H x 16W x 4.5D with Mercury back plate	1,120.86
AC-LSP-FPO75-B100C4E1-2SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V and 24V DC dual voltage access power system. The C4 lock control module provides four access control inputs capable of voltage or dry contact activation, and four fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. Salto access enclosures are painted steel with two removable controller backplates and include lock, two (2) keys and tamper switch. Size: 14.00H x 12.00W x 4.50D in. (35.00 x 31.00 x 11.50 cm)   Weight: 14 lbs, Pre-installed brackets mount for two (2) Salto modules - CU42E0, CU4200, CU4EB8.	632.76
AC-LSP-FPO75-B100C8D8E2-3SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V and 24V DC dual voltage access power system. The C8 lock control module provides eight access control inputs capable of voltage or dry contact activation, and eight fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with three removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm)   Weight: 18 lbs., Pre-installed brackets for three (3) SALTO modules - CU42E0, CU4200, CU4EB8	840.39
AC-LSP-FPO75-B100M8NL4E2M	Power supply board 75W, 6A/12V or 3A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 18. (16W x 20H x 4.5D) with backplate which can hold up to two Mercury boards. Battery space available.	1,326.26
AC-LSP-FPO75-B100M8PNL4E2M-WP-FCS04	Mercury ProWire Power System combine FlexPower modules along preview access control hardware in one compact and secure UL list solution. 75W Total Output Power   12VDC/6A or 24VDC/3A 5-18VDC @ 4A Max.   FPO Board Outputs: Continuous (DC1), Resettable (DC2) 8 Lock Outputs, Class 2 PL @ 2.5A each 120mV Output Voltage Ripple   System Efficiency: 85%   System BTU Rating: 33 BTU/Hr. 2.5A Class 2 power limited outputs, programma failsafe/failsecure, remote power cycle, monitor voltage and current on eac programmable limits, dual buss voltage selection by zone. Size: 20.0H x 16.0W x 4.5D in.	1,631.06
AC-LSP-FPO75-D8E1-2SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit	510.18

is a 75W 12V DC single voltage access power system. One D8 module provides eight fused protected outputs. SALTO access enclosures are painted steel with two removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm) | Weight: 18 lbs., Pre-installed brackets mount for two (2) Salto modules - CU42E0, CU4200, CU4EB8

AC-LSP-FPO75-D8E2-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V DC single voltage access power system. One D8 module provides eight fused protected outputs. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm)   Weight: 18 lbs., Pre-installed brackets for (4) SALTO controllers - CU42E0, CU4200, CU4EB8	664.78
AC-LSP-FPO75-E1M	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1M is an offline switchmode power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: FPO75-E1BP1)	480.38
AC-LSP-FPO75-E2M	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: FPO75-E2BP2)	578.66
AC-LSP-FPO75/150-D8M8NL4E4M1	LifeSafety Power Mercury Unified Unified Power Systems, 225W Dual Voltage, 120 VAC, 8 Managed / 8 Auxiliary Outputs	1,814.36
AC-LSP-FPO75/75-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75/75-C8D8E2)	837.05
AC-LSP-M8	The M8 smart power controller communicates with the NL4 network module and provides eight (8) monitored and controlled relay outputs accessible from a network or internet. The M8 provides eight (8) control INPUTS capable of voltage or dry contact activation and eight (8) controlled and monitored OUTPUTS, with each output network programmable for fail-safe, fail-secure, fire alarm over ride, and AC loss over ride for egress lock control. (LifeSafety Power Part Number: M8)	320.49
AC-LSP-MSM25	LifeSafety Power MSM-Enterprise, Multi-Site Power Manager for Access Installations, Server Application / Web Browser Based	689.09
AC-LSP-NL4	The NL4 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides four SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of two battery sets (12 and 24VDC). Recommended for use with dual voltage systems requiring independent FPO power supplies (i.e. sixteen door dual voltage systems).(LifeSafety Power Part Number: NL4)	454.86
AC-LSP-NLX-BOXED	LifeSafety Power NETLINK™ NLX module is part of LifeSafety Power's Flex-Power® modular power management system for security and life safety applications.	908.66
AC-LSP-OSE-16DR-MER	16 Door Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. This enclosure has two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	1,996.58

AC-LSP-OSE-16DR-MER-IO	16 Door 12 or 24 VDC Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. Enclosure has two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 6.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150-2D8PE8M1)	2,123.57
AC-LSP-OSE-16DR-MER-LCK	16 Door Mercury Over Sized Enclosure (OSE) with removable backplate. Enclosure holds a total of 8 mercury panel boards and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	2,638.16
AC-LSP-OSE-16DR-MER-LCK-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 8 Mercury boards, two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	2,750.82
AC-LSP-PS-MCLASS-E5M	E5 enclosure size 8.5W x 11H x 3D with Mercury/LNL hole mount pattern Fits up to Mercury 1501 or Mr51e Controllers(LifeSafety Power Part Number: E5M)	134.44
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PNZ)	1,780.13
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PZ)	1,334.00
AC-LSP-RACK-MOUNT-MERC-RGM75-M8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked 12/24V 8 managed class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-M8PNZ)	2,014.24
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PNZ)	1,869.58
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PZ)	1,446.63
AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-M8PNZ)	2,068.34
AC-LSP-RACK-MOUNT-RGM75B-M8PNZ1	75W power supply, 6A/12V or 3A/24V, 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited, 8 out managed distribution module, class 2 pwr ltd at 2.5A per output, Four port network monitoring module, Single FPO with Dual B100 Buss/Flex Cable Kit 5	2,158.90
AC-LSP-RM-BAT-RBE	RBE rackmount battery enclosure for 7-8Ah batteries, Standard 2U EIA, 19" rack mount chassis(LifeSafety Power Part Number: RBE)	621.78
AC-LSP-SDU	LifeSafety Power OneDrop™ SDU (Single Drop USB) adapter allows a single IP connection to be used in Mercury applications when using a LSP Netlink network communication module. The SDU cable connects the Netlink's ethernet port to a micro-b USB connector, allowing direct connection of the NetLink to an LP series controller's USB port. Allows shared NetLink and Mercury Controller IP connection. Reduces addresses on the network, Lowers network drop fees, Reduces cybersecurity risks, Makes managed power possible in installations where adding network drops is not an option.	136.85

AC-LSP-WALL-MOUNT-FPO150-B100C8D8E2M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO150-B100C8D8E2M)	949.69
AC-LSP-WIRED-FPO150-B1002D8PM8NL4E6M/P8-A	Eight Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 4A/24V   Secondary voltage module, 4A/12V class 2 power limited   Eight relay managed outputs fused at 3A   8 auxiliary output power limited at 2.5A   Four port monitoring module   Enclosure size: 30" x 23" x 6.5"   47 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B1002D8PM8NL4E6M/P8-A)	3,317.30
AC-LSP-WIRED-FPO150-B100C82D8PE6M/P8-A	Eight Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 4A/24V   Secondary voltage module, 4A/12V class 2 power limited   Eight relay lock control outputs fused at 3A   8 auxiliary output power limited at 2.5A   Enclosure size: 30" x 23" x 6.5"   47 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B100C82D8PE6M/P8-A)	2,736.43
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-A	Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay lock control outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-A)	4,506.64
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-C	Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay lock control outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for all MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-C)	4,506.64
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-A	Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay managed outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Four port monitoring module   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-A)	5,244.31
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-C	Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay managed outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Four port monitoring module   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for All MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-C)	5,244.31

# Rolec

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-RO-SMALL-ENC	6.5W x 6.5W x 3D small size enclosure suitable for 1 x Mercury LP1501 or 1 x Mercury MR62e , IP67 rated, Includes removable non-metallic backplane for mounting the controller. Stock Item	82.92

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALX-CUSTOM	Altronix custom order	0.00
AC-ALX-T1AVK1F4SD	Altronix Four Door Mercury Enclosure	1,099.12
AC-ALX-T2AVK3F8D	Altronix Eight Door Mercury Enclosure	1,276.40
AC-ALX-T3AVK75F16D	Altronix Sixteen Door Mercury Enclosure	2,131.69
AC-ALX-TAV400K6D	Altronix Two Door Mercury Enclosure With 8 Output Power	628.29
AC-ALX-TAV400K7D	Altronix Two Door Mercury Enclosure With 4 PTC Protected Output, 12VDC Voltage Regulator	806.07

# Professional Services

## Remote

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-PRO-HM-1024	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 1024 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	54,900.00
AC-PRO-HM-2048	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 2048 card readers to Avigilon ACM and includes. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	109,800.00
AC-PRO-HM-256	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 256 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	13,800.00
AC-PRO-HM-512	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 512 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	27,500.00
AC-PRO-MIG-LDAP	One-time migration of Identity data from a single LDAP-based data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-LDAP-6-P ACM LDAP collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	9,300.00
AC-PRO-MIG-ORCL	One-time migration of Identity data from a single Oracle data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-ORCL-6-P ACM Oracle collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	9,300.00
AC-PRO-MIG-SQL	One-time migration of Identity data from a single SQL data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-SQL-6-P ACM SQL collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	9,300.00
AC-PRO-MIGF-LDAP	One-time migration and filtering of Identity data from a single LDAP-based data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-LDAP-6-P ACM LDAP collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	12,400.00
AC-PRO-MIGF-ORCL	One-time migration and filtering of Identity data from a single Oracle data source into Avigilon ACM. Migrated data will include demographic	12,400.00

information, images, tokens, and roles. PREREQUISITES:  
 AC-SW-LIC-ORCL-6-P ACM Oracle collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.

AC-PRO-MIGF-SQL	One-time migration and filtering of Identity data from a single SQL data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-SQL-6-P ACM SQL collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	12,400.00
AC-PRO-SYNC-AD-AZURE	On-going one-way inbound synchronization of Identity data from a single AzureAD data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	22,750.00
AC-PRO-SYNC-AD-GEN	On-going one-way inbound synchronization of Identity data from a single Generic AD data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	22,750.00
AC-PRO-SYNC-CUSTOM	Hourly Rate to configure on-going one-way inbound synchronization of Identity data from a single Custom Third-Party data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	100.00
AC-PRO-SYNC-LDAP	On-going one-way inbound synchronization of Identity data from a single LDAP data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	22,750.00
AC-PRO-SYNC-ORCL	On-going one-way inbound synchronization of Identity data from a single Oracle data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	22,750.00
AC-PRO-SYNC-SQL	On-going one-way inbound synchronization of Identity data from a single SQL data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment. This product or service cannot be purchased without a valid SOW. SOWs can be obtained through an Access Control sales engineer.	22,750.00

## Readers

### Allegion

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-READ-APTIQ-OSDP-KEYPD-MTK15-485	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader - OSDP (Allegion Part Number: MTK15-485)	636.76
AC-ALL-READ-APTIQ-OSDP-MULL-MT11-485	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader - OSDP (Allegion Part Number: MT11-485)	397.44
AC-ALL-READ-APTIQ-OSDP-SNG-MT15-485	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader - OSDP (Allegion Part Number: MT15-485)	397.44
AC-ALL-READ-APTIQ-WIEGAND-MTMSK15	Schlage (formerly aptiQ™) Multi-Technology with Magnetic Stripe and Keypad - Single Gang Reader - Wiegand (Allegion Part Number: MTMSK15)	973.50
AC-ALL-SCH-WPR400-MT	Wireless Portable Reader (with Multi-Technology Reader Module)Handheld, battery-operated unit with Multi-Technology(Allegion Part Number: WPR400-MT)	2,502.50
AC-ALL-SCH-WRI400	Outdoor Wireless Reader Interface Compatible with Wiegand or Magnetic Stripe Interface. Includes Weatherproof Enclosure, inputs for two parallel readers. Requires 12 or 24 VDC power supply (Non-stock item)(Allegion Part Number: WRI400)	1,066.67
AC-ING-READ-APTIQ-MINI-SM10	Schlage (formerly aptiQ™) 13.56 MHz Smart - Mini Mullion Reader (Allegion Part Number: SM10)	200.85
AC-ING-READ-APTIQ-MULL-MT11	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader (Allegion Part Number: MT11)	397.44
AC-SCH-READER-MTB11	Mobile Enabled Multi-Technology Reader – Mullion Mount - Dimensions: 5.91" x 1.72" x 0.81". Power required: 5-24 VDC - RS-485 capability included in standard product offering	389.69
AC-SCH-READER-MTB15	Mobile Enabled Multi-Technology Reader – Wall Mount - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	389.69
AC-SCH-READER-MTKB15	Mobile Enabled Multi-Technology Reader – Wall Mount with Keypad - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	628.91

### Farpointe Data

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-FP-READ-CSR-35L-OSDP	CONEKT OSDP, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	459.15
AC-FP-READ-CSR-35L-WG	CONEKT Wiegand, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	338.89
AC-FP-READ-DELTA-62-OSDP-F05552-600SCN	Delta6.2 OSDP Contactless Smartcard Reader and Keypad - The model Delta6.2 is designed to be mounted directly to location requiring mullion mount, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Non Stock Item) (Farpointe Data Part Number: F05552-600SCN)	663.35
AC-FP-READ-DELTA-62-OSDP-F05662-600	Delta 6.2 OSDP Contactless Smartcard Reader and Keypad - The model Delta 6.2 is designed to be mounted directly to location requiring mullion mount, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Non Stock Item) (Farpointe Data Part Number: F05552-600SCN)	664.14
AC-FP-READ-DELTA3-SECTOR		298.44

	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta3 Sector)	
AC-FP-READ-DELTA5-OSDP	Delta5 OSDP Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces, OSDP Only.	450.06
AC-FP-READ-DELTA5-SECTOR	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta5 Sector)	323.60
AC-FP-READ-DELTA5.3-SECTOR	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces (Non Stock Item) (Farpointe Data Part Number: Delta5.3 Sector)	323.60
AC-FP-READ-DELTA6.4-SECTOR	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: Delta6.4 Sector)	539.41
AC-FP-READ-GIBRALTER-BR-P-453-HA	Gibraltar Proximity Reader, Bullet-resistant reader designed to be mounted to mullion, door or window frames.(Farpointe Data Part Number: P-453-HA)	709.36
AC-FP-READ-GIBRALTER-BR-P-455-HA	Gibraltar Proximity Reader, Bullet-resistant reader designed to mount to standard North American single-gang wall switch boxes.(Farpointe Data Part Number: P-455-HA)	781.62
AC-FP-READ-GUARDIAN-VR-P-403-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a metal door and window frame.(Farpointe Data Part Number: P-403-HA)	482.83
AC-FP-READ-GUARDIAN-VR-P-405-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American single-gang wall switch box.(Farpointe Data Part Number: P-405-HA)	573.08
AC-FP-READ-GUARDIAN-VR-P-410-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American double-gang wall switch box.(Farpointe Data Part Number: P-410-HA)	718.74
AC-FP-READ-P-300-H	P-300 Cascade Proximity Reader - Designed to be mounted to metal door and window frames (Stock Item) (Farpointe Data Part Number: P-300-H)	94.86
AC-FP-READ-P-300-H-A	Mullion mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-300-H-A)	96.90
AC-FP-READ-P-500-H	P-500 Alps Proximity Reader - Designed to be mounted to a standard North American single-gang wall switch box (Stock Item) (Farpointe Data Part Number: P-500-H)	128.54
AC-FP-READ-P-500-H-A	Single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-500-H-A)	126.14
AC-FP-READ-P-640-H	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: P-640-H)	303.21
AC-FP-READ-P-640-H-A	Keypad + reader, single-gang mount, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-640-H-A)	305.36
AC-FP-READ-P-640-H-OSDP	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number, OSDP Only	425.73
AC-FP-READ-P-710-H	P-710 Andes Proximity Reader - Intended for applications calling for heightened levels of convenience, such as parking lots and high-volume employee entrances (Non Stock Item)(Farpointe Data Part Number: P-710-H)	392.90
AC-FP-READ-P-710-H-A	Parking, single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-710-H-A)	391.68
AC-FP-READ-P-900-H	P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mm). The longer read range of the P-900 adds convenience to a wide range of access applications, including turnstiles and parking control (Stock Item) (Farpointe Data Part Number: P-900-H)	777.49

AC-FP-READ-P-900-H-A	Single-gang/double-gang, standard parking bollard mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-900-H-A)	776.27
AC-FP-READ-PROX-EURO-P-530-HA	EuroMount Proximity Reader, designed to be mounted to a standard European-sized (60 mm) wall switch box. (Non-stock item)(Farpointe Data Part Number: P-530-HA)	128.54
AC-FP-READ-PROX-KEYPAD-P-620-HA	Mullion Mount Keypad reader + proximity, designed to be mounted to window or door frames(Farpointe Data Part Number: P-620-HA)	303.21
AC-FP-READ-WG-MCR-50-H	MCR-50 Proximity Reader - Supports Farpointe + certain Indala® ASP Advantage Series Proximity formats + certain HID® 125-kHz Proximity protocols; single-gang mount. (Non-stock item) (Farpointe Data Part Number: MCR-50-H)	217.87
AC-FP-READER-OSDP-EM-64-H	EM-64-H OSDP Enabled, Secure Communication Protocol, (125kHz HID & Pyramid Proximity Technologies Supported), Ship Kit	513.31
AC-FP-READER-P-300-H-OSDP	P-300-H Cascade Proximity Reader, OSDP Enabled, Secure Communication Protocol (125kHz HID Proximity Technology Supported), SHIP KIT	216.51
AC-FP-READER-P-500-H-OSDP	P-500-H Alps Proximity Reader, OSDP Enabled, Secure Communication Protocol (125kHz HID Proximity Technology Supported), SHIP KIT	250.57
AC-FP-READER-PCR-620L-OSDP	Long-range mullion mount mobile and proximity credential reader and keypad	676.30
AC-FP-READER-PCR-620L-WIEGAND	Long-range mullion mount mobile and proximity credential reader and keypad	554.66
AC-FP-READER-PCR-640L-OSDP	Long-range single-gang wall switch box mount mobile and proximity credential reader and keypad	676.30
AC-FP-READER-PCR-640L-WIEGAND	Long-range single-gang wall switch box mount mobile and proximity credential reader and keypad	554.66
AC-FP-READER-WIEGAND-EM-64-H	EM-64-H Diamondback Proximity Reader and Keypad , Ship Kit	391.67
AC-FP-REC-LONG-RANGE-WRR-22	Long-Range Receiver, designed to output Transmitter data from buttons 1 and 2 over two separate Wiegand outputs and install similar to a Pyramid Series Proximity® reader, making for easy integration with most access control systems. (Non-stock item)(Farpointe Data Part Number: WRR-22)	240.72
AC-FP-REC-WRR-44	WRR-44 Ranger Receiver - Long range radio-type receiver, features a Transmitter receive range of up to 200-feet (61-m), and is ideal for applications involving vehicle or disabled access(Stock Item) (Farpointe Data Part Number: WRR-44)	396.58

## HID Readers

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-GASKET-IP65GSKT-R10	GASKET PACK, IP65, R10 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R10)	35.36
AC-HID-GASKET-IP65GSKT-R15	GASKET PACK, IP65, R15 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R15)	35.36
AC-HID-GASKET-IP65GSKT-R40	GASKET PACK, IP65, R40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R40)	35.36
AC-HID-GASKET-IP65GSKT-RK40	GASKET PACK, IP65, RK40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-RK40)	35.36
AC-HID-MCLASS-SE-PROX-OSDP-921PTPNEK00385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 921PTPNEK00385)	805.38
AC-HID-PIVCLASS-40HNKS-03-0005LE	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OF	436.36
AC-HID-PIVCLASS-40KHNS-03-0005LE	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZI	676.35
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNNEKE0000		815.61

	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 921NBNNEKE0000)	
AC-HID-READ-ICLASS-SE-R90-WG-940NNNTEK2037P	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; Terminal Strip (HID Part #: 940NNNTEK2037P)	955.32
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00000	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00000)	955.32
AC-HID-READ-ICLASS-SE-RK40	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921NTNNEK00000)	612.33
AC-HID-READ-ICLASS-SE-RK40-WG-921NSNNEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	613.69
AC-HID-READ-ICLASS-SE-RPK40	RPK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921PTNNEK00000)	659.36
AC-HID-READ-MAXIPROX	MaxiProx Long Range Proximity Reader (HID # 5375AGN00)	1,268.21
AC-HID-READ-MCLASS-SE-PROX-WG-921PTNTEK00000	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT (HID Part #: 921PTNTEK00000)	662.08
AC-HID-READ-MCLASS-WIEG-921PTNNEKE0000	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF (HID Part #: 921PTNNEKE0000)	760.67
AC-HID-READ-MINIPROX	MiniProx Proximity Reader (HID # 5365EKP00)	425.92
AC-HID-READ-OMNIKEY-R54270101	5427 CK standard omnikey USB Enrollment reader, iCLASS Seos®, HID Prox®, iCLASS SE®, MIFARE Classic® and MIFARE® DESFire® EV1; supports NFC (HID Part Number: R54270001)	401.55
AC-HID-READ-PROXPRO	ProxPro Proximity Reader (HID # 5355AGN00)	489.48
AC-HID-READ-PROXPRO-KEYPD	ProxPro Proximity Reader with Keypad (HID # 5355AGK00)	775.54
AC-HID-READ-PROXPROII	ProxPro II Proximity Reader (HID # 5455BKN00)	441.78
AC-HID-READ-THINLINE	ThinLine II Switch Plate Proximity Reader (HID # 5395CK100)	433.85
AC-HID-READ-U90-ICLASS-SE-RDRSEU908K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 865-868 MHZ, STD, WIEGAND, TERM, BK, STD 1 SECURITY(HID Part Number: RDRSEU908K00000)	1,556.15
AC-HID-READ-U90-ICLASS-SE-RDRSEU909K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 902-928 MHZ, STD, WIEGAND, TERM, BK, STD 1 SECURITY	1,556.15
AC-HID-READER-SIGNO-20KNKS-00-000000	Signo20K, Mullion w/Keypad, 13.56mHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	660.70
AC-HID-READER-SIGNO-20KNKS-00-000000-AVG	Signo20K, Mullion w/Keypad, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	660.70
AC-HID-READER-SIGNO-20KNKS-01-000000	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-20KNKS-01-00001H	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-20KNKS-02-000000	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-20KNKS-02-000000-AVG	Signo20K, Mullion w/Keypad, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	710.17
AC-HID-READER-SIGNO-20KNKS-02-0002BL	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-20KNKS-T0-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	703.50
AC-HID-READER-SIGNO-20KNKS-T1-000000		603.01

	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	
AC-HID-READER-SIGNO-20KNKS-T2-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	653.26
AC-HID-READER-SIGNO-20KNKS-T3-00FD21	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA9Y7,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,ICE1758,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,V	696.98
AC-HID-READER-SIGNO-20KTKS-00-000000	Signo20K, Mullion w/Keypad, 13.56mHz &125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	660.70
AC-HID-READER-SIGNO-20KTKS-00-000000-AVG	Signo20K, Mullion w/Keypad, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	660.70
AC-HID-READER-SIGNO-20KTKS-01-000000	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-20KTKS-01-000000-AVG	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	566.31
AC-HID-READER-SIGNO-20KTKS-01-00001H	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-20KTKS-02-000000	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-20KTKS-02-000000-AVG	Signo20K, Mullion w/Keypad, Smart Profile, OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	613.50
AC-HID-READER-SIGNO-20KTKS-02-0002BL	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-20KTKS-T0-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	703.50
AC-HID-READER-SIGNO-20KTKS-T1-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	603.01
AC-HID-READER-SIGNO-20KTKS-T2-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	653.26
AC-HID-READER-SIGNO-20NKS-00-000000	Signo20, Mullion, 13.56mHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	389.35
AC-HID-READER-SIGNO-20NKS-00-000000-AVG	Signo20, Mullion, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	389.35
AC-HID-READER-SIGNO-20NKS-00-00004K	Signo 20, Mullion, 13.56mHz & 125kHz, Wiegand, Pigtail, Mobile Ready, BLE (HID Part #: 20NKS-00-00004K )	389.35
AC-HID-READER-SIGNO-20NKS-01-000000	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	294.96
AC-HID-READER-SIGNO-20NKS-01-00001H	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	294.96
AC-HID-READER-SIGNO-20NKS-02-000000	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	342.15
AC-HID-READER-SIGNO-20NKS-02-000000-AVG	Signo20, Mullion, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	342.15
AC-HID-READER-SIGNO-20NKS-02-0002BL	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	342.15
AC-HID-READER-SIGNO-20NKS-T0-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T0 includes the following	414.59

	NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	
AC-HID-READER-SIGNO-20NKS-T1-000000	Signo20, Mullion, 13.56MHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	314.07
AC-HID-READER-SIGNO-20NKS-T2-000000	Signo20, Mullion, 13.56MHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	364.33
AC-HID-READER-SIGNO-20NKS-T3-00FD21	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA9Y7,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,ICE1758,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	464.82
AC-HID-READER-SIGNO-20TKS-00-000000	Signo20, Mullion, 13.56MHz &125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	389.35
AC-HID-READER-SIGNO-20TKS-00-000000-AVG	Signo20, Mullion, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	389.35
AC-HID-READER-SIGNO-20TKS-01-000000	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	294.96
AC-HID-READER-SIGNO-20TKS-01-000000-AVG	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	294.96
AC-HID-READER-SIGNO-20TKS-01-00001H	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	294.96
AC-HID-READER-SIGNO-20TKS-01-00001H-AVG	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	294.96
AC-HID-READER-SIGNO-20TKS-02-000000	Signo20, Mullion, 13.56MHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	342.15
AC-HID-READER-SIGNO-20TKS-02-000000-AVG	Signo20, Mullion, Smart Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	342.15
AC-HID-READER-SIGNO-20TKS-02-0002BL	Signo20, Mullion, 13.56MHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	342.15
AC-HID-READER-SIGNO-20TKS-T0-000000	Signo20, Mullion, 13.56MHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	414.59
AC-HID-READER-SIGNO-20TKS-T1-000000	Signo20, Mullion, 13.56MHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	314.07
AC-HID-READER-SIGNO-20TKS-T2-000000	Signo20, Mullion, 13.56MHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	364.33
AC-HID-READER-SIGNO-20TKS-T3-00FD21	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,MOBA9Y7,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,ICE1758,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	464.82
AC-HID-READER-SIGNO-40KNKS-00-000000	Signo40K, Wall mount w/Keypad, 13.56MHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	660.70
AC-HID-READER-SIGNO-40KNKS-00-000000-AVG	Signo40K, Wall mount w/Keypad, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	660.70
AC-HID-READER-SIGNO-40KNKS-01-000000	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-40KNKS-01-00001H	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-40KNKS-02-000000	Signo40K, Wall mount w/Keypad, 13.56MHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-40KNKS-02-000000-AVG		613.50

	Signo40K, Wall mount w/Keypad, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	
AC-HID-READER-SIGNO-40KNKS-02-0002BL	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-40KNKS-T0-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	703.50
AC-HID-READER-SIGNO-40KNKS-T1-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	603.01
AC-HID-READER-SIGNO-40KNKS-T2-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	653.26
AC-HID-READER-SIGNO-40KTKS-00-000000	Signo40K, Wall mount w/Keypad, 13.56mHz &125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	660.70
AC-HID-READER-SIGNO-40KTKS-00-000000-AVG	Signo40K, Wall mount w/Keypad, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	660.70
AC-HID-READER-SIGNO-40KTKS-01-000000	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-40KTKS-01-000000-AVG	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	566.31
AC-HID-READER-SIGNO-40KTKS-01-00001H	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	566.31
AC-HID-READER-SIGNO-40KTKS-02-000000	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-40KTKS-02-000000-AVG	Signo40K, Wall mount w/Keypad, Smart Profile . OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	613.50
AC-HID-READER-SIGNO-40KTKS-02-0002BL	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	613.50
AC-HID-READER-SIGNO-40KTKS-T0-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	703.50
AC-HID-READER-SIGNO-40KTKS-T1-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	603.01
AC-HID-READER-SIGNO-40KTKS-T2-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	653.26
AC-HID-READER-SIGNO-40NKS-00-000000	Signo40, Wall mount, 13.56mHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	401.13
AC-HID-READER-SIGNO-40NKS-00-000000-AVG	Signo40, Wall mount, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	401.13
AC-HID-READER-SIGNO-40NKS-01-000000	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	306.74
AC-HID-READER-SIGNO-40NKS-01-00001H	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	306.74
AC-HID-READER-SIGNO-40NKS-02-000000	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	353.93
AC-HID-READER-SIGNO-40NKS-02-000000-AVG	Signo40, Wall mount, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	353.93

AC-HID-READER-SIGNO-40NKS-02-0002BL	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	353.93
AC-HID-READER-SIGNO-40NKS-T0-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40 PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	427.15
AC-HID-READER-SIGNO-40NKS-T1-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40 PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	326.63
AC-HID-READER-SIGNO-40NKS-T2-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40 PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	376.89
AC-HID-READER-SIGNO-40NKS-T3-00FD21	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA9Y7,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,ICE1758,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	477.36
AC-HID-READER-SIGNO-40TKS-00-000000	Signo40, Wall mount, 13.56mHz & 125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	401.13
AC-HID-READER-SIGNO-40TKS-00-000000-AVG	Signo40, Wall mount, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	401.13
AC-HID-READER-SIGNO-40TKS-01-000000	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	306.74
AC-HID-READER-SIGNO-40TKS-01-000000-AVG	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	306.74
AC-HID-READER-SIGNO-40TKS-01-00001H	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	306.74
AC-HID-READER-SIGNO-40TKS-01-00001H-AVG	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	306.74
AC-HID-READER-SIGNO-40TKS-02-000000	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	353.93
AC-HID-READER-SIGNO-40TKS-02-000000-AVG	Signo40, Wall mount, Smart Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	353.93
AC-HID-READER-SIGNO-40TKS-02-0002BL	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	353.93
AC-HID-READER-SIGNO-40TKS-T0-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	427.15
AC-HID-READER-SIGNO-40TKS-T1-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	326.63
AC-HID-READER-SIGNO-40TKS-T2-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	376.89
AC-HID-READER-SIGNO-40TKS-T3-00FD21	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,MOBA9Y7,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,ICE1758,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	477.36
AC-HID-SPACER-05-R10-6132AKB-M	R10 Mini-mullion spacer, black 0.5" with metal plate	35.36
AC-HID-SPACER-05-R15-6132AKC-M	R15 Mullion spacer, black 0.5" with metal plate	35.36
AC-HID-SPACER-05-R40-6132AKT-M	R40 Standard wall switch, black 0.5" with metal plate	35.36
AC-HID-SPACER-05-RK40-6132AKU-M	RK40 Standard wall switch with keypad, black 0.5" with metal plate	35.36
AC-HID-SPACER-10-R40-6132AKE-M	R40 Standard wall switch, black 1.0" with metal plate	35.36
AC-HID-SPACER-SIGNO-20-K-05	HID SIGNO 20 SERIES, 0.5 INCH SPACER, BLACK	32.23

AC-HID-SPACER-SIGNO-40-K-05	HID SIGNO 40 SERIES, 0.5 INCH SPACER, BLACK	32.23
AC-HID-UPGKIT-BLEOSDP-UPG-A-920	R40/RP40 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	160.00

## STid

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-RAIN-COVER_01	Architect keypad reader rain cover	38.01
AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT	Programming Kit for Bluetooth®/Ultralight® C/MIFARE® Classic & Classic EV1/MIFARE Plus®/DESFire® EV2 & EV3/NFC HCE + SECard Software	1,734.57
AC-STID-CARD-CCTW170	STid ISO Card with MIFARE® Classic EV1 4K chip - Manufacturer PN: CCTW170	4.27
AC-STID-CARD-CCTW880	STid ISO Card with DESFire EV3 4K chip - Manufacturer PN: CCTW880	7.14
AC-STID-EM+HID-LF-MODULE-SE810	SE8 - 125 kHz EM + HID module for Architect Blue reader - Standard reader black - 125 kHz EM + HID module. 125KHz Single Format Module. In addition to EM Format, it can be configured to read either HID Prox 26bit or 37bit, Only one format can be selected	151.23
AC-STID-ENROLL-READER-UHF-SWEDGE-W45	UHF EPC1 Gen2 Enrollment Kit SWEDGE: ARC UHF desktop reader - ETSI - USB (cable included) + SWEDGE Software (Europe)	1,000.00
AC-STID-ENROLL-READER-UHF-SWEDGE-W55	UHF EPC1 Gen2 Enrollment Kit SWEDGE: ARC UHF desktop reader - FCC - USB (cable included) + SWEDGE Software (Americas)	1,000.00
AC-STID-ENROLL-READER-USB-ARCS-R35-H/BT1-5AB/1A	ARCS-H/BT - Architect® Blue Desktop reader/enroller - Secure storage EAL5+ - Secure Read only - USB + WEDGE with keypad emulation interface (cable included) - AZERTY default configuration	558.64
AC-STID-ENROLL-READER-USB-ARCS-R35-H/BT1-5AQ/1A	ARCS-H/BT - Architect® Blue Desktop reader/enroller - Secure storage EAL5+ - Secure Read only - USB + WEDGE with keypad emulation interface (cable included) - QWERTY default configuration	558.64
AC-STID-KIT-SECARD-BT-BIO	Architect Series Programming Kit + Fingerprint module	2,466.05
AC-STID-LF-MT-MODULE-SE8M10	SE8M - 125 kHz Multi-technology module for Architect Blue reader - Standard reader black - 125 kHz Multi-technology module. All the following can be selected, and the reader send information as raw data. HID Prox – 26, 35, 37, AWID – 26, 35, 37, Kantec, ioProx - XSF 39 bits, 26 bits, 24 bits, Indala – 27bits	299.38
AC-STID-QR-BARCODE-MODULE-SE910	SE9 Architect® Blue QR Code / Barcode module - QR and Barcode module for Standard reader black	1,067.90
AC-STID-READER-ARC1S-R31-B/BT1-3I/1A	NON PROGRAMED ARC1S/BT - Architect® One Blue Mullion reader - Secure storage EAL5+ - Secure Read only - TTL interface - 3m cable with connector - NO LOGO - Mullion Reader Black Wiegand 26bit - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	317.90
AC-STID-READER-ARC1S-W33-B/BT1-7OS/1A	NON PROGRAMED ARC1S/BT - Architect® One Blue Mullion reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - 3m cable with connector - NO LOGO - Mullion Reader Black OSDP v1 & v2 - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	317.90
AC-STID-READER-ARCS-R31-A/BT1-3I/1A	NON PROGRAMED ARCS-A/BT - Architect® Blue Upgradable Standard reader black - Wiegand Interface - Secure storage EAL5+ - Secure Read only - TTL interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	379.63
AC-STID-READER-ARCS-R31-B/BT1-3I/1A	NON PROGRAMED ARCS-B/BT - Architect® Blue Upgradable Keypad reader black - Wiegand Interface - Secure storage EAL5+ - Secure Read only - TTL interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	632.72
AC-STID-READER-ARCS-R31-C/BT1-3I/1	Bluetooth Standard Reader black with touchscreen - Wiegand 26 bits (No logo on cover by default)	750.00
AC-STID-READER-ARCS-RX1-IM/BT2-3I/1A	NON PROGRAMED ARCS-iM/BT - Architect® Blue Hybrid 125 kHz Multi-technology + 13.56 MHz + Bluetooth® Upgradable reader - Secure storage EAL5+ - Secure Read only - Standard Multi-technology Reader black Wiegand interface - NO LOGO - Requires	651.23

	AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	
AC-STID-READER-ARCS-RX1-JM/BT2-3I/1A	NON PROGRAMED ARCS-JM/BT - Architect® Blue Hybrid 125 kHz Multi-technology + 13.56 MHz + Bluetooth® Upgradable Keypad reader - Secure storage EAL5+ - Secure Read only - Standard Multi-technology Keypad Reader black Wiegand interface - NO LOGO -Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	839.51
AC-STID-READER-ARCS-S31-E/BT1-3I/1A	ARCS-D/BT - 13.56 MHz + Bluetooth® biometric reader	1,466.05
AC-STID-READER-ARCS-W33-A/BT1-7OS/1A	NON PROGRAMED ARCS-A/BT - Architect® Blue Upgradable Standard reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration	379.63
AC-STID-READER-ARCS-W33-AQ/BT1-7OS/1A	NON PROGRAMED ARCS-AQ/BT - Architect® Blue Upgradable QR Code, Bluetooth® & RFID reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard Reader black with QR module OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	1,299.38
AC-STID-READER-ARCS-W33-B/BT1-7OS/1A	NON PROGRAMED ARCS-B/BT - Architect® Blue Upgradable Keypad reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration	632.72
AC-STID-READER-ARCS-W33-BQ/BT1-7OS/1A	NON PROGRAMED ARCS-BQ/BT Architect® Blue Upgradable QR Code, Bluetooth® & RFID Keypad reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard reader black with Keypad and QR module OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	1,450.62
AC-STID-READER-ARCS-W33-C/BT1-7OS/1A	NON PROGRAMED ARCS-C/BT - Architect® Blue Upgradable Touchscreen reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard reader black with touchscreen OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	750.00
AC-STID-READER-SE7-ARC-DE-02	Metal mounting plate for Architect® bio readers-RFID&Keypad versions	30.86
AC-STID-READER-SNA-R41-A/BT4-3I/1-EU	SNA - SPECTRE nano UHF - Europe Low Band 865-868 MHz - RS485 - Wiegand 26 Bits USB cable & ULTRYs software included	2,146.20
AC-STID-READER-SNA-W53-A/BT4-7OS/1	SNA - SPECTRE nano UHF - USA Upper Band 902-928 MHz- USB cable & ULTRYs software included	2,265.43
AC-STID-SE610	Biometric module - Black	1,083.33
AC-STID-SPACER-PLA-ADAP-V2-ARC-NO	Stackable spacer with cable passage for Architect® Blue reader - Black	30.86
AC-STID-SPACER-PLAQ-ARC1-NO-V2	Stackable spacer with cable passage for Architect® One Blue mullion reader - Black	30.86
AC-STID-SPECTRE-CABLE-3M	3 m / 4.9 ft UHF SPECTRE antenna cable - TNC Reverse	138.89

## VIRDI

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-VT-READ-BIO-RFID-AC2000IC	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID iClass Card, User Capacity: 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000iClass)	918.00
AC-VT-READ-BIO-RFID-AC2000IC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type B plug for North America	918.00
AC-VT-READ-BIO-RFID-AC2000PROX	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID prox Card, User Capacity : 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000Prox)	918.00
AC-VT-READ-BIO-RFID-AC2000PROX-NA		918.00

	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type B plug for North America	
AC-VT-READ-BIO-RFID-AC2000SC	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, Mifare 13.56Mhz Card & PIN Authentication, User Capacity: 1,500, Finger Capacity: 1500, TCP/IP Server Communication, No LCD, No Function Key, Bluetooth support. (VIRDI Part Number: AC2000SC)	714.00
AC-VT-READ-BIO-RFID-AC2000SC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type B plug for North America	714.00
AC-VT-READ-BIO-USB-FOH02	VIRDI Fingerprint and card enrollment USB reader, live fingerprint detection embedded, Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, (VIRDI Part Number: FOH02)	142.80
AC-VT-READ-BIO-USB-FOH02-SC	VIRDI Fingerprint and card enrollment reader, live fingerprint detection embedded, supports Mifare 13.56Mhz Card (Read & Write), Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, Read /Write - supports TOC (Template on Card) (VIRDI Part Number: FOH02SC) Note - This product is not available for sale in Spain and South Africa.	188.70

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-READER-ANT-SPECTRE-B	UHF antenna for SPECTRE scalable readers (no cable included) - Circular Polarization - Upper Band 902-928 MHz - EPC1 GEN2	783.95
AC-STID-READER-ETA-W75B-574BE10P	UHF GEN2 Self-destroying programmed customized adhesive label - Secure & encrypted EPC mode - 100 x 30 mm. Packaged in a roll, the dimensions depend on the quantity ordered.	7.07
AC-STID-READER-SLA-R51-A/U04-3I/1	SLA - SPECTRE UHF Long Range & Scalable reader with 1 integrated antenna - Upper Band 902-928 MHz - EPC1 GEN2 - Read only - TTL interface - USB cable & ULTRYS software included	3,966.05
AC-STID-READER-SLA-W53-A/U04-7OS/1	SLA - SPECTRE Access UHF scalable reader - USA Upper Band 902 to 928MHz - RS485 - OSDP - USB Cable & ULTRYS Software included	3,966.05
AC-STID-SPECTRE-READER-MOUNT-KIT-KFX-UHF-08	UHF SPECTRE & SPECTRE nano reader orientable wall mounting kit (Stid hardware sold separately)	293.21
AC-STID-SPECTRE-READER-MOUNT-KIT-KFX-UHF-09	UHF SPECTRE & SPECTRE nano reader orientable pole mounting kit (Stid hardware sold separately)	293.21
AC-STID-SPECTRE-READER-MOUNT-KIT-KFX-UHF-10	UHF SPECTRE & SPECTRE nano reader orientable wall + pole mounting kit (Stid hardware sold separately)	367.28

# Wireless Locks

## Allegion Schlage

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-AA-HES-ES100-15L-IPS-630		800.55
AC-SCH-47282796-SUS-A-KIT	Schlage USB and 2-pin Android cable for Schlage Utility Software (SUS) mobile app for Android devices	232.50
AC-SCH-COM300L-626	AD-300 Hardwired Communication Kit (Cover with Indicator Lens, RS485 Communication PCB) Classroom/Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis) 626 Satin Chrome finish	430.00
AC-SCH-RETROFIT-KIT-47278749	Upgrades NDE80 Product to NDEB, NDEB Inside Escutcheon Assembly (with Main PCBA)	573.34

## Allegion Schlage (Contact RSM for pricing)

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-SCH-AD400-ANT400-REM-CEILING	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.(Allegion Part Number: ANT400-REM-CEILING)	513.25
AC-ALL-SCH-AD400-ANT400-REM-HALL	Bi-Directional Remote Indoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.(Allegion Part Number: ANT400-REM-HALL)	732.25
AC-ALL-SCH-AD400-ANT400-REM-I/O+6DB	Directional remote indoor/outdoor antenna module with 6dB Gain 1. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.(Allegion Part Number: ANT400-REM-I/O+6db)	673.09
AC-ALL-SCH-AD400-MGB+MCA5	Antenna Grounding Kit (for outdoor mounting). Could be used with ANT400-REM-I/O, ANT400-REM-I/O+6DB, ANT400-REM-CEILING, ANT400-REM-HALL.(Allegion Part Number: MGB+MCA5)	240.84
AC-ALL-SCH-COM400L	Electronic Lock Communication Module Kit	465.00
AC-ALL-SCH-COM400P-626	Schlage COM400P Communication Module Kit, Satin chrome	465.00
AC-ALL-SCH-COM400P-643E	Schlage COM400P Communication Module Kit, Aged bronze	465.00
AC-ALL-SCH-ENGAGE-GWE	GWE — ENGAGE Gateway with RS-485 & IP (PoE) connectivity. Supports up to 10 ENGAGE enabled devices with Mercury Security 1DR and 64DR (AC-MER-CONT-1DR and AC-MER-CONT-64DR Sold Separately) access control panels(Allegion Part Number: GWE – ENGAGE)	550.84
AC-ALL-SCH-PIB300-2D	Panel Interface Board (supports 2 doors)(Allegion Part Number: PIB300-2D)	589.17
AC-ALL-SCH-PIM400-1501-LC	900 MHz Panel Interface Module for 16 door intelligent controller (AC-MER-CONT-LP1501 Sold Separately) for AD Series wireless devices; powered by Mercury Security. Encrypted with AES-128 bit keys, Certifications: FCC Part 15, Industry Canada(IC), RoHS, UL294 Listed when connected to UL294 power supply, Dimensions: 10.43" X 7.28" X 3.79" (26.49cm X 18.49 cm X 9.63 cm), Weight 2.8 lbs (1.27 kg)(Allegion Part Number: PIM400-1501-LC)	2,063.34
AC-ALL-SCH-PIM400-485-RSI	900 MHz Panel Interface Module for 16 or 64 door intelligent controller (AC-MER-CONT-LP1501, AC-MER-CONT-LP1502, AC-MER-CONT-LP2500 and AC-MER-CONT-LP4502 Sold Separately) (Up to 16 wireless access devices such as AD-400 locks per PIM) for AD Series wireless devices; powered by Mercury Security. Certifications: NEMA 1, 4, 4X, 6; UL 294; FCC Part 15; Industry Canada (IC); RoHS, Dimensions (H x W x D): 6.3" x 3.2" x 2.2" (16.0 cm x 8.13 cm x 5.59 cm), Weight 1.25 lbs (.56 kg)(Allegion Part Number: PIM400-485-RSI)	1,719.17

AC-ALL-SCH-PIM400-TD2	Panel Interface Module (supports 2 doors) Wiegand (Data1/Data2) or magnetic stripe (Clock & Data) output. Includes Weatherproof Enclosure (7.1" x 7.1"), Internal Antenna with ability to add Remote Antenna. Requires 12 or 24 VDC power supply. Relay Board sold separately. (Allegion Part Number: PIM400-TD2)	1,035.00
AC-ALL-SCH-RLBD	Relay Board (for PIB300-2D or PIM400-TD2)(Allegion Part Number: RLBD)	295.84
AC-ALL-SCH-WPR400-MTK	Wireless Portable Reader with keypad (with Multi-Technology Reader Module) Handheld, battery operated unit with Multi-Technology(Allegion Part Number: WPR400-MTK)	2,544.17
AC-SCH-BATTERY-8B-626	AD-400 Eight (8) battery conversion kit in grey (Allegion Schlage Part #: 8B-626).	128.09
AC-SCH-COM300L-643E	Communication Module Kit for AD-300 Classroom/Storeroom (70) function. Compatible with Cylindrical, Mortise, Mortise with deadbolt, 993 exit trim chassis. Aged bronze finish.	430.00
AC-SCH-COM400L-626	Wireless AD-400 Communication Kit Module Cover with Indicator	430.00
AC-SCH-READ-MODULE-SI-626	AD-400 Smart Technology iClass compatible reader module in grey (Allegion Part #: SI-626).	1,055.84
AC-SCH-READ-MODULE-SIK-626	AD-400 Smart Technology iClass compatible reader + keypad module in grey (Allegion Part #: SIK-626).	1,132.50
AC-SCH-TK400	Wireless Test Kit, Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI, Power Supply, Charger, Carrying Case.	2,169.17

## ASSA ABLOY Aperio

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-AA-APA-10-PC	ASSA ABLOY Aperio Programming Application Tool Kit APA-10-PC, Includes USB Flash Drive, Programming Application Tool Software and License Files, Aperio Instructions (electronic files), Tritech Tribee USB Radio Dongle (APD-10-USB), HID iCLASS/Prox Card	776.19
AC-AA-HUB-EXT-10-ANT	ASSA ABLOY Aperio® hubs are certified for use with the ASSA ABLOY external (omnidirectional) antenna EXT-10-ANT. The external antenna may be used to obtain more even radio coverage (in the form of a doughnut) around the hub. Please note that the antenna does not extend the maximum range of the Aperio® hub. The Aperio® hubs are for indoor use only; Operating Temperature: 32°F (0 °C) to 113°F (45 °C) and Humidity: < 95% maximum (non-condensing).	85.89
AC-MER-APD-10-USB	ASSA ABLOY - USB Radio Dongle(ASSA ABLOY Part Number: APD-10-USB)	648.41

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-AA-SAR-10-3186-32D	ASSA ABLOY SARGENT Cylindrical Lever Lock Latch, 2-3/8" Backset, Satin Stainless Steel, For 10-Line Cylindrical Lever Lock	81.67
AC-SCH-AD-23760275	Allegion Schlage 12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	99.09

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-AA-505201C0-21100	Double sided cylinder with – one side electronics/reading function / on side mechanical function. Mifare DESFire. Panic function.	809.08
AC-AA-88-5010-000	Assa Abloy Sargent RIM Exit O/S Cover Plate	215.08
AC-AA-APERIO-HUB-AH30RN6-6144	Aperio RS485 Hub Gen 5 - NA Version - Requires ACM version 6.54 or newer and Mercury FW v.2.x - Cannot share the same interface with Gen 4 version (ASSA ABLOY Part Number: AH30RN6-6144)	429.22
AC-AA-COR-IN120-CUSTOM	Assa Abloy Corbin Russwin IN120 Wi-Fi Lock	0.00
AC-AA-SAR-79-5000-32D	Assa Abloy Sargent Mortise O/S Cover Plate	241.67
AC-AA-SAR-SN200-CUSTOM	Assa Abloy Sargent SN 200 Integrated Wiegand Lock	0.00
AC-SAFR-SVC-SFR-PS-SE-LIVE	SAFR 1 day engineering Live Support	4,629.63
AC-SAFR-SVC-SFR-PS-SE-WEB	One day of SAFR Solutions Engineer ONLINE support (8 hours maximum per day) - Must be used within a year from purchasing. Time is consumed in 15 minute increments	2,314.81
AC-SAFR-SVC-SFR-TRAIN-WEB	SAFR Online Training per Student	694.44
AC-SALTO-SP-PART-CUSTOM	SALTO SP Custom Line Item	0.00
AC-SCH-AD-400-993M-70-MT-RHO-626-J-RHR4B134	Allegion (Schlage)   AD-400 networked wireless   993M Exit Mortise Lock   70 - Classroom - Storeroom Functionality   MT - Multi-Technology   RHO - Rhodes Handle   626 - Satin Chrome Finis   J - Less Full Size Interchangeable Core   RHR - Right Hand Reverse   4B - 4 AA Batteries	2,917.50
AC-SCH-AD-400-993S-70-MT-RHO-626-B-RHR-4B-134		2,920.00
AC-SCH-AD-400-CY-40-MT-RHO-626-B-LH4B1324710025134		2,510.00
AC-SCH-AD-400-CY-40-MT-RHO-626-B-RH4B1324710025134		2,510.00
AC-SCH-AD-400-CY-40-MT-RHO-626-BRHR4B1324710025134		2,510.00
AC-SCH-AD-400-CY-40-SI-RHO-626-B-LH4B1324710025134		2,680.00
AC-SCH-AD-400-CY-40-SI-RHO-626-B-RH4B1324710025134		2,680.00
AC-SCH-AD-400-CY-70-MT-RHO-612-B-RH4B1324710025134	AD Series Wireless Lock	2,648.34
AC-SCH-AD-400-CY-70-MT-RHO-626-JLHR4B1324710025134	Allegion (Schlage)   AD-400 networked wireless   CY - Cylindrical Lock   70 - Classroom - Storeroom Functionality   MT - Multi-Technology   RHO - Rhodes Handle   626 - Satin Chrome Finis   J - Less Full Size Interchangeable Core   LHR - Left Hand Reverse   4B - 4 AA Batteries	2,504.17
AC-SCH-AD-400-CY-70-MT-RHO-626-JRHR4B1324710025134	Allegion (Schlage)   AD-400 networked wireless   CY - Cylindrical Lock   70 - Classroom - Storeroom Functionality   MT - Multi-Technology   RHO - Rhodes Handle   626 - Satin Chrome Finis   J - Less Full Size Interchangeable Core   RHR - Right Hand Reverse   4B - 4 AA Batteries	2,504.17
AC-SCH-AD-400-MS-70-MT-RHO-626-JLH4B0966310072134	Allegion (Schlage)   AD-400 networked wireless   MS - Mortise Lock   70 - Classroom - Storeroom Functionality   MT - Multi-Technology   RHO - Rhodes Handle   626 - Satin Chrome Finis   J - Less Full Size Interchangeable Core   LH - Left Hand   4B - 4 AA Batteries	2,811.67
AC-SCH-AD-400-MS-70-MT-RHO626BLH4B0966310072134		2,849.17
AC-SCH-AD-400-MS-70-MT-RHO626BRH4B0966310072134		2,849.17
AC-SCH-AD-400-MS-70-MTRHO626BLHR4B0966310072134		2,849.17
AC-SCH-AD-400-MS-70-MTRHO626BRHR4B0966310072134		2,849.17
AC-SCH-AD400-CY70MTRHO626BRH4B1324710025134		2,503.06
AC-SCH-AD400CY70MTRHO626BDLHR4B1324710025134		2,504.17
AC-SCH-AD400MS40MTRHO626BDLH4B096631007213/4		2,855.00
AC-SCH-AD400MS70SIRHO626BLHR4B0966310072134	AC-SALTO-SHIP-OPTION-SPACE-OPT-0018 (Do not use)	2,979.17
AC-SCH-CONTROL-FE410F-CUSTOM		728.41

Allegion/Schlage FE Control lock - requires config sheet to be able to purchase

---

AC-SCH-NDEBSIJRHO626-13-247-47267101

AElement Fusion reader and electronics - AFM2PMB3A8

1,245.84

---

# Unity Video MSRP - USD

Pricelist effective November 10, 2025

**Pricelist for products shipping to USA**

## Summary Of Changes

- 2025-03-24 : Effective April 2, 2025, Motorola Solutions will be updating foreign exchange (FX) rates to align with current market conditions. As a result, pricing for Avigilon Unity Video and Access products in CAD, EUR, and AUD currencies will be adjusted as follows: CAD will increase by 5%, EUR will increase by 0.6%, AUD will increase by 3%.
- 2023-12-31 : As per EoL notice in Oct 2022, Second Generation AI Appliance CG1 models (VMA-AIA2-CG1-XX) have now been EOL'ed.
- 2023-12-29 : test
- 2023-10-19 : All AINVR-VAL-12TB (NA, EU, UK, AU variants) will be EOL soon (while quantities last). Please consider AINVR2-VAL (6TB/12TB/16TB/24TB) as an alternative.
- 2023-10-19 : All ENVR1 and ES Rugged Appliances (NA, EU, UK, AU variants) will be EOL soon (while quantities last). Please consider ENVR2 PLUS as an alternative.
- 2023-06-15 : Please be advised that NVR FIPS products (NVR5-PRM-FIPS-96TB-NA, NVR5-PRM-FIPS-128TB-NA, NVR5-PRM-FIPS-160TB-NA) will only be saleable in the United States by default due to government restrictions on the export of cryptography from the United States. Your attention and accommodation in this matter are appreciated. Our product operations team will be restricting these SKUs in all countries except the U.S. shortly.
- 2023-05-29 : The latest Avigilon HD Video Appliance 3X (HDVA3X / VMA-AS3X) is now available to order. HDVA3X now has Win10 v21H2 LTSC pre-installed with Windows Server 2019 (AS3X-S19-UPG) and Out-of-Band Mgt Module (VMA-AS3X-IPMI) upgrade kits available. The HDVA3X model retains the same physical form factors and functional capabilities as the last generation, HDVA3. HDVA3 / VMA-AS3 and warranty extension SKUs (VMA-AS3-xP-WARR-EXTEND-xYR) are now end-of-life (EOL).
- 2023-02-22 : AI APPLIANCE GEN2 CG1 EU, UK, AU have EOL'ed officially as we have stocked out. AI APPLIANCE GEN2 CG1 NA EOL will follow soon as we stock out as well. AI APPLIANCE GEN2 CG2 will still be available going forward.
- 2023-02-06 : NVR5 Standard 24TB S19 models are now available for orders and shipping. NVR4X Standard 24TB S16 models have effectively sold out and officially EoL'ed.
- 2023-02-06 : HD-NVR2-W10UPG has reached End of Life (HD-NVR2 has reached since December 1, 2019) and has been taken off the price list.
- 2023-01-20 : NVR3-HDDN-INT-10TB, HD-NVR3-STD-2NDPS-AU, HD-NVR3-STD-2NDPS-UK, HD-NVR3-PRM-2NDPS-AU, VMA-AIA-2NDPS-AU, NVR4-HDDN-INT-4TB have been officially EOL'ed as we've run out of remaining stock quantities.
- 2022-12-16 : NVR4X Standard 48TB Windows Server 2016 & NVR4X Premium 192TB (Windows Server 2016) models have been re-opened due to remaining stock. Please strongly consider these models as economic alternatives to equivalent NVR5s (13.42% discount) with Windows Server 2019 Kit upgrade kit (NVR4-S19-COA) available.
- 2022-12-16 : NVR4X Standard 48TB Windows Server 2016 & NVR4X Premium 192TB (Windows Server 2016) models have been re-opened due to remaining inventory. Please strongly consider these models as economic alternatives (13.42% discount) to equivalent NVR5s with Windows Server 2019 Kit upgrade kit (NVR4-S19-COA) available.
- 2022-12-12 : NVR5 Premium FIPS models have now been lifted from pre-order status to GA shipping.
- 2022-11-02 : The upgrade kits to First Generation AI Appliance CG1 and CG2 models (VMA-AIA1-CG1-UPGK, VMA-AIA1-CG2-UPGK) have been temporarily EOL'ed due to component shortages driven by higher than expected demand.
- 2022-11-01 : All AINVR-VAL-6TB (NA, EU, UK, AU variants) have now been EOL'ed. Please consider AINVR-VAL-12TB as an alternative.
- 2022-11-01 : NVR5 Standard 16TB W10 and S19 models are now available for orders and shipping. NVR4X Standard 16TB W10 and S16 models have effectively sold out and officially EoL'ed.
- 2022-10-26 : ENVR2 PLUS Appliance, the second generation of ES Appliances, is now available for orders and shipping.
- 2022-09-22 : Prior gen (NVR4 and RM5) workstations are now re-opened in North America while quantities last, at a 13.42% MSRP discount to current gen workstations. All NVR4 and RM5 workstations come with NVIDIA graphics cards.
- 2022-08-22 : NVR5 Premium (96TB-224TB) accessories are now available for orders and shipping.
- 2022-08-22 : NVR5 Premium (252TB-432TB) High-Density Model accessories are now available for orders and shipping.
- 2022-08-04 : NVR4 VAL SKUs, which were missed in the Jul 5 price increase, have now been increased by 6%.
- 2022-08-04 : NVR4X PRM (64TB, 96TB) North America SKUs are now re-opened for price listing, quoting, ordering and shipping while quantities last.
- 2022-07-18 : NVR5 STD (32TB, 48TB, 64TB) is now open for price listing, quoting, ordering and shipping.
- 2022-07-05 : Effective Jul. 5, 2022, in all currencies, Motorola Solutions is increasing prices by 6% on all fixed video products due to rising costs. This price increase does not apply to any software-related products, Motorola Solutions' Concealed Weapons Detection solution, body-worn cameras, and any access control products.
- 2022-06-07 : NVR5 Standard 64TB models and accessories are now available for pre-orders.

- 2022-05-27 : NVR5 Premium (96TB-224TB) models are now shipping and available for orders.
- 2022-04-29 : NVR5 Premium (96TB-224TB) models and accessories are now available for pre-orders.
- 2022-04-22 : NVR5 Premium (252TB-432TB) High-Density Model accessories are now available for pre-orders.
- 2022-04-20 : Effective April 20th, the one time registration fee for access to the ACC SDK and SDK Developer Portal Access will be waived.
- 2022-03-07 : Effective Mar. 7, 2022, in all currencies, price increase on all Video security products by ~7%. This price increase does not apply to the Avigilon NVR4X Standard and Premium servers, H4M camera, and Motorola Solutions' VT100 and VB400 body-worn cameras.
- 2022-03-02 : NVR5 Premium (252TB-432TB) High-Density Models are now shipping and available for orders.
- 2021-10-20 : AI NVR Premium is now available for pre-order.
- 2021-05-18 : Effective July 4, 2021, Avigilon is increasing prices in all currencies by 2% on video products to help offset a portion of increased supply chain costs
  
- 2021-05-05 : IP Horn Speaker (ACC-SPEAKER) added to pricelist
- 2021-05-05 : AI Appliance 2 now open for pre-orders
- 2021-02-01 : Effective March 1, 2021 increased price to the following accessories. ES-PS-S4, CM-AC-AVIO1, H4-AC-WIFI2-EU
- 2021-01-01 : AI NVR added to the price list.

## Accessories

### Accessories Other

MODEL NUMBER	DESCRIPTION	MSRP \$
D4EU01-16G-SYN	DDR4 ECC MEMORY MODULE SYNOLOGY 16GB	840.00
HAT5310-20TB-SYN	HDD 20TB HAT5310 INTERNAL ENTERPRISE	1,512.00
RS2423RP-SYN	RACK STATION RS2423RP+ 12-BAY NAS	5,247.90

### Body-Worn

MODEL NUMBER	DESCRIPTION	MSRP \$
VT-100-ID-CUS-1000	1000 Custom front panel ID-card for the VT-100 camera	2,300.00
VT-100-ID-CUS-250	250 Custom front panel ID-card for the VT100 camera	1,785.00
VT-100-ID-CUS-5000	5000 Custom front panel ID-card for the VT-100 camera	8,585.00
VT-100-ID-CUS-ART	Artwork creation for custom VT100 front panel ID-card	435.00
VT-100-SOLO	VT100 one-port USB dock, USB cable. Available only for EU, EFTA, US and Canada.	85.00

### Camera

MODEL NUMBER	DESCRIPTION	MSRP \$
AVG-BLKBDY1	Nightingale Blackbody Device	1,927.80
UEWBTA	Parapet or ceiling mounting bracket UK	293.48

### Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
AVO-FE-ACC-KIT	Install Accy Kit for Fisheye Dome	15.75
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	19.44
CM-AC-FERR1	Ferrite clamp, for use with H4 Multisensor aux power cable to meet EN-50121-4 compliance. Pack of 5.	29.74
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	18.90
H6SL-MT-NPTA1	NPT Adapter for H6SL Dome Cameras	45.15
HD-LP-PS-A	Replacement Power Supply for JPEG2000 LPR Kits	1,003.60
NPTA-1001	1.5 inch NPT Adapter for Large Pendant Mount Camera	68.95
PLMT-1001	POLE MOUNT FOR LRGE PENDT WLMT-1001	120.75
PPMNT-2001	Parapet Wall Arm Mount Large for Outdoor Pendant Camera	577.50
RFMNT-1001	Rooftop Arm Mount for Outdoor Pendant Camera	806.40

RFMNT-2001	Rooftop Arm Mount Large for Outdoor Pendant Camera	848.40
SM-FJB-AW-3991	SMR Fixed J Box Pantone 427C 2-003991	240.00
SM-SJB-AW-3398	SMR Swivel J Box Pantone 427C 2-003398	371.74
WLMT-1001	Wall Mount for large pendant camera	127.39
WLMT-1021	Mount, Pendant Arm, 20cm Long, 1.5 NPT	110.25

## Encoder

MODEL NUMBER	DESCRIPTION	MSRP \$
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	427.47
ENC-BRK1U	1U Rack Mout Shelf for three Avigilon Analog Video Encoders	68.14
H264ENC-WARR-EXTEND-1YR	Extended Warranty for Analog Video Encoder, 1 year extension	42.51
H264ENC-WARR-EXTEND-2YR	Extended Warranty for Analog Video Encoder, 2 years extension	79.83

## Housings

MODEL NUMBER	DESCRIPTION	MSRP \$
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	400.86
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	607.36
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	273.32
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	504.12
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	182.21
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features and supplies PoE power to camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Not compatible with H5 Pro cameras.	285.46
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	139.69
ES-HD-MNT-CORNER	Corner mount adapter. Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	78.96
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosure.	133.61
ES-HD-MNT-PLATE	Wall reinforcing wall plate, compatible with wVideo arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	48.59
ES-HD-MNT-POLE-LG	Large pole mount for pole diameter 210mm (8.2 in) to 225mm (8.85 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE.	194.36
ES-HD-MNT-POLE-MD	Medium pole mount for pole diameter 80mm (3 in) to 150mm (5.9 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or	230.80

ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE. Up to two mounting positions.

ES-HD-MNT-POLE-SM	SmVideo pole mount for pole diameter 60mm (2.5 in) to 110mm (4.3 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures Up to two mounting positions.	91.11
ES-HD-MNT-WBLA	Ball Joint Wall Arm for ES-HD-HS-XL	983.92
HGV52K2A200	HGV house 520 sld 3 fan heat wipe 24Vac	1,855.59

## Lighting

MODEL NUMBER	DESCRIPTION	MSRP \$
AVUEI8AAP	Long distance IR illuminator 850nm	342.67

## Mount / Bracket

MODEL NUMBER	DESCRIPTION	MSRP \$
H6M-MT-NPTA1	MOUNT, Pendant Adapter, Grey, Odr, H6M	42.90
APD-MT-WALL1	Optional wall or corner Mount for Avigilon Presence Detector	9.90
CRNMT-1001	CORNER MNT FOR LRGE PENDT WLMT-1001	152.25
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	85.03
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-Wall1, H4-BO-JBOX1, H4SL, H4F, H4 PTZ, H4 IR PTZ and H4 Multisensor cameras.	120.75
H6M-MT-NPTA2	MOUNT, Pendant Adapter, Grey, Odr, H6M	52.50
JBOX-1201	Junction Box for Dual Head Cameras	110.25
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-Wall, H3-BO-JB or HD Bullet Camera	111.51
MSI-NPTCON-1001	ADAPTOR, 1-1/2" x 1/2" NPT Male	120.75
NPTA-1201	1.5 inch NPT Adapter for Dual Head Cameras	73.50
PPMNT-1001	Parapet Wall Arm Mount for Outdoor Pendant Cameras	520.80
WLMT-1031	Universal Wall Arm Mount, 30cm, 1.5 NPT Adapter.	110.25

## Storage Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
IDRAC9-ENT-UPG-V2	iDRAC9 Enterprise upgrade (Chassis generation specific) for NVR6/AINVR2X Value and AI Appliance 2X Form D.	813.75
NVR-FORM-D-KYD-WARR-5YR	5 Yr Keep Your Drive Wty,NVR FORM D	1,214.85
NVR-FORM-D-SINGLE-POWERCORD-C13-AU	Power cord, regional variant from options below (XX=NA/EU/UK/AU). Must be with a C13-compatible NVR/AINVR FORM D model or PSU on the same order.	147.00
NVR-FORM-D-SINGLE-POWERCORD-C13-EU	Power cord, regional variant from options below (XX=NA/EU/UK/AU). Must be with a C13-compatible NVR/AINVR FORM D model or PSU on the same order.	147.00
NVR-FORM-D-SINGLE-POWERCORD-C13-NA	Power cord, regional variant from options below (XX=NA/EU/UK/AU). Must be with a C13-compatible NVR/AINVR FORM D model or PSU on the same order.	147.00

NVR-FORM-D-SINGLE-POWERCORD-C13-UK	Power cord, regional variant from options below (XX=NA/EU/UK/AU). Must be with a C13-compatible NVR/AINVR FORM D model or PSU on the same order.	147.00
NVR4/4X/5/6-FORM-D-S22-UPG	Windows Server 2022 Upgrade kit for FORM D NVR 4/4X/5/6 Value, Standard, and Preimum. USB with upgrade software and Windows License	1,900.50
NVR5-FORM-H-S22-UPG	Windows Server 2022 Upgrade kit for FORM H NVR 5 Preimum. USB with upgrade software and Windows License.	1,900.50
NVR6-AINVR2X-VAL-FORM-D-ANK	Analytics Kit for NVR6/AINVR2X VAL FORM D.	739.20
NVR6-AINVR2X-VAL-FORM-D-KYD-WARR-5YR	5-year Keep-Your-Drive Warranty Upgrade. Must be with NVR6/AINVR2X-VAL-FORM-D-xTB-C13-C14 on the same order.	1,214.85
NVR6-AINVR2X-VAL-FORM-D-PSU-600W-C13-C14	600 W Hot Plug/Swappable Power Supply Kit for NVR6/AINVR2X Value Form D, includes 1 x C13/C14 power cord.	691.95
NVR6-AINVR2X-VAL-FORM-D-WARR-5Y4HMC	5-year 4-Hour-Mission-Critical Warranty Upgrade. Must be purchased with NVR6/AINVR2X-VAL-FORM-D-xTB-C13-C14 and NVR6-AINVR2X-VAL-FORM-D-WARR-EXTEND-2YR on the same order.	1,701.00
NVR6-AINVR2X-VAL-FORM-D-WARR-EXTEND-2YR	2-year Extended Warranty Upgrade. Must be purchased with NVR6/AINVR2X-VAL-FORM-D-xTB-C13-C14 on the same order.	4,497.15
PS-180W-ENVR1-8P	Power Supply for ES 8-Port Appliance, 180W	173.69

## Transmission

MODEL NUMBER	DESCRIPTION	MSRP \$
EX1	Single port 100Mbps POE Extender for extending Cat 5 beyond the 100m cable limit.	377.79
PD-9501GR/AC-NA-MSI	PoE+ Single port injector 60W with North American power cord	177.00
POE-INJ2-60W-NA	Indoor single port Gigabit PoE++ 60W, North American power cord included. May also be used in European Union, Japan, Australia, New Zealand, Mexico, China, South Korea, Russia, Argentina, Saudi Arabia, Kuwait, UAE and Brazil. Temperature range of the PoE injector is -10C to +45C (14 °F to 113 °F). When used with the H4 IR PTZ, the camera will operate in a reduced temperature range from -10 °C to +50 °C (14 °F to 122 °F).	185.85
POE-INJ2-95W-NA	Indoor single Port PoE Injector Gigabit, 95W, NA power cord, for use with H4IR PTZ - indoor installation rated. Temperature range of the PoE injector is -10C to +45C. Compatible with power cord with C13 on one side and with country specific plug on the other side. Countries supported: USA, Canada, Mexico, Puerto Rico, Aruba, Trinidad,Tobago, United Kingdom, France, Germany, Portugal, Spain, Italy, Iceland, Ireland, Switzerland, Denmark, Finland, Poland, Norway, Belgium, Croatia, Slovenia, Georgia, Australia, New Zealand, Cyprus, Jordan, Qatar, Qatar, Bahrain, Utd. Arab Emirate, Chile, Colombia, Bolivia, Costa Rica, Honduras, Panama, Paraguay, Brazil, Sierra Leone, Zambia, Namibia, Ghana, Mauritius, Vietnam, Thailand, Philippines, Fiji, Pap. New Guinea	495.61
POE-INJ2-STD-AU	Indoor single port Gigabit 802.3af PoE injector, Class 3 - AU power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	86.74
POE-INJ2-STD-NA	Indoor single port Gigabit 802.3af PoE injector, Class 3 - NA power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	86.74
POE-INJ2-STD-UK	Indoor single port Gigabit 802.3af PoE injector, Class 3 - UK power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	86.74
POE60U-1BTE	Gigabit 802.3bt 60 W PoE Injector, Indoor, single port	185.85
POE90U-1BT	PoE injector 802.3bt 90W Single Port	299.97
POEA30U-1ATE-M-R-AU-MSI	PoE+ Single port injector 30W with Australian power cord	104.01
POEA30U-1ATE-M-R-EU-MSI	PoE+ Single port injector 30W with European power cord	104.01
POEA30U-1ATE-M-R-NA-MSI	PoE+ Single port injector 30W with North American power cord	104.01
POEA30U-1ATE-M-R-UK-MSI	PoE+ Single port injector 30W with United Kingdom power cord	104.01
CBS350-24FP-4G-EU	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - EU	2,459.23
CBS350-24FP-4G-NA	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - NA	2,459.23

CBS350-24FP-4G-UK	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - UK	2,459.23
CBS350-8FP-E-2G-UK	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - UK	964.64
ES-PS-S4-NPC	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°F), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. No power cord. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,905.46
SM24TAT2SA-NA	26-Port Gigabit Managed Switch (24) PoE+ budget 370W, (2) SFP - NA	1,686.20
SM8TAT2SA-NA	10-Port Gigabit Managed Switch (8) PoE+ budget 130W, (2) SFP - NA	851.44

## Other

MODEL NUMBER	DESCRIPTION	MSRP \$
AC136-NA-AVO	Z-Wave panic button sensor, battery powered, (908.4 MHz)	60.00
ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting. Normal pick-up pattern is approximately 15' from the microphone location, all directions, or within 30' diameter circle. No wiring or plug is provided with the microphone, Avigilon HD Dome Cameras and Analog Encoders with Audio use a 3.5mm plug.	361.80
ACC-SPEAKER-2	IP Horn Speaker that integrates with ACC.	756.00
ACC-SPEAKER-POLE-BANDS	Pair of pole bands for ACC Speaker	47.64
ACC-SPLIT	POE Splitter for Camera Installation, allows the camera to be powered by the network's POE while opening a direct connection to a laptop for image display.	91.11
AS3-21H2-W10UPG	KIT, Upgrade HDVA3 Windows 10 21H2	231.43
AS3X-S19-UPG	KIT, Upgrade HDVA3X Windows Server 2019	1,726.82
AVOUESUN04	Sunshield	39.32
AVOUEWIPER	Wiper blade	34.83
AVSURGEPR	Lightning surge protector	223.58
AVWASPT3V23L30M00	Water tank 23l 120Vac	1,724.57
CAM-FIPS	FIPS Camera license	11.46
CBLKIT-1011	USB C to USB A female cable	6.30
CNBX-1001	Conduit entry gang box vandal resistant white for corner camera accepts 1/2 and 3/4 inch conduit	141.72
DCLPNL-1001	Metal ceiling panel for dome camera installations in suspended ceilings	117.72
DINPS-240W-RPA-RGD-8P	Din Mount Power Supply for ES 8-Port Rugged Appliance, 24VDC, 240W	123.90
GROM-1001	Camera sealing grommet, pack of 10	18.96
GROM-1011	Pipe grommet, pack of 10	18.90
H4A-WARR-EXTEND-1YR	Extended Warranty for H4A box, dome and bullet cameras, 1 year extension	125.11
H4A-WARR-EXTEND-2YR	Extended Warranty for H4A box, dome and bullet cameras, 2 years extension	249.02
H4AES-WARR-EXTEND-1YR	Extended Warranty for H4A ES box, dome and bullet cameras, 1 year extension	167.63
H4AES-WARR-EXTEND-2YR	Extended Warranty for H4A ES box, dome and bullet cameras, 2 years extension	335.26
H4SL-WARR-EXTEND-1YR	Extended Warranty for H4SL dome and bullet cameras, 1 year extension	59.52
H4SL-WARR-EXTEND-2YR	Extended Warranty for H4SL dome and bullet cameras, 2 years extension	113.38
HD-NVR-KYD-WARR-1YR	1 Year Keep Your Drive Warranty, All NVR Models	406.94
HD-NVR-KYD-WARR-2YR	2 Year Keep Your Drive Warranty, All NVR Models	607.36

HD-NVR-KYD-WARR-3YR	3 Year Keep Your Drive Warranty, All NVR Models	807.80
HD-NVR-KYD-WARR-4YR	4 Year Keep Your Drive Warranty, All NVR Models	1,014.30
HD-NVR-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR1	4,505.21
HD-NVR2-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR2	3,398.86
HD-NVRWS-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-NVRWS	869.75
HD-NVRWS3-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-NVRWS3	869.75
HD-RMWS-2MN-WARR-EXTEND-2YR	2 Year Warranty Extension for 2MN-HD-RMWS	869.75
HD-RMWS-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for 4MN-HD-RMWS	789.57
HD-RMWS3-2MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS3-2MN	869.75
HD-RMWS3-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS3-4MN	789.57
HD-RMWS4-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS4-4MN	789.57
PS-220W-RPA-RGD-8P-AU	Power Supply for ES 8-Port Rugged Appliance with an Australian power cord, 220W	359.32
PS-220W-RPA-RGD-8P-EU	Power Supply for ES 8-Port Rugged Appliance with an European power cord, 220W	359.32
PS-220W-RPA-RGD-8P-NA	Power Supply for ES 8-Port Rugged Appliance with an North American power cord, 220W	359.32
PS-220W-RPA-RGD-8P-UK	Power Supply for ES 8-Port Rugged Appliance with an United Kingdom power cord, 220W	359.32
PS-270W-AS3-8P	Power Supply for HDVA3 8-Port, 270W	284.97
PS-920W-AS3-16/24P	Power Supply for HDVA3 16/24-Port, 920W	514.20
RAILS-B-AS3-16/24P	Mounting Rails for HDVA3 16/24-Port	80.54
RM6-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for RM6 Workstations	468.03
RM7-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for RM7 Workstations	468.03
RMS1U-B-AS3-8P	1U Rack mount shelf for HDVA3 8-port. Adjustable to fit 641mm to 910mm rack depth.	167.26
RMS1U-ENVR2-8P	Rack mount installation kit	392.70
SM810-NA-AVO	Z-Wave door/window contact sensor, battery powered, (908.4 MHz)	64.00
SP816-NA-AVO	Z-Wave outdoor motion sensor, battery powered, (908.4 MHz)	74.00
SP817-NA-AVO	Z-Wave indoor motion sensor, battery powered, (908.4 MHz)	71.00
SSD-2TB-RPA-RGD	2TB Solid State Drive for VMA-RPA-RGD-8P2	1,374.56
SSD-4TB-RPA-RGD	4TB Solid State Drive for VMA-RPA-RGD-8P4	2,893.80
USB-AC56-EU-MSI-B	Camera Install Kit WiFi USB Adapter EU	189.00
USB-AC56-NA-MSI	USB Wi-Fi dongle for camera configuration, North America	178.50
USB-AC56-NA-MSI-B	Camera Install Kit WiFi USB Adapter NA	189.00
VMA-AS3-24P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 24-Port	607.36
VMA-AS3-24P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 24-Port	1,166.13
VMA-AS3-ANK	Analytics Kit for Appearance Search and Face Recognition, HDVA3 16/24-port	1,214.24
VMA-AS3-HDD02	HDVA3 2TB Hard Drive for VMA-AS3-8P2, VMA-AS3-16P06	210.64
VMA-AS3-HDD04	HDVA3 4TB Hard Drive for VMA-AS3-8P4, VMA-AS3-16P12, VMA-AS3-24P12	334.53
VMA-AS3-HDD06	HDVA3 6TB Hard Drive for VMA-AS3-24P18	477.03
VMA-AS3-HDD08	HDVA3 8TB Hard Drive for VMA-AS3-8P8, VMA-AS3-24P24	613.32
VMA-AS3X-IPMI	HD Video Appliance 3X IPMI Module	208.95
VMA-ENVR1-8P-WARR-EXTEND-2YR	Can be applied to VMA-ENVR1-8Px, VMA-ENVR1-8PxA, or VMA-ENVR1-8PxB	485.89

## Body-Worn Cameras

### Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
DC-200-24MW	Warranty: +24 months warranty for DC-200	260.00
RF-220-12MW	Warranty: +12 Months warranty for RF-220	130.00
RF-220-24MW	Warranty: +24 Months warranty for RF-220	230.00

### Body-Worn Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-LANYARD-05	Lanyard for Body-worn cameras	10.00
DC-200-12MW	12 Month Warranty for DC-200	160.00
DC-200-US	DockController DC-200, PSU, US power & LAN cable.Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
DC-200/US	DockController DC-200, PSU, US power & LAN cable.Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
KF-HARN5	Klick Fast shoulder harness. For use with body worn cameras.	60.00
KF-LOOP	Klick Fast radio loop dock. For use with body worn cameras.	25.00
KF-MAGMOUNT2	Klick Fast Magnetic Mounting Set (w/Magnets)	60.00
KF-MOLLEVEST	Klick Fast Dock for MOLLE vests. For use with body worn cameras.	25.00
RF-220	RFID RF-220 reader & base (MIFARE,MULTI-ISO, and LF). For use with body worn cameras.	725.00
RF-CARD-10	10x RFID plastic cards. For use with body worn cameras.	20.00
RF-STICKER-10	10x RFID sticker-style tags. For use with body worn cameras.	15.00
VB-400-DOCK14-24MW	24 Month Additional Warranty for VB-400-DOCK14	250.00
VB-400-DOCK14-US	VB400 14-Port Dock with US power cable	800.00
VB-400-DOCK14/US	VB400 14-Port Dock with US power cable	800.00
VB-400-ID-CUS-1000	1000 Custom front-button sticker for VB-400 camera	1,010.00
VB-400-ID-CUS-5000	5000 Custom front-button sticker for the VB-400 camera	1,335.00
VB-400-QR-KFSTUD	Klick Fast Quick Release Stud for VB-440-64-QR-N	25.00
VB-400-QR-KFTILT	VB-400 Tilting KlickFast for QR base	35.00
VB-400-QR-KFTILT2	Klick Fast Quick Release Wide Tilt Mount for VB-440-64-QR-N	60.00
VB-400-QR-SPORT	VB-400 Sports Camera fitting for QR base	25.00
VB-YA-HA-1	Holster Aware sensor fixing kit 1-off	500.00
VB-YA-HA-12MW-1	Holster Aware Additional 12m warranty	75.00
VB-YA-HA-24MW-1	Holster Aware Additional 24m warranty	130.00

## General

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-M-1-NAM	Licence: 1x VideoMgr Mseries include FIPS	400.00
VM-ESA-VB-36M-1	Additional 36 months of Software Assurance for 1x VM-EPL-VB	195.00

## Software

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-VB-1-NAM	Licence 1xVM for VB inc ONStream, FIPS	400.00
VM-EPL-VT-1-N	Licence: 1x VideoManager for VideoTag	220.00

## VB400

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-400-DOCK14-12MW	12 Month Additional Warranty for VB400-DOCK14	130.00
VB-400-EXT-CHARGE	USB Type-A to VB400 cable including VB400 adaptor	75.00
VB-400-ID-CUS-250	Custom VB400 Front-button Stickers (250)	665.00
VB-400-ID-CUS-ART	Custom VB400 Front button Sticker Design	435.00
VB-400-SOLO-12MW	12 Month Additional Warranty for VB-400-DOCK-SOLO	35.00
VB-400-SOLO-24MW	Warranty: +24 Months warranty for VB-400-SOLO	60.00
VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	640.00
VB-440-64-QR-N	VB400 Body-worn camera with QuickRelease Mount	640.00

## VT100

MODEL NUMBER	DESCRIPTION	MSRP \$
VT-100-DOCK14-AUS	VT100 series 14-port USB dock, PSU, AUS cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	800.00
VT-100-DOCK14-EU	VT100 series 14-port USB dock, PSU, EU cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	800.00
VT-100-DOCK14-ROW	VT100 series 14-port USB dock, PSU, no cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	800.00
VT-100-DOCK14-UK	VT100 series 14-port USB dock, PSU, UK cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	800.00
VT-100-DOCK14-US	VT100 series 14-port USB dock, PSU, US cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	800.00
VT-100-DOCK7-UK	VT100 series 7-port USB dock, PSU, UK cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	525.00

## Camera Body-Worn

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-USB-DOCK-050	USB Cable for Body-worn cameras	25.00
AC-USB-DOCK-200	USB Cable for Body-worn cameras	25.00
AC-USB-MICROB-100	USB Cable for Body-worn cameras	30.00
KF-CLAMP MOUNT	Klick Fast clamp mount	59.00
KF-DOCK05BVELCRO	Klick Fast Belt Loop	25.00
KF-DOCKBUTTONF	Klick Fast Button Dock Female	20.00
KF-DOCKBUTTONM	Klick Fast Button Dock Male	20.00
KF-DOCKCLAMP	Klick Fast Dock Clamp (pocket klick fast dock). For use with body worn cameras.	35.00
KF-DOCKCROCCLAT	Klick Fast Crocodile clip with Anti-Tilt Attachment	30.00
KF-DOCKCROCCCLIP	Klick Fast crocodile clip	25.00
KF-DOCKEP	Klick Fast Dock Epaulette (epaulette klickfast dock)	25.00
KF-DOCKRUCKSACK	Klick Fast Rucksack Dock	20.00
KF-HARN3	Klick Fast 3-point chest harness	60.00
KF-HARN4	Klick Fast 4-point chest harness	60.00
KF-QUADMOLLE	Klick Fast Quad MOLLE Dock	25.00
KF-SCREW	Klick Fast uniform screw-on dock. For use with body worn cameras.	25.00
VB-YA-HA-100	Holster Aware sensor fixing kit 100-off	41,250.00
VB-YA-HA-1000	Holster Aware sensor fixing kit 1000-off	332,500.00
VB-YA-HA-PRIMER	Spare fixing primer for Holster Aware	40.00
DC-200-AUS	DockController DC-200, PSU, AUS power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with	720.00
DC-200-EU	DockController DC-200, PSU, EU power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
DC-200-ROW	DockController DC-200, PSU, LAN cable, no power cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
VB-400-12MW-N	12 Month Additional Warranty for VB-400 Body-worn camera	145.00
VB-400-24MW-N	24 Month Additional Warranty for VB-400 Body-worn camera	250.00
VB-400-DOCK-SOLO	VB400 1-Port Dock	85.00
VB-400-DOCK14/AUS	VB400 14-Port Dock with AUS power cable	800.00
VB-400-DOCK14/EU	VB400 14-Port Dock with EU power cable	800.00
VB-400-DOCK14/ROW	VB400 14-Port Dock with no power cable	800.00
VB-400-DOCK14/UK	VB400 14-Port Dock with UK power cable	800.00
DC-200-UK	DockController DC-200, PSU, UK power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
VM-EPL-3PVMS	3rd party VMS support for VideoManager	6,250.00
VM-EPL-FIPS	VideoManager FIPS license	1,000.00
VM-EPL-HQ-BASE	VideoManager for Head-quarters - Base	3,750.00
VM-EPL-HQ-PRO	VideoManager for Head-quarters - Pro	47,000.00
VM-EPL-STORE-1TB	VideoManager object storage access license, 1TB	800.00

VM-EPL-VB-1-N	Licence: 1x VideoManager for VB camera	400.00
VM-EPL-VB-CONNECT-1	Licence: 1x VideoManager CONNECT license for VB400 body-worn camera	325.00
VM-EPL-VB-CONNECT-TO-PLUS-1	Licence: 1x VideoManager UPGRADE license for VB400 body-worn camera	125.00
VM-EPL-VB-PLUS-1	Licence: 1x VideoManager PLUS license for VB400 body-worn camera	415.00
VM-EPL-VT-CONNECT-1	Licence: 1x VM Connect for VT100	190.00
VM-EPL-VT-CONNECT-TO-PLUS-1	Licence: 1x Upg. to VM Plus for VT100	50.00
VM-EPL-VT-PLUS-1	Licence: 1x VM Plus for VT100	225.00
VM-ESA-3PVMS-12M	SW Assurance: +12 m for VideoManager 3rd-party VMS	1,250.00
VM-ESA-3PVMS-24M	SW Assurance: +24 m for VideoManager 3rd-party VMS	2,200.00
VM-ESA-FIPS-12M	SW Assurance add 12 months for VM FIPS	200.00
VM-ESA-FIPS-24M	SW Assurance add 24 months for VM FIPS	370.00
VM-ESA-HQ-BASE-12M	SW Assurance: +12 m for VideoManager HQ Base	800.00
VM-ESA-HQ-BASE-24M	SW Assurance: +24 m for VideoManager HQ Base	1,400.00
VM-ESA-HQ-BASE-48M	SW Assurance add 48 months for HQ Base	2,400.00
VM-ESA-HQ-PRO-12M	SW Assurance: +12 m VideoManager HQ Pro	9,400.00
VM-ESA-HQ-PRO-24M	SW Assurance: +24 m VideoManager HQ Pro	16,500.00
VM-ESA-MIDTIER-12M	SW Assurance: +12 m for VM-EPL-MIDTIER	1,250.00
VM-ESA-STORE1TB12M	SW Assurance: +12 m for VideoManager ObjectStorage 1Tb	190.00
VM-ESA-VB-12M-1	Additional 12 months of Software Assurance for VideoManager (VB400)	85.00
VM-ESA-VB-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VB license	145.00
VM-ESA-VB-48M	SW Assurance: add 48 months 1 VB licence	245.00
VM-ESA-VT-12M-1	SW Assurance: +12 mnths for 1x VM-EPL-VT	50.00
VM-ESA-VT-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VT license	75.00
VB-400-VF-MAG	Close-Fit Magnetic Mount for VB-440-64-VF-N	35.00
VB-400-VF-MOL2	Close-Fit Double MOLLE Mount for VB-440-64-VF-N	70.00
VB-440-64-VF-N	VB400 Close Fit Body-worn camera	640.00
VB-440-64-KF-N	VB400 Klick Fast Stud Body-worn camera	640.00
V500-SD10-EU	10 pocket V500 smart dock, PSU, EU power	1,590.00
VT-100-12MW-N	Warranty: +12 mnths for 1x VT100	130.00
VT-100-24MW-N	Warranty: +24 months warranty for VT100	230.00
VT-100-DOCK14-12MW	Warranty: +12 mnths for VT-100-DOCK14	130.00
VT-100-DOCK14-24MW	Warranty: +24 Months warranty for VT-100-DOCK14	215.00
VT-100-FIX-ALIG	VT100 series rotatable long Videogator clip	20.00
VT-100-FIX-EP	VT100 series epaulette mount	25.00
VT-100-FIX-KF-ALT	VT100 series Klick Fast stud	20.00
VT-100-FIX-SPORT	VT-100 series sports camera pillar	25.00
VT-100-N	Body-worn VT100 camera. Available only for EFTA, US, Australia, New Zealand and Canada.	370.00
VT-100-SOLO-12MW	Warranty: +12 Months warranty for VT-100-SOLO	35.00
VT-100-SOLO-24MW	Warranty: +24 Months warranty for VT-100-SOLO	60.00

**Box**

MODEL NUMBER	DESCRIPTION	MSRP \$
--------------	-------------	---------

LEF1506005TA	Tamron 150-600mm f/5-6.3 VC G2 Lens for Pro Camera	3,189.26
LEF163528CA2	Canon 16-35mm f/2.8 Lens for Pro Cameras	4,858.92
LEF20028CA	Canon 200mm f/2.8 lens. Compatible with Video H4 Pro cameras.	2,333.00
LEF247028TA2	Tamron 24-70mm f/2.8 VC Lens for Pro Cameras	2,731.94
LEF3514TA	Tamron 35mm f/1.4 Lens for Pro Cameras	2,047.17
LEF5018CA2	Canon 50mm f/1.8 lens. Compatible with Video H4 Pro cameras.	388.72
LEF7020028CA3	Canon 70-200mm f/2.8 III Lens	3,984.75
LEF7030040CA	Canon 70-300mm f/4-f/5.6 Lens. Compatible with Video H4 Pro Cameras.	1,373.12
LEFS183518SI	Sigma 18-35mm f/1.8 Lens for Pro Cameras. The lens is only compatible with 8-16MP H4 Pro cameras or 8-26MP H5 Pro cameras.	1,867.88
RLEF20028CA	Refurbished Canon 200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	1,138.20
RLEF7020028CA	Refurbished Canon 70-200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	1,898.31
AG3Z2812KCS-MPWIR-MSI	LENS, CS, 2.8-8.5mm f1.2, 1/2.8, 6MP	241.50
AG3Z2812TCS-MPWIR-MSI	LENS, iCS, 2.8-8.5mm f1.2, 1/2.8, 6MP	318.15
EG3Z3915KCS-MPWIR-MSI	LENS, CS, 3.9-10mm f1.5, 1/1.8, 4K	273.00
EG3Z3915TCS-MPWIR-MSI	LENS, iCS, 3.9-10mm f1.5, 1/1.8, 4K	399.00
EG6Z0915TCS-MPWIR-MSI	LENS, iCS, 9-50mm f1.5, 1/1.8, 4K	598.50
FG50020P.IR-MSI	LENS, CS, 3.4-9.85mm f1.86, 1/2.7, 5MP	126.00
H4PRO-WARR-EXTEND-1YR	Extended Warranty for H4 Pro camera, 1 year extension	660.81
H4PRO-WARR-EXTEND-2YR	Extended Warranty for H4 Pro camera, 2 years extension	1,321.91
HV03610P.IR-MSI	LENS, CS, 4.3-9.6mm f1.8, 1/1.8, 4K	178.50
M117VG3817IR-MSI	LENS, CS, 3.8-17mm f1.4, 1/1.7, 4K	336.00
M13VG2713IR-MSI	LENS, CS, 2.7-13mm f1.4, 1/2.7, 3MP	157.50
SL1250P-MSI	LENS, CS, 12-50mm f1.8, 1/1.7, 4K	357.00
SL183A-MSI	LENS, CS, 1.8-3mm f1.8, 1/2.7, 5MP	381.15
SL940P-MSI	LENS, CS, 9-40mm f1.5, 1/2.7, 5MP	381.15
16C-H5PRO-B	5K (16 MP) H5 Pro Camera. Lens and housing not included.	9,292.67
26C-H5PRO-B	6.25K (26 MP) H5 Pro Camera. Lens and housing not included.	11,151.20
40C-H5PRO-B	8K (40 MP) H5 Pro Camera. Lens and housing not included.	13,629.25
61C-H5PRO-B	10K (61 MP) H5 Pro Camera. Lens and housing not included.	18,585.35
8C-H5PRO-B	4K (8 MP) H5 Pro Camera. Lens and housing not included.	3,717.06
2.0C-H6X-B	2MP H6X Box Camera Compatible with CS/iCS Lens	935.82
4.0C-H6X-B	4MP H6X Box Camera Compatible with CS/iCS Lens	1,212.76
6.0C-H6X-B	6MP H6X Box Camera Compatible with CS/iCS Lens	1,378.92
8.0C-H6X-B	8MP H6X Box Camera Compatible with CS/iCS Lens	1,628.17
2.0C-H5A-B1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Next-Generation Analytics	1,046.98

## Bullet

MODEL NUMBER	DESCRIPTION	MSRP \$
H4-BO-DEMO1	Replacement H5A, H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	6.18

H4-BO-JBOX1	Junction box for the H5A Bullet, H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	111.51
H4A-BO-SHLD1	Replacement sun shield for H5A bullet cameras, H4A bullet cameras and H4 Thermal Cameras.	18.58
H4SL-BO-SHLD1	Replacement Sunshield of H5SL/H4SL Bullet Cameras	12.39
H6A-BO-SHLD1	H6A, Bullet weathershield	37.80
H6A-BO2-SHLD1	H6A, Long Bullet weathershield	37.80
2.0C-H5A-BO2-IR	2.0 MP (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	1,288.83
2.0C-H6A-BO1-IR	2MP H6A Bullet IR Camera with 2.8-12mm Lens	1,357.70
2.0C-H6A-BO2-IR	2MP H6A Bullet IR Camera with 33x Zoom	1,667.87
4.0C-H6A-BO1-IR	4MP H6A Bullet IR Camera with 4.4-9.3mm Lens	1,634.64
4.0C-H6A-BO2-IR	4MP H6A Bullet IR Camera with 31x Zoom	1,944.81
4.0C-H6X-BO1-IR	4MP H6X Bullet IR Camera with 4.4-9.3mm Lens	1,634.64
4.0C-H6X-BO2-IR	4MP H6X Bullet IR Camera with 31x Zoom	2,193.67
4.0C-H6XP-BO1-IR-NA	4MP H6XP Outdoor IR Bullet Camera with 4.4-9.3mm Lens & Z-Wave Hub (908.4 MHz)	1,785.00
6.0C-H6A-BO1-IR	6MP H6A Bullet IR Camera with 4.4-9.3mm Lens	1,800.80
6.0C-H6A-BO2-IR	6MP H6A Bullet IR Camera with 31x Zoom	2,110.97
8.0C-H6A-BO1-IR	8MP H6A Bullet IR Camera with 4.4-9.3mm Lens	2,050.04
8.0C-H6A-BO2-IR	8MP H6A Bullet IR Camera with 31x Zoom	2,360.21
8.0C-H6X-BO1-IR	8MP H6X Bullet IR Camera with 4.4-9.3mm Lens	2,312.37
8.0C-H6X-BO2-IR	8MP H6X Bullet IR Camera with 31x Zoom	2,662.23
8.0C-H6XP-BO1-IR-NA	8MP H6XP Outdoor IR Bullet Camera with 4.4-9.3mm Lens & Z-Wave Hub (908.4 MHz)	2,205.00
2.0C-H6SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.4-10.5mm f/1.6, Integrated IR	801.15
3.0C-H6SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.4-10.5mm f/1.6, Integrated IR	895.65
3.0C-H6SL-BO2-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 10.9-29mm f/1.7, Integrated IR	963.90
5.0C-H6SL-BO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.4-10.5mm f/1.6, Integrated IR	1,065.75
5.0C-H6SL-BO2-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 10.9-29mm f/1.7, Integrated IR	1,137.15
8.0C-H6SL-BO1-IR	8.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 4.4-9.3mm f/1.3, Integrated IR	1,324.05

## Corner

MODEL NUMBER	DESCRIPTION	MSRP \$
3.0C-H5A-CR1-IR	H5A, Corner, CRS, 3.0 MP WDR, 3-9mm,IR	1,486.82
3.0C-H5A-CR1-IR-SS	H5A, Corner, SS, 3.0 MP WDR, 3-9mm, IR	1,796.58
3.0C-H5A-CR2-IR	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 3 MP, White Steel	1,335.60
3.0C-H5A-CR2-IR-SS	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 3 MP, Stainless Steel	1,613.85
5.0C-H5A-CR1-IR	H5A, Corner, CRS, 5.0 MP WDR, 3-9mm,IR	1,982.43
5.0C-H5A-CR1-IR-SS	H5A, Corner, SS, 5.0 MP WDR, 3-9mm, IR	2,292.19
5.0C-H5A-CR2-IR	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 5 MP, White Steel	1,780.80
5.0C-H5A-CR2-IR-SS	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 5 MP, Stainless Steel	2,059.05
CR-FFKIT-SS	H5A Corner Front Faceplate replacement Kit Stainless Steel	387.05

## Dome

MODEL NUMBER	DESCRIPTION	MSRP \$
ACMICR-1001	Internal microphone accessory for Dome Cameras	10.50
CLADP-1001	Adapter, In-ceiling, 7.5" Dia, Grey	89.25
CLPNL-1011	Ceiling Panel, 2ft x 2ft, 7.5" Dia, Grey	141.75
CNCVR-1001	Adapter 3/4 inch conduit for 6.1" (156mm) dome camera 5-pack	36.75
DMBBL-1001	Dome bubble replacement, 4.7" Dia	54.60
DMBBL-1011	IR Dome bubble replacement, 4.7" Dia	78.75
DMSBL-1001	Smoked dome bubble, 4.7" Dia	54.60
DMSLD-1001	Weathershield, Large Outdoor Domes	31.50
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	49.56
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	117.72
H3-MC-CLER1	Replacement clear transparent cover, includes dome bubble and gray trim for in-ceiling microdomes.	14.86
H3-MC-CLER1-BL	Replacement clear transparent cover, includes dome bubble and black trim for in-ceiling microdomes.	14.86
H3-MH-NPTA1	Replacement female NPT adapter for use with H3 PTZ H4 PTZ and H3 Multisensor cameras.	30.98
H4-DC-CPNL1	Metal ceiling panel for use with H5A, H4A or H4SL-MT-DCIL1 in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	117.72
H4A-AC-GROM1	Cable sealing grommet for use with H5A/H4A dome cameras, pack of 10	18.96
H4A-DC-CLER1	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and grey camera cover.	49.56
H4A-DC-CLER1-BL	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and black camera cover.	49.56
H4A-DC-SMOK1	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	49.56
H4A-DC-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	49.56
H4A-DD-CLER1	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and grey camera cover.	49.56
H4A-DD-CLER1-BL	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and black camera cover.	49.56
H4A-DD-SDWL1	Replacement sidewall knockout plug for H5A/H4A indoor dome cameras, pack of 5	6.18
H4A-DD-SDWL1-BL	Replacement sidewall knockout plug for H5A/H4A indoor dome cameras, black, pack of 5	6.18
H4A-DD-SMOK1	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	49.56
H4A-DD-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	49.56

H4A-DO-CLER1	Replacement clear transparent cover for H5A/H4A outdoor dome camera. Includes dome bubble and grey camera cover.	74.34
H4A-DP-CLER1	Replacement clear transparent cover for H5A/H4A pendant dome camera. Includes dome bubble and grey camera cover.	74.34
H4A-DP-SMOK1	Replacement smoked transparent cover for H5A/H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	74.34
H4A-MT-NPTA1	NPT adapter for use with H5A/H4A pendant dome cameras	74.34
H4A-MT-WALL1	Wall mount bracket for use with H5A/H4A pendant dome cameras	92.57
H4M-BZL1-BL	Black surface mount bezel for H4M dome cameras, package of 5	34.73
H4M-MT-DSPL	Package of 5 Video plates for H4M dome cameras	34.73
H4M-MT-NPTA1	Pendant mount for H4M dome cameras	34.73
H4M-MT-NPTA1-BL	Pendant mount for H4M dome cameras, Black	34.73
H4M-WARR-EXTEND-1YR	Extended Warranty for H4 Mini Dome cameras, 1 year extension	43.73
H4M-WARR-EXTEND-2YR	Extended Warranty for H4 Mini Dome cameras, 2 years extension	86.25
H4SL-AC-CNID1	Conduit Opening Cover, Grey, 5 pack. For H5SL or H4SL dome cameras.	12.39
H4SL-AC-CNPL1	Conduit Plate, Grey for 1/2" 5 pack. For H5SL or H4SL dome cameras.	18.58
H4SL-AC-CNPL2	Conduit Plate, Grey for 3/4" 5 pack. For H5SL or H4SL dome cameras.	18.58
H4SL-AC-COND1	Conduit Cover, Grey, 5 pack. For H5SL or H4SL dome cameras.	12.39
H4SL-MT-DCIL1	In-Ceiling Adapter for H5SL/H4SL Dome Cameras	37.16
H5M-DO-BZL1	Package of 4 shroud replacement parts for H5M dome cameras	37.16
H5M-MT-DCIL1	In-ceiling mount adapter for H5M dome cameras	37.16
H6A-MT-NPTA1	Pendant adapter, NPT, H6A	63.00
H6M-BZL1-BL	Black surface mount bezel for H6M dome cameras, package of 5	37.31
H6M-BZL1-GRY	Grey surface mount bezel for H6M dome cameras, package of 5	37.31
H6M-MT-DCIL1	In-Ceiling mount for H6M dome cameras	42.91
H6M-MT-DCIL1-BL	In-Ceiling mount for H6M dome cameras, Black	42.91
H6M-MT-NPTA1-BL	Pendant mount for H6M dome cameras, Black	37.31
H6SL-DD-CLER1	Replacement clear come cover for H6SL outdoor dome camera. Includes dome bubble and camera cover	36.75
H6SL-DD-SMOK1	Replacement smoked transparent cover for H6SL outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and camera cover.	36.75
H6SL-DI-CLER1	Replacement clear come cover for H6SL indoor dome camera. Includes dome bubble and camera cover	36.75
H6SL-DI-SMOK1	Replacement smoked transparent cover for H6SL indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and camera cover.	36.75
H6SL-DO-SHLD1	Weather Sheild for H6SL Outdoor Dome Cameras	22.05
MSI-CAMD-GROM-10PK	Rubber grommet cable seal, 10 pack. For H5SL or H4SL dome cameras.	18.58
MSI-LD-0E	COVER, Repl, 50% Smoke, Grey, Odr, Mini	36.75
MSI-LD-1E	COVER, Repl, Clear, Grey, Odr, Mini	36.75
MSI-MT-ECLR	MOUNT, Side Conduit, Odr, Mini	30.00
SLSPCIL-1001	In-ceiling mount for 6.1" (156mm) Dome camera	34.65
2.0C-H5A-DC2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,102.74
6.0C-H5A-DO1	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,530.55
2.0C-H6A-D1	2MP H6A Indoor Dome Camera with 2.8-12mm Lens	991.21
2.0C-H6A-D1-IR	2MP H6A Indoor IR Dome Camera with 2.8-12mm Lens	1,052.87
2.0C-H6A-D2	2MP H6A Indoor Dome Camera with 10.9-29mm Lens	1,040.55

2.0C-H6A-D2-IR	2MP H6A Indoor IR Dome Camera with 10.9-29mm Lens	1,102.21
2.0C-H6A-DO1	2MP H6A Outdoor Dome Camera with 2.8-12mm Lens	1,185.05
2.0C-H6A-DO1-IR	2MP H6A Outdoor IR Dome Camera with 2.8-12mm Lens	1,246.72
2.0C-H6A-DO2	2MP H6A Outdoor Dome Camera with 10.9-29mm Lens	1,234.39
2.0C-H6A-DO2-IR	2MP H6A Outdoor IR Dome Camera with 10.9-29mm Lens	1,296.06
4.0C-H6A-D1	4MP H6A Indoor Dome Camera with 4.4-9.3mm Lens	1,268.15
4.0C-H6A-D1-IR	4MP H6A Indoor IR Dome Camera with 4.4-9.3mm Lens	1,329.80
4.0C-H6A-D2	4MP H6A Indoor Dome Camera with 10.9-29mm Lens	1,317.49
4.0C-H6A-D2-IR	4MP H6A Indoor IR Dome Camera with 10.9-29mm Lens	1,379.14
4.0C-H6A-DO1	4MP H6A Outdoor Dome Camera with 4.4-9.3mm Lens	1,461.99
4.0C-H6A-DO1-IR	4MP H6A Outdoor IR Dome Camera with 4.4-9.3mm Lens	1,523.66
4.0C-H6A-DO2	4MP H6A Outdoor Dome Camera with 10.9-29mm Lens	1,511.33
4.0C-H6A-DO2-IR	4MP H6A Outdoor IR Dome Camera with 10.9-29mm Lens	1,572.99
4.0C-H6X-DO1-IR	4MP H6X Outdoor IR Dome Camera with 4.4-9.3mm Lens	1,523.66
4.0C-H6X-DO2-IR	4MP H6X Outdoor IR Dome Camera with 10.9-29mm Lens	1,572.99
4.0C-H6XP-DO1-IR-NA	4MP H6XP Outdoor IR Dome Camera with 4.4-9.3mm Lens & Z-Wave Hub (908.4 MHz)	1,680.00
4.0C-H6XP-DO2-IR-NA	4MP H6XP Outdoor IR Dome Camera with 10.9-29mm Lens & Z-Wave Hub (908.4 MHz)	1,732.50
6.0C-H6A-D1	6MP H6A Indoor Dome Camera with 4.4-9.3mm Lens	1,434.31
6.0C-H6A-D1-IR	6MP H6A Indoor IR Dome Camera with 4.4-9.3mm Lens	1,495.97
6.0C-H6A-D2	6MP H6A Indoor Dome Camera with 10.9-29mm Lens	1,483.65
6.0C-H6A-D2-IR	6MP H6A Indoor IR Dome Camera with 10.9-29mm Lens	1,545.31
6.0C-H6A-DO1	6MP H6A Outdoor Dome Camera with 4.4-9.3mm Lens	1,628.15
6.0C-H6A-DO1-IR	6MP H6A Outdoor IR Dome Camera with 4.4-9.3mm Lens	1,689.82
6.0C-H6A-DO2	6MP H6A Outdoor Dome Camera with 10.9-29mm Lens	1,677.49
6.0C-H6A-DO2-IR	6MP H6A Outdoor IR Dome Camera with 10.9-29mm Lens	1,739.16
8.0C-H6A-D1	8MP H6A Indoor Dome Camera with 4.4-9.3mm Lens	1,683.56
8.0C-H6A-D1-IR	8MP H6A Indoor IR Dome Camera with 4.4-9.3mm Lens	1,745.22
8.0C-H6A-D2	8MP H6A Indoor Dome Camera with 10.9-29mm Lens	1,732.89
8.0C-H6A-D2-IR	8MP H6A Indoor IR Dome Camera with 10.9-29mm Lens	1,794.56
8.0C-H6A-DO1	8MP H6A Outdoor Dome Camera with 4.4-9.3mm Lens	1,877.40
8.0C-H6A-DO1-IR	8MP H6A Outdoor IR Dome Camera with 4.4-9.3mm Lens	1,939.06
8.0C-H6A-DO2	8MP H6A Outdoor Dome Camera with 10.9-29mm Lens	1,926.74
8.0C-H6A-DO2-IR	8MP H6A Outdoor IR Dome Camera with 10.9-29mm Lens	1,988.40
8.0C-H6X-DO1-IR	8MP H6X Outdoor IR Dome Camera with 4.4-9.3mm Lens	1,939.06
8.0C-H6X-DO2-IR	8MP H6X Outdoor IR Dome Camera with 10.9-29mm Lens	1,988.40
8.0C-H6XP-DO1-IR-NA	8MP H6XP Outdoor IR Dome Camera with 4.4-9.3mm Lens & Z-Wave Hub (908.4 MHz)	2,100.00
8.0C-H6XP-DO2-IR-NA	8MP H6XP Outdoor IR Dome Camera with 10.9-29mm Lens & Z-Wave Hub (908.4 MHz)	2,152.50
2.0C-H6SL-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6	543.90
2.0C-H6SL-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6, Integrated IR	590.10
2.0C-H6SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.4-10.5mm f/1.6, Integrated IR	689.85
3.0C-H6SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6	633.15
3.0C-H6SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6, Integrated IR	680.40
3.0C-H6SL-DO1-IR		784.35

	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.4-10.5mm f/1.6 Integrated IR	
5.0C-H6SL-D1	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6	798.00
5.0C-H6SL-D1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.4-10.5mm f/1.6, Integrated IR	847.35
5.0C-H6SL-DO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.4-10.5mm f/1.6, Integrated IR	954.45
8.0C-H6SL-DO1-IR	8.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 4.4-9.3mm f/1.3, Integrated IR	1,212.75
2.0C-H5M-DO1-IR	2.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 2.8mm f/1.2, IR	495.60
2.0C-H6M-D1-IR	2.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	463.05
2.0C-H6M-DO1-IR	2MP H6M Outdoor Mini-Dome with IR and 3.0mm Lens	459.69
3.0C-H6M-D1	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0	483.04
3.0C-H6M-D1-IR	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	525.34
3.0C-H6M-D2-IR	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.4mm f/2.1, IR	540.92
5.0C-H5M-DO1-IR	5.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 2.8mm f/1.2, IR	619.51
5.0C-H6M-D1-IR	5.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	612.15
5.0C-H6M-D2-IR	5.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.4mm f/2.1, IR	627.73
5.0C-H6M-DO1-IR	5MP H6M Outdoor Mini-Dome with IR and 3.0mm Lens	711.90
4.0C-H5A-DO1-IR	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,415.16
4.0C-H6A-DO1-IR-CD	4MP, H6A Closed Dome	1,599.84
4.0C-H6A-DO2-IR-CD	4MP, H6A Closed Dome	1,651.64
8.0C-H6A-DO1-IR-CD	8MP, H6A Closed Dome	2,036.01
8.0C-H6A-DO2-IR-CD	8MP, H6A Closed Dome	2,087.82

## Explosion proof

MODEL NUMBER	DESCRIPTION	MSRP \$
H5AEX-BO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Bullet camera. Must be purchased at the same time as the camera.	1,239.74
H5AEX-CO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Compact Bullet camera. Must be purchased at the same time as the camera.	747.05
H5AEX-PTZ-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected PTZ camera. Must be purchased at the same time as the camera.	3,401.24

## HD LPR

MODEL NUMBER	DESCRIPTION	MSRP \$
VSF-L6A-7IR	L6A 3MP LPR Camera, 730nm	4,995.00
VSF-L6A-8IR	L6A 3MP LPR Camera, 850nm	4,995.00

## Modular

MODEL NUMBER	DESCRIPTION	MSRP \$
3C-H5MOD-MB2	3MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	277.14
3C-H5MOD-RP4	3MP, H5A Mod, WDR, 3.7mm Fixed Pinhole Lens, f/2.5, Right Angle Imager Module	277.14
5C-H5MOD-MB2	5MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	388.44
BRKTMD-1001	DIN Rail Mount for Modular Camera Main Unit	46.62
BRKTMD-1011	Replacement L Bracket for Modular Camera Microbullet Sensor Head	39.72
BRKTMD-1021	Replacement Flat Bracket for Modular Camera Right Angle Sensor Head	34.85
BRKTMD-1031	Replacement Trimming Bracket for Modular Camera Microbullet Sensor head	32.13
CBL2M-1001	2m (6 ft) HD BNC Cable for Modular Camera	61.22
CBL5M-1001	5m (16 ft) HD BNC Cable for Modular Camera	89.04
H5A-MOD-2P	2 Port H5A Modular Main Unit, Next-Generation Analytics	584.32

## Panoramic

MODEL NUMBER	DESCRIPTION	MSRP \$
12.0C-H6A-FE-360-DO1	CAM, H6F, Outdoor, 12MP, 360, WDR/LL	1,401.75
12.0C-H6A-FE-360-DO1-IR	CAM, H6F, Outdoor, 12MP, 360, WDR/LL, IR	1,470.00
12.0C-H6A-FE-DC1	CAM, H6F, In-Ceiling, 12MP, 360, WDR/LL	1,433.25
8.0C-H6A-FE-180-DO2	CAM, H6F, Outdoor, 8MP, 180, WDR/LL	882.00
8.0C-H6A-FE-180-DO2-IR	CAM, H6F, Outdoor, 8MP, 180, WDR/LL, IR	945.00
8.0C-H6A-FE-360-DO1	CAM, H6F, Outdoor, 8MP, 360, WDR/LL	882.00
8.0C-H6A-FE-360-DO1-IR	CAM, H6F, Outdoor, 8MP, 360, WDR/LL, IR	934.50
8.0C-H6A-FE-DC1	CAM, H6F, In-Ceiling, 8MP, 360, WDR/LL	913.50
12C-H5A-4MH	4X3MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	2,509.50
12C-H5A-4MH-DP1	4X3MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	2,927.99
15C-H5A-3MH	3X5MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	2,419.20
15C-H5A-3MH-DP1	3X5MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	2,837.69
20C-H5A-4MH	4X5MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	2,894.85
20C-H5A-4MH-DP1	4X5MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	3,313.34
24C-H5A-3MH	3X8MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	2,783.55
24C-H5A-3MH-DP1	3X8MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	3,202.04
32C-H5A-4MH	4X8MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	3,324.30
32C-H5A-4MH-DP1	4X8MP, WDR, 360 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	3,742.79
9C-H5A-3MH	3X3MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, Camera Only	2,153.55

9C-H5A-3MH-DP1	3X3MP, WDR, 270 degree max field of view, Lightcatcher, 3.3-5.7MM, with pendant adapter and clear dome cover	2,572.04
180-FE-WG-MT	Wedge wall mount for 180 Fisheye	105.00
CBLKT-1001	Cable kit replacement for for Multi sensor Multi directional cameras	80.64
CLPNL-1001	Ceiling panel metal white 2 ft X 2 ft to replace existing ceiling tile for Multi Sensor Multi directional camera	110.19
DMSLD-1201	Weathershield, Dual Head Cameras	47.25
H4AMH-AD-IRIL1	Optional IR illuminator ring, up to 30m (100ft), for use with H4AMH-DO-COVR1.	408.87
H4AMH-WARR-EXTEND-1YR	Extended Warranty for H4 Multisensor camera, 1 year extension	230.80
H4AMH-WARR-EXTEND-2YR	Extended Warranty for H4 Multisensor camera, 2 years extensions	461.59
H4F-WARR-EXTEND-1YR	Extended Warranty for H4 Fisheye cameras, 1 year extension	106.89
H4F-WARR-EXTEND-2YR	Extended Warranty for H4 Fisheye cameras, 2 years extension	213.80
H5A-FE-DC-CPNL1	Metal ceiling panel for use with H5A Fisheye in-ceiling cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	117.83
H5A-FE-DD-CLER1	Package of 3 replacement dome bubble for H5A Fisheye Dome Camera.	46.44
H5A-FE-MT-NPTA1	NPT Adapter For H5A Fisheye Dome Camera (H5A-FE-DO)	74.34
H5AMH-AD-CEIL1	In-ceiling adapter, must order either a H5AMH-DC-COVR1 or H5AMH-DC-COVR1-SMOKE.	185.85
H5AMH-AD-DOME1	Outdoor surface mount adapter. For use with the Avigilon H5A Multisensor	209.24
H5AMH-AD-PEND1	Outdoor pendant mount adapter. For use with the Avigilon H5A Multisensor	209.24
H5AMH-DC-COVR1	Dome bubble and cover, for in-ceiling mount, clear. For use with the Avigilon H5A Multisensor	92.38
H5AMH-DC-COVR1-SMOKE	Dome bubble and cover, for in-ceiling mount, smoked. For use with the Avigilon H5A Multisensor	92.38
H5AMH-DO-COVR1	Dome bubble and cover, for outdoor surface mount or pendant mount, clear. For use with the Avigilon H5A Multisensor	209.24
H5AMH-DO-COVR1-SMOKE	Dome bubble and cover, for outdoor surface mount or pendant mount, smoked. For use with the Avigilon H5A Multisensor	209.24
H5DH-DO-CLER1	Replacement Indoor/Outdoor Dome Cover for H5A Dual Head Camera	98.49
H5DH-DO-JBOX1	Junction Box for H5A Dual Head Camera	111.51
H5DH-MT-NPTA1	Pendant adapter for the H5A Dual Head camera. Also compatible with an optional wall arm, WLMT-1021.	74.34
MSI-FE-CPNL	Ceiling Panel for Fisheye In-Ceiling	147.00
MSI-FE-DC-KIT	Install Accy Kit for Fisheye In-Ceiling	15.75
PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ and HD Multisensor (H3-xMH) pendant mount cameras. Includes waterproof RJ45 connector, M8 2-pin male cable and M12 12-pin female cable.	61.95
PTZMH-DC-CPNL1	Metal Ceiling panel for H4 PTZ and HD Multisensor cameras.	111.51
PTZMH-DP-CLER1	IK10 replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cameras.	148.69
PTZMH-DP-SMOK1	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	148.69
10.0C-H6ADH-DO1-IR	2x 5MP H6A Dual Head Camera. Outdoor camera with built-in IR	1,881.60
16.0C-H6ADH-DO1-IR	2x 8MP H6A Dual Head Camera. Outdoor camera with built-in IR	2,257.50
6.0C-H6ADH-DO1-IR	2x 3MP H6A Dual Head Camera. Outdoor camera with built-in IR	1,639.05

## PTZ Dome IP Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
H4IRPTZ-WARR-EXTEND-1YR	Extended Warranty for H4 IR PTZ cameras, non-moving parts only, 1 year extension	442.17
H4IRPTZ-WARR-EXTEND-2YR	Extended Warranty for H4 IR PTZ cameras, non-moving parts only, 2 years extension	883.11
H4PTZ-WARR-EXTEND-2YR	Extended Warranty for H4 PTZ cameras, non-moving parts only, 2 years extension	624.37
H5PTZ-ACCS-CABL1	H5A PTZ cable gland nut kit. Pack of 10.	115.40
IRPTZ-ACCS-CABL1	H4 IRPTZ Replacement Power and I/O Cables	34.69
IRPTZ-MNT-NPTA1	Pendant NPT adapter. For use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4 Multisensor.	68.14
IRPTZ-MNT-WALL1	Wall arm for use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4/H5 Multisensor.	117.72
PTZ-CPNL-G	In-Ceiling Panel, PTZ Cameras, Grey	84.00
PTZH5A-CLER1	H5A PTZ Replacement Clear Bubble Assembly	145.77
PTZH5A-SMOK1	H5A PTZ Replacement Smoked Bubble Assembly	145.77
PTZH6A-CLRBBL	Replacement lower dome clear bubble for H6A-PTZ	84.00
PTZH6A-SMK50	Smoked dome with 50% tint for H6A-PTZ.	84.00
2.0C-H5A-IRPTZ-DP40-WP	CAM, H5A IR PTZ, Pendant 2MP 40X 300m	4,407.90
4.0C-H5A-IRPTZ-DP36-WP	CAM, H5A IR PTZ, Pendant 4MP 36X 150m	4,944.45
8.0C-H5A-IRPTZ-DP36-WP	CAM, H5A IR PTZ, Pendant 8MP 36X 150m	5,563.95
8.0C-H5A-PTZ-DC36	H5A, 8MP 36x In-Ceiling PTZ Dome	4,330.50
8.0C-H5A-PTZ-DP36	H5A, 8MP 36x Pendant PTZ Dome	4,330.50
2.0C-H6A-PTZ-DC30	H6A PTZ, In-Ceiling, 2MP, 30X	3,675.00
2.0C-H6A-PTZ-DP30	H6A PTZ, Pendant, 2MP, 30X	3,675.00
4.0C-H6A-PTZ-DC30	H6A PTZ, 4MP 30X In-Ceiling PTZ Dome Camera	3,885.00
4.0C-H6A-PTZ-DP30	CAM, H6A PTZ, Pendant, 4MP, 30X	3,885.00

## Thermal

MODEL NUMBER	DESCRIPTION	MSRP \$
320SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for QVGA H4 Thermal cameras, 1 year extension	487.11
320SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for QVGA H4 Thermal cameras, 2 years extension	972.99
640SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for VGA H4 Thermal cameras, 1 year extension	873.39
640SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for VGA H4 Thermal cameras, 2 years extension	1,747.06
640SH4ATHD-WARR-EXTEND-1YR	Extended Warranty for H4 Thermal ETD cameras, 1 year extension	471.31
640SH4ATHD-WARR-EXTEND-2YR	Extended Warranty for H4 Thermal ETD cameras, 2 year extension	942.64
320F-H5A-THC-BO12	320x256, H5A Thermal ,Bullet, 18mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	5,823.30
320F-H5A-THC-BO16	320x256, H5A Thermal ,Bullet, 13.8 mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	5,244.75
320F-H5A-THC-BO24	320x256, H5A Thermal ,Bullet, 9.1mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	4,832.10
320F-H5A-THC-BO50	320x256, H5A Thermal ,Bullet, 4.3mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	4,584.30
640F-H5A-THC-BO12	640x512, H5A Thermal ,Bullet, 36mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	10,345.65
640F-H5A-THC-BO18	640x512, H5A Thermal ,Bullet, 24.3mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	8,706.60
640F-H5A-THC-BO24		7,557.90

	640x512, H5A Thermal ,Bullet, 18mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	
640F-H5A-THR-BO32	640x512, H5A Radiometric ,Bullet, 14mm f/1.0, NETD 50mK, 30Hz, Next-Generation Analytics	7,402.50
640F-H5A-THR-BO50	640x512, H5A Radiometric ,Bullet, 9.2mm f/1.1, NETD 50mK, 30Hz, Next-Generation Analytics	7,310.10

MODEL NUMBER	DESCRIPTION	MSRP \$
3.0C-H4VI-RO1-IR	3.0 MP, H4 Video Intercom, WDR, LightCatcher, Day/Night, 1.83mm f/2.4, Integrated IR, Recessed Mount	1,424.87
H4LPC-WARR-EXTEND-1YR	Extended Warranty for H4 LPC camera only, 1 year extension	106.89
H4LPC-WARR-EXTEND-2YR	Extended Warranty for H4 LPC camera only, 2 years extension	213.80
H4VI-AC-RELY1	Safety Relay for H4 Video Intercom	148.69
H4VI-ACCS-KIT1	Replacement installation accessories for H4VI. Includes terminal block plugs and screws.	24.79
H4VI-MT-SURF1	Surface mount adapter for H4 Video Intercom	278.79
H4VI-RO-CVER1	Replacement dome cover for H4VI camera, package of 5	49.56
H4VI-WARR-EXTEND-1YR	Extended Warranty for H4 Video Intercom, 1 year extension	139.69
H4VI-WARR-EXTEND-2YR	Extended Warranty for H4 Video Intercom, 2 years extension	279.38

## Concealed Weapons Detection

MODEL NUMBER	DESCRIPTION	MSRP \$
CWD-BATTERYCHARGER-O-SINGLE-AC	CWD Outdoor Battery Charger, Single w/AC Adapter	406.00

## Monitoring

### Display Monitors

MODEL NUMBER	DESCRIPTION	MSRP \$
MHD24-G2-UK	Monitor, 24" LCD HD, WUXGA	641.74

## Networking

### Switches

MODEL NUMBER	DESCRIPTION	MSRP \$
SM8TAT2SA-EU	10-Port Gigabit Managed Switch (8) PoE+ budget 130W, (2) SFP - EU	851.44

## Sensors

### Halo

MODEL NUMBER	DESCRIPTION	MSRP \$
HALO-V3.00C	HALO IoT Smart Sensor 3C	1,495.00
HALO-V3.00C-BACKBOX	Backbox for HALO 3C or HALO 3C-PC. Required anytime there is a wire mold or conduit connection to the HALO.	125.00
HALO-V3.00C-PC	HALO IoT Smart Sensor 3C PC with Occupancy and People Counting	1,795.00

## SentryERS - Emergency Response System

### SentryERS - Hardware

MODEL NUMBER	DESCRIPTION	MSRP \$
PANIC-BTN-V2	Panic button for Sentry ERS.	40.00
SENTRYERS-DISPLAY	SentryERS - Call For Quote	3,000.00
SENTRYERS-WC	SentryERS Hardware (Base Station, Mobile Device Only)	2,300.00

### SentryERS - Subscription

MODEL NUMBER	DESCRIPTION	MSRP \$
SENTRYERS-CLOUD-LIC-1YR	SentryERS CLOUD & VOLTE Services - 1 Year License Reseller and End User Information Required	500.00
SENTRYERS-CLOUD-LIC-3YR	SentryERS CLOUD & VoLTE Services - 3 Year License Reseller and End User Information Required	1,500.00
SENTRYERS-CLOUD-LIC-5YR	SentryERS CLOUD & VoLTE Services - 5 Year License Reseller and End User Information Required	2,500.00
SENTRYERS-CLOUD-LIC-10YR	SentryERS CLOUD & VoLTE Services - 10 Year License Reseller and End User Information Required	5,000.00
SENTRYERS-CLOUD-LIC-EVAL	SentryERS CLOUD Services Evaluation- 60 Day License Reseller and End User Information Required	62.50

## Services

### License

MODEL NUMBER	DESCRIPTION	MSRP \$
HALO-LABOR	HALO Remote Configuration 2 HALOs Per Hour	295.00

MODEL NUMBER	DESCRIPTION	MSRP \$
RMTSUP-UPSVC1	Unity Video Upgrade Services - 1 Server (Remote)	1,320.00
RMTSUP-UPSVC3	Unity Video Upgrade Services - Up to 3 servers (Remote)	1,750.00
RMTSUP-UPSVC5	Unity Video Upgrade Services - Up to 5 servers (Remote)	2,190.00
RMTSUP-UPTRNG	Unity Video Upgrade Training (Remote)	3,500.00

## Software

### Halo

MODEL NUMBER	DESCRIPTION	MSRP \$
HALO-CLOUD-1YR	1-year subscriptions to HALO Cloud. End user information required	155.00
HALO-CLOUD-3YR	3-year subscriptions to HALO Cloud. End user information required	430.00
HALO-CLOUD-5YR	5-year subscriptions to HALO Cloud. End user information required	657.00
HALO-CLOUD-10YR	10-year subscriptions to HALO Cloud. Includes 10 year warranty extension for the HALO device. End user information required	1,212.00
HALO-CLOUD-FIRST-1YR	Initial year of HALO Cloud, free (for first-time subscribers only). End user information required	0.01
HALO-CLOUD-TRIAL-30DAY	HALO LIC 30 Day Eval. End user information required	0.01

### Rave

MODEL NUMBER	DESCRIPTION	MSRP \$
RAVEPB-SCB-1000-ALERT-PERUSER	Rave Alert Mass Notifications / Alerting per User	2.25
RAVEPB-SCB-1000-BASIC-PERSCH-1Y	Rave PB School Comm Basic Per School	1,400.00
RAVEPB-SCB-1000-PANIC-PERUSER	Rave Panic Button Per User	25.00
RAVEPB-SCB-1000-PREM-PERSCH-1Y	Rave PB School Comm Premium Per School	10,000.00
RAVEPB-SCB-1000-PREM-PLUS-PERSCH	Rave PB School Comm Premium PLUS Per School	2,500.00
RAVEPB-SCB-1000-UPGRADE-PERSCH-1Y	Rave PB School Comm Upgrade Per School 1Yr	10,000.00
RAVEPB-SCB-1000-UPGRADE-PLUS-PERSCH	Rave PB School Comm Upgrade PLUS Per School	1,100.00

### Video Management

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC7-FACE	ACC7 Face channel	1,637.10
ACC7-FACE-10C	ACC7 Face channel 10 pack	5,457.00
ACC7-FACE-10C-P	ACC7 Face channel 10 pack, printed	5,457.00
ACC7-FACE-P	ACC7 Face channel, printed	1,637.10
ACC7-LPR	ACC 7 LPR lane	3,492.48
ACC7-LPR-P	ACC 7 LPR lane license, printed	3,492.48
ACC7-VAC	ACC7 Video Analytics channel	327.42
ACC7-VAC-P	ACC7 Video Analytics channel, printed	327.42
ACC7-VFD-1YR	ACC7 VFD+VAC self monitored 1cam 1 yr	480.00
ACC7-COR	ACC 7 Core camera channel	92.77
ACC7-COR-P	ACC 7 Core camera channel, printed	92.77
ACC7-ENT	ACC 7 Enterprise camera channel	316.51
ACC7-ENT-BUNDLE-1YR	ACC7 Enterprise camera channel w/ Smart Plan, 1Yr	333.61

ACC7-ENT-BUNDLE-3YR	ACC7 Enterprise camera channel w/ Smart Plan, 3Yr	378.61
ACC7-ENT-BUNDLE-5YR	ACC7 Enterprise camera channel w/ Smart Plan, 5Yr	421.51
ACC7-ENT-FO	ACC 7 ENT failover channel	49.11
ACC7-ENT-FO-P	ACC 7 ENT failover channel, printed	49.11
ACC7-ENT-P	ACC 7 Enterprise camera channel, printed	316.51
ACC7-MEDIA	ACC 7 Media	21.83
ACC7-STD	ACC 7 Standard camera channel	180.08
ACC7-STD-BUNDLE-1YR	ACC7 Standard camera channel w/ Smart Plan, 1Yr	186.13
ACC7-STD-BUNDLE-3YR	ACC7 Standard camera channel w/ Smart Plan, 3Yr	213.48
ACC7-STD-BUNDLE-5YR	ACC7 Standard camera channel w/ Smart Plan, 5Yr	234.28
ACC7-STD-P	ACC 7 Standard camera channel, printed	180.08
ACC7-STD-TO-ENT-UPG	ACC 7 STD to ENT Edition UPG	191.00
ACC7-STD-TO-ENT-UPG-P	ACC 7 STD to ENT Edition UPG, printed	191.00
ACC-CCURE-ALARM-2.90	CCure v2.90 Alarm Integration	2,728.50
ACC-CCURE-ALARM-2.90-P	CCure v2.90 Alarm Integration, printed	2,728.50
ACC-CCURE-VIDEO-2.90	CCure v2.90 Video Integration	2,728.50
ACC-CCURE-VIDEO-2.90-P	CCure v2.90 Video Integration, printed	2,728.50
ACC-POS-HW-2S	Avigilon 2 port serial Server	587.88
ACC6-AMAG-SMTRY	ACC6 Amag Symmetry Integ.	2,728.50
ACC6-GLGR-CMNDC	ACC6 Gallagher CmdC Integ.	2,728.50
ACC6-HRSH-VLCTY	ACC6 Hirsch Velocity Integ.	2,728.50
ACC6-INTX-FORCE	ACC6 Interlogix Forcefield Integ.	2,728.50
ACC6-JAQS-INTCM	ACC6 Jacques Intercom Integ.	2,728.50
ACC6-LENL-ONGRD	ACC6 Lenel OnGuard Integ.	2,728.50
ACC6-PXTN-NET2	ACC6 Paxton Net2 Integ.	2,728.50
ACC6-S2-NETBX	ACC6 S2 Netbox Integ.	2,728.50
ACC6-STFN-ALPHA	ACC6 Stentofon Intercom Integ.	2,728.50
ACC6-SWHS-CCURE	ACC6 SWHS CCure 9000 2.80 or earlier Integ.	2,728.50
ACC7-POS-STR	ACC 7 Point of Sale stream	245.57
ACC7-POS-STR-P	ACC 7 Point of Sale stream, printed	245.57
ACC7-RADIO-ALERT	ACC7 Radio Alert	1,637.10
ACC7-RADIO-ALERT-P	ACC7 Radio Alert, printed	1,637.10
ACC-ENT-SMART-1YR	ACC Enterprise Smart Plan, 1 year	32.10
ACC-ENT-SMART-3YR	ACC Enterprise Smart Plan, 3 year	77.10
ACC-ENT-SMART-5YR	ACC Enterprise Smart Plan, 5 year	120.00
ACC-STD-SMART-1YR	ACC Standard Smart Plan, 1 year	16.05
ACC-STD-SMART-3YR	ACC Standard Smart Plan, 3 year	43.40
ACC-STD-SMART-5YR	ACC Standard Smart Plan, 5 year	64.20
ACC5-4TO5-COR-UPG	ACC 4 to 5 Core Version Upgrade	103.68
ACC5-4TO5-ENT-UPG	ACC 4 to 5 Enterprise Version Upgrade	365.62
ACC5-4TO5-STD-UPG	ACC 4 to 5 Standard Version Upgrade	201.91
ACC7-COR-TO-ENT-UPG	ACC 7 CORE to ENT Edition UPG	245.57
ACC7-COR-TO-ENT-UPG-P	ACC 7 CORE to ENT Edition UPG, printed	245.57
ACC7-COR-TO-STD-UPG	ACC 7 CORE to STD Edition UPG	114.60
ACC7-COR-TO-STD-UPG-P	ACC 7 CORE to STD Edition UPG, printed	114.60
UNITY8-FACE	Unity Face channel	1,637.10
UNITY8-FACE-10	Unity Face channel, 10 Channels	5,457.00

UNITY8-LPR	UNITY8-LPR	3,492.48
UNITY8-VAC	Unity Video Analytics channel (STD or COR edition only)	327.42
UNITY8-VFD-1YR	UNITY8 VFD+VAC self monitored 1 Cam 1 yr	480.00
UNITY8-COR	Unity Core camera channel	92.77
UNITY8-COR-TO-ENT	Unity COR to ENT Edition UPG	245.57
UNITY8-COR-TO-STD	Unity COR to STD Edition UPG	114.60
UNITY8-ENT	Unity Enterprise camera channel	316.51
UNITY8-ENT-FO	Unity ENT failover channel	49.11
UNITY8-ENT-VMISMIG	Exchange IndigoVision & Pelco channel licenses	348.61
UNITY8-STD	Unity Standard camera channel	150.00
UNITY-CCURE-ALARM-2.90	CCure v2.9 Alarm Integration - Base Part	2,728.50
UNITY-CCURE-ALARM-2.90-UPG	CCure v2.9 Alarm Integration - Upgrade Part	300.00
UNITY-CCURE-ALARM-3.00	CCure v3.0 Alarm Integration - Base Part	2,728.50
UNITY-CCURE-ALARM-3.00-UPG	CCure v3.0 Alarm Integration - Upgrade Part	300.00
UNITY-CCURE-VIDEO-2.90	CCure v2.9 Video Integration - Base Part	2,728.50
UNITY-CCURE-VIDEO-2.90-UPG	CCure v2.9 Video Integration - Upgrade Part	300.00
UNITY-CCURE-VIDEO-3.00	CCure v3.0 Video Integration - Base Part	2,728.50
UNITY-CCURE-VIDEO-3.00-UPG	CCure v3.0 Video Integration - Upgrade Part	300.00
UNITY8-POS-STR	Unity Point of Sale stream	245.57
VIG-ACI-CPL	One (1) Vigilant ClientPortal limited account. (US Only)	0.00
VIG-ACI-CPS	One (1) Avigilon camera channel in an existing ClientPortal account for sole purpose of sharing with Law Enforcement Agencies. US only.	0.00
UNITY-ENT-SMART-1YR	Unity Enterprise Smart Plan, 1 year	32.10
UNITY-ENT-SMART-3YR	Unity Enterprise Smart Plan, 3 year	77.10
UNITY-ENT-SMART-5YR	Unity Enterprise Smart Plan, 5 year	120.00
UNITY-STD-SMART-1YR	Unity Standard Smart Plan, 1 year	16.05
UNITY-STD-SMART-3YR	Unity Standard Smart Plan, 3 year	43.40
UNITY-STD-SMART-5YR	Unity Standard Smart Plan, 5 year	64.20
UNITY8-STD-TO-ENT	Unity STD to ENT Edition UPG	191.00

## Storage

### AI Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
AIA-FORM-D-DUAL-POWERCORD-C19-AU	Two AS3112/C19 Australian power cords for AI Appliance 2X.	105.00
AIA-FORM-D-DUAL-POWERCORD-C19-EU	Two SCHUKO/C19 European Union power cords for AI Appliance 2X.	105.00
AIA-FORM-D-DUAL-POWERCORD-C19-NA	Two NEMA5-15/C19 North American power cords for AI Appliance 2X.	105.00
AIA-FORM-D-DUAL-POWERCORD-C19-UK	Two BS1363/C19 United Kingdom power cords for AI Appliance 2X.	105.00
AIA2X-FORM-D-CG2-HW-C19-C20	AI Appliance 2X, CG2 model with Avigilon Hardened OS and Unity Video 8, includes two C19/C20 Power Cords. Regional power cords sold separately (AIA-FORM-D-DUAL-POWERCORD-C19-XX where XX=NA/EU/UK/AU).	19,950.00
AIA2X-FORM-D-CG3-HW-C19-C20	AI Appliance 2X, CG3 model with Avigilon Hardened OS and Unity Video 8, includes two C19/C20 Power Cords. Regional power cords sold separately (AIA-FORM-D-DUAL-POWERCORD-C19-XX where XX=NA/EU/UK/AU).	28,875.00
AIA2X-FORM-D-CG3-WARR-5Y4HMC	5-year 4-Hour-Mission-Critical Warranty Upgrade for AI Appliance 2X CG3 model	7,218.75
AIA2X-FORM-D-CG3-WARR-EXTEND-2YR	2-Year Next Business Day Warranty Extension for AI Appliance 2X CG3 model	5,775.00

### AI NVR

MODEL NUMBER	DESCRIPTION	MSRP \$
AINVR2X-VAL-FORM-D-12TB-C13-C14	AI NVR 2X VAL FORM D 12TB 1U Rack Mnt, HardenedOS, Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as AINVR2X-VAL-FORM-D-12TB-C13-C14	8,816.85
AINVR2X-VAL-FORM-D-16TB-C13-C14	AI NVR 2X VAL FORM D 16TB 1U Rack Mnt, HardenedOS, Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as AINVR2X-VAL-FORM-D-16TB-C13-C14	10,148.25
AINVR2X-VAL-FORM-D-24TB-C13-C14	AI NVR 2X VAL FORM D 24TB 1U Rack Mnt, HardenedOS, Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as AINVR2X-VAL-FORM-D-24TB-C13-C14	14,331.45
AINVR2X-VAL-FORM-D-6TB-C13-C14	AI NVR 2X VAL FORM D 6TB 1U Rack Mnt, HardenedOS, Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as AINVR2X-VAL-FORM-D-6TB-C13-C14	7,867.65

### NVR

MODEL NUMBER	DESCRIPTION	MSRP \$
--------------	-------------	---------

NVR6-PRM-FIPS-FORM-D-120TB-NA	NVR6 PRM FIPS 120TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	63,470.40
NVR6-VAL-FORM-D-12TB-C13-C14	NVR6 Value Form D 12 TB (16 TB Raw) with Windows 11 IoT Enterprise LTSC 24H2 and Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as NVR6-VAL-FORM-D-12TB-C13-C14.	8,782.00
NVR6-VAL-FORM-D-16TB-C13-C14	NVR6 Value Form D 16 TB (24 TB Raw) with Windows 11 IoT Enterprise LTSC 24H2 and Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as NVR6-VAL-FORM-D-16TB-C13-C14.	10,400.00
NVR6-VAL-FORM-D-24TB-C13-C14	NVR6 Value Form D 24 TB (32 TB Raw) with Windows 11 IoT Enterprise LTSC 24H2 and Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as NVR6-VAL-FORM-D-24TB-C13-C14.	13,583.00
NVR6-VAL-FORM-D-6TB-C13-C14	NVR6 Value Form D 6 TB (8 TB Raw) with Windows 11 IoT Enterprise LTSC 24H2 and Unity Video 8. 3 Year Next Business Day Warranty. Includes: 1 x generic power cord (C13 / C14) only. Regional power cord kits (NVR-FORM-D-SINGLE-POWERCORD-C13-XX where XX=NA/EU/UK/AU) sold separately and must be purchased on the same order as NVR6-VAL-FORM-D-6TB-C13-C14.	7,373.00
RM7-WKS-2MN-AU	Remote Monitoring Workstation, 2 Monitors, AU	2,467.50
RM7-WKS-2MN-EU	Remote Monitoring Workstation, 2 Monitors, EU	2,467.50
RM7-WKS-2MN-NA	Remote Monitoring Workstation, 2 Monitors, NA	2,467.50
RM7-WKS-2MN-UK	Remote Monitoring Workstation, 2 Monitors, UK	2,467.50
RM7-WKS-4MN-NA	Remote Monitoring Workstation, 4 Monitors, NA	3,990.00

## Video Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
VMA-AS3X-16P06-AU	HD Video Appliance 3X Pro 16-port 6TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	5,167.46
VMA-AS3X-16P06-EU	HD Video Appliance 3X Pro 16-port 6TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	5,167.46
VMA-AS3X-16P06-NA	HD Video Appliance 3X Pro 16-port 6TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	5,167.46
VMA-AS3X-16P06-NPC	HD Video Appliance 3X Pro 16-port 6TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	5,167.46
VMA-AS3X-16P06-UK	HD Video Appliance 3X Pro 16-port 6TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	5,167.46
VMA-AS3X-16P12-AU	HD Video Appliance 3X Pro 16-port 12TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	7,434.14
VMA-AS3X-16P12-EU	HD Video Appliance 3X Pro 16-port 12TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	7,434.14
VMA-AS3X-16P12-NA	HD Video Appliance 3X Pro 16-port 12TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	7,434.14
VMA-AS3X-16P12-NPC	HD Video Appliance 3X Pro 16-port 12TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	7,434.14
VMA-AS3X-16P12-UK	HD Video Appliance 3X Pro 16-port 12TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	7,434.14
VMA-AS3XL-24P06-AU	HD Video Appliance 3XL Pro 24-port 6TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	5,167.05
VMA-AS3XL-24P06-EU	HD Video Appliance 3XL Pro 24-port 6TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	5,167.05
VMA-AS3XL-24P06-NA	HD Video Appliance 3XL Pro 24-port 6TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	5,167.05

VMA-AS3XL-24P06-NPC	HD Video Appliance 3XL Pro 24-port 6TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	5,167.05
VMA-AS3XL-24P06-UK	HD Video Appliance 3XL Pro 24-port 6TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	5,167.05
VMA-AS3XL-24P12-AU	HD Video Appliance 3XL Pro 24-port 12TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	7,100.10
VMA-AS3XL-24P12-EU	HD Video Appliance 3XL Pro 24-port 12TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	7,100.10
VMA-AS3XL-24P12-NA	HD Video Appliance 3XL Pro 24-port 12TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	7,100.10
VMA-AS3XL-24P12-NPC	HD Video Appliance 3XL Pro 24-port 12TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	7,100.10
VMA-AS3XL-24P12-UK	HD Video Appliance 3XL Pro 24-port 12TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	7,100.10
VMA-AS3XL-24P18-AU	HD Video Appliance 3XL Pro 24-port 18TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	9,708.30
VMA-AS3XL-24P18-EU	HD Video Appliance 3XL Pro 24-port 18TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	9,708.30
VMA-AS3XL-24P18-NA	HD Video Appliance 3XL Pro 24-port 18TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	9,708.30
VMA-AS3XL-24P18-NPC	HD Video Appliance 3XL Pro 24-port 18TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	9,708.30
VMA-AS3XL-24P18-UK	HD Video Appliance 3XL Pro 24-port 18TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	9,708.30
VMA-AS3XL-24P24-AU	HD Video Appliance 3XL Pro 24-port 24TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	11,982.60
VMA-AS3XL-24P24-EU	HD Video Appliance 3XL Pro 24-port 24TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	11,982.60
VMA-AS3XL-24P24-NA	HD Video Appliance 3XL Pro 24-port 24TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	11,982.60
VMA-AS3XL-24P24-NPC	HD Video Appliance 3XL Pro 24-port 24TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	11,982.60
VMA-AS3XL-24P24-UK	HD Video Appliance 3XL Pro 24-port 24TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	11,982.60
VMA-AS3XL-24P48-AU	HD Video Appliance 3XL Pro 24-port 48TB, AU, Windows 10 IoT Enterprise v21H2 LTSC	17,899.35
VMA-AS3XL-24P48-EU	HD Video Appliance 3XL Pro 24-port 48TB, EU, Windows 10 IoT Enterprise v21H2 LTSC	17,899.35
VMA-AS3XL-24P48-NA	HD Video Appliance 3XL Pro 24-port 48TB, NA, Windows 10 IoT Enterprise v21H2 LTSC	17,899.35
VMA-AS3XL-24P48-NPC	HD Video Appliance 3XL Pro 24-port 48TB, No Power Cord, Windows 10 IoT Enterprise v21H2 LTSC	17,899.35
VMA-AS3XL-24P48-UK	HD Video Appliance 3XL Pro 24-port 48TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	17,899.35
VMA-AS3XL-8P16-AU	HD Video Appliance 3XL 8-port 16TB, AU, Windows 11 IoT Enterprise v24H2 LTSC	4,198.95
VMA-AS3XL-8P16-EU	HD Video Appliance 3XL 8-port 16TB, EU, Windows 11 IoT Enterprise v24H2 LTSC	4,198.95
VMA-AS3XL-8P16-NA	HD Video Appliance 3XL 8-port 16TB, NA, Windows 11 IoT Enterprise v24H2 LTSC	4,198.95
VMA-AS3XL-8P16-NPC	HD Video Appliance 3XL 8-port 16TB, No Power Cord, Windows 11 IoT Enterprise v24H2 LTSC	4,198.95
VMA-AS3XL-8P16-UK	HD Video Appliance 3XL 8-port 16TB, UK, Windows 10 IoT Enterprise v21H2 LTSC	4,198.95
VMA-AS3XL-8P2-AU	HD Video Appliance 3XL 8-port 2TB, AU, Windows 11 IoT Enterprise v24H2 LTSC	2,598.75
VMA-AS3XL-8P2-EU	HD Video Appliance 3XL 8-port 2TB, EU, Windows 11 IoT Enterprise v24H2 LTSC	2,598.75
VMA-AS3XL-8P2-NA	HD Video Appliance 3XL 8-port 2TB, NA, Windows 11 IoT Enterprise v24H2 LTSC	2,598.75

VMA-AS3XL-8P2-NPC	HD Video Appliance 3XL 8-port 2TB, No Power Cord, Windows 11 IoT Enterprise v24H2 LTSC	2,598.75
VMA-AS3XL-8P2-UK	HD Video Appliance 3XL 8-port 2TB, UK, Windows 11 IoT Enterprise v24H2 LTSC	2,598.75
VMA-AS3XL-8P4-AU	HD Video Appliance 3XL 8-port 4TB, AU, Windows 11 IoT Enterprise v24H2 LTSC	2,820.30
VMA-AS3XL-8P4-EU	HD Video Appliance 3XL 8-port 4TB, EU, Windows 11 IoT Enterprise v24H2 LTSC	2,820.30
VMA-AS3XL-8P4-NA	HD Video Appliance 3XL 8-port 4TB, NA, Windows 11 IoT Enterprise v24H2 LTSC	2,820.30
VMA-AS3XL-8P4-NPC	HD Video Appliance 3XL 8-port 4TB, No Power Cord, Windows 11 IoT Enterprise v24H2 LTSC	2,820.30
VMA-AS3XL-8P4-UK	HD Video Appliance 3XL 8-port 4TB, UK, Windows 11 IoT Enterprise v24H2 LTSC	2,820.30
VMA-AS3XL-8P8-AU	HD Video Appliance 3XL 8-port 8TB, AU, Windows 11 IoT Enterprise v24H2 LTSC	3,308.55
VMA-AS3XL-8P8-EU	HD Video Appliance 3XL 8-port 8TB, EU, Windows 11 IoT Enterprise v24H2 LTSC	3,308.55
VMA-AS3XL-8P8-NA	HD Video Appliance 3XL 8-port 8TB, NA, Windows 11 IoT Enterprise v24H2 LTSC	3,308.55
VMA-AS3XL-8P8-NPC	HD Video Appliance 3XL 8-port 8TB, No Power Cord, Windows 11 IoT Enterprise v24H2 LTSC	3,308.55
VMA-AS3XL-8P8-UK	HD Video Appliance 3XL 8-port 8TB, UK, Windows 11 IoT Enterprise v24H2 LTSC	3,308.55

## Video Infrastructure

### ES Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
PS-ENVR2-8P	Replacement power adapter without the power cord	267.75
ENVR2-PLUS-8P4-AU	ENVR2 PLUS 4 TB with Avigilon Control Center, AU Power Cord	2,215.50
ENVR2-PLUS-8P4-EU	ENVR2 PLUS 4 TB with Avigilon Control Center, EU Power Cord	2,215.50
ENVR2-PLUS-8P4-NA	ENVR2 PLUS 4 TB with Avigilon Control Center, NA Power Cord	2,215.50
ENVR2-PLUS-8P4-UK	ENVR2 PLUS 4 TB with Avigilon Control Center, UK Power Cord	2,215.50
ENVR2-PLUS-8P8-AU	ENVR2 PLUS 8 TB with Avigilon Control Center, AU Power Cord	2,916.90
ENVR2-PLUS-8P8-EU	ENVR2 PLUS 8 TB with Avigilon Control Center, EU Power Cord	2,916.90
ENVR2-PLUS-8P8-NA	ENVR2 PLUS 8 TB with Avigilon Control Center, NA Power Cord	2,916.90
ENVR2-PLUS-8P8-UK	ENVR2 PLUS 8 TB with Avigilon Control Center, UK Power Cord	2,916.90
ENVR2-PLUS-8P-WARR-EXTEND-2YR	WARRANTY - ENVR2+-8P Extend 2Yr	485.89

### Monitoring

MODEL NUMBER	DESCRIPTION	MSRP \$
M4K32-G2-EU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,895.93
M4K32-G3-AU	Monitor, 32", 4K UHD, 16:9 Aspect Ratio	1,575.00
M4K32-G3-NA	Monitor, 32", 4K UHD, 16:9 Aspect Ratio	1,575.00
M4K32-G3-UK	Monitor, 32", 4K UHD, 16:9 Aspect Ratio	1,575.00
M4K43-G2-AU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,778.70
M4K43-G2-EU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,778.70
M4K43-G2-NA	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,778.70
M4K43-G2-UK	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,778.70
MHD19-G3-NA	Monitor, 19", HD, SXGA	577.50
MHD24-G3-AU	Monitor, 24", HD, 16:9 Aspect Ratio	723.45
MHD24-G3-EU	Monitor, 24", HD, 16:9 Aspect Ratio	723.45
MHD24-G3-NA	Monitor, 24", HD, 16:9 Aspect Ratio	723.45
MHD24-G3-UK	Monitor, 24", HD, 16:9 Aspect Ratio	723.45

### Network Video Recorder

MODEL NUMBER	DESCRIPTION	MSRP \$
AINVR-HDDS-HOT-12TB	Spare Hard Drive for AINVR-PRM-PLUS-96TB, AINVR-PRM-96TB	1,792.32
AINVR-HDDS-HOT-16TB	Spare Hard Drive for AINVR-PRM-PLUS-160TB, AINVR-PRM-PLUS-128TB, AINVR-PRM-160TB, AINVR-PRM-128TB	2,544.98
AINVR-HDDS-HOT-2TB	Spare Hard Drive for AINVR-VAL-6TB	874.61
AINVR-HDDS-HOT-4TB	Spare Hard Drive for AINVR-VAL-12TB, AINVR-STD-24TB	1,117.56

AINVR-HDDS-HOT-8TB	Spare Hard Drive for AINVR-STD-32TB, AINVR-STD-48TB, AINVR-PRM-64TB, AINVR-PRM-PLUS-64TB	1,853.06
AINVR-PRM-2NDPS-AU	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, AU	833.64
AINVR-PRM-2NDPS-EU	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, EU	833.64
AINVR-PRM-2NDPS-NA	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, NA	833.64
AINVR-PRM-2NDPS-UK	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, UK	833.64
AINVR-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single) for AI NVR	357.27
AINVR-STD-10GBE	Network Card, QP 10G-SFP+ for AI NVR Standard. This network card cannot be used with AINVR-STD-PRK.	1,179.00
AINVR-STD-2NDPS-AU	Secondary Power Supply for AI NVR Standard, AU	680.24
AINVR-STD-2NDPS-EU	Secondary Power Supply for AI NVR Standard, EU	680.24
AINVR-STD-2NDPS-NA	Secondary Power Supply for AI NVR Standard, NA	680.24
AINVR-STD-2NDPS-UK	Secondary Power Supply for AI NVR Standard, UK	680.24
AINVR-VAL-2NDPS-AU	Secondary Power Supply for AI NVR Value, AU	498.04
AINVR-VAL-2NDPS-EU	Secondary Power Supply for AI NVR Value, EU	498.04
AINVR-VAL-2NDPS-UK	Secondary Power Supply for AI NVR Value, UK	498.04
VMA-AIA-2NDPS-NA	2nd Power Supply for AI Appliance with an North American power cord	576.16
VMA-AS1-W10UPG	Windows 10 (LTSB 1607) upgrade kit for AS1 models	352.78
AINVR-KYD-WARR-5YR	5 Year Keep Your Drive Warranty, All AI NVR Models	1,214.72
AINVR-PRM-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Premium or AI NVR Premium+ to 5 year 4HMC	4,858.92
AINVR-PRM-WARR-EXTEND-3MO	3 Month Warranty Extension for AINVR PRM/PRM+ (approved project only).	1,000.00
AINVR-PRM-WARR-EXTEND-6MO	3 Month Warranty Extension for AINVR PRM/PRM+ (approved project only).	2,000.00
AINVR-STD-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Standard to 5 year 4HMC	3,036.82
AINVR-VAL-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Value to 5 year 4HMC	1,700.62
AINVR2-PRM-FORM-D-ANK	Analytics Kit for AI NVR 2 Premium Form D	4,684.05
AINVR2-PRM-PLUS-FORM-H-ANK	Analytics Kit for AI NVR 2 Premium Plus Form H	4,684.05
AINVR2-STD-FORM-D-PRK	Performance Kit for AI NVR 2 Standard Form D	7,062.30
AINVR2-VAL-ANK	Analytics Kit for AI NVR 2 VAL	744.45
AINVR2-VAL-ANK-PLUS	Analytics Plus Kit for AI NVR 2 VAL	1,491.00
AINVR2-VAL-IDRAC9-ENT-UPG	iDRAC Enterprise 9 upgrade for AI NVR 2 VAL	813.87
AINVR2-VAL-KYD-WARR-5YR	5-year Keep-Your-Drive Warranty Upgrade for AI NVR 2 VAL. Must be purchased on the same AI NVR 2 VAL model order.	1,214.72
AINVR2-VAL-WARR-5Y4HMC	5-year 4-Hour-Mission-Critical Warranty Upgrade for AI NVR 2 VAL. Must be purchased together with AINVR2-VAL-WARR-EXTEND-2YR. Must be purchased on the same AI NVR 2 VAL model order.	1,700.62
AINVR2-VAL-WARR-EXTEND-2YR	2-year Warranty Extension for AI NVR 2 VAL. Must be purchased on the same AI NVR 2 VAL model order.	1,214.72
NVR6-AINVR2-FORM-D-10GBASET	Network Card, QP 10 G-Base-T NVR6/AINVR2 FORM D (excluding 2nd CPU for NVR6/AINVR2 STD)	2,302.65
NVR6-AINVR2-FORM-D-10GBE	Network Card, Dual Port 10 GbE SFP+ NVR6/AINVR2 FORM D	802.20
NVR6-AINVR2-FORM-D-HDDS-HOT-12TB	HDD,12T,SATA,Ex,Cd,NVR6/AINVR2 96-120 D	2,588.25
NVR6-AINVR2-FORM-D-HDDS-HOT-4TB	HDD,4T,SATA,Ex,Cd,NVR6/AINVR2STD16/24T D	1,117.20
NVR6-AINVR2-FORM-D-HDDS-HOT-8TB	HDD,8T,SATA,Ex,Cd,NVR6/AINVR2 32-72T D	1,853.25
NVR6-AINVR2-FORM-D-PSU-1400W-AU	PSU, 1400W, NVR6/AINVR2 FORM D, AU	995.40
NVR6-AINVR2-FORM-D-PSU-1400W-EU	PSU, 1400W, NVR6/AINVR2 FORM D, EU	995.40
NVR6-AINVR2-FORM-D-PSU-1400W-NA	PSU, 1400W, NVR6/AINVR2 FORM D, NA	995.40
NVR6-AINVR2-FORM-D-PSU-1400W-UK	PSU, 1400W, NVR6/AINVR2 FORM D, UK	995.40

NVR6-AINVR2-FORM-D-RAM-32GB	KIT, 2x16GB for 1CPU, NVR6/AINVR2 FORM D	3,339.00
NVR6-AINVR2-FORM-D-SFPPLUS-DA	KIT,10G SFP+ SR DA, NVR6/AINVR2 FORM D	252.00
NVR6-AINVR2-FORM-D-SFPPLUS-LR	KIT,10G SFP+ LR Tsc,NVR6/AINVR2 FORM D	2,024.40
NVR6-AINVR2-FORM-D-SFPPLUS-SR	KIT,10G SFP+ SR Tsc, NVR6/AINVR2 FORM D	399.00
NVR6-AINVR2-FORM-H-10GBASET	KIT,BCM57416,10G-BT OCP,DP,AINVR2 NVR6 H	1,253.70
NVR6-AINVR2-FORM-H-HDDN-HOT-20TB	HDD,20T,NLSAS,Ext,Cdy,NVR6AINVR2 PRM+ H	6,001.80
NVR6-AINVR2-FORM-H-PSU-1000W-AU	PSU, 1000W, NVR6/AINVR2 FORM H, AU	1,533.00
NVR6-AINVR2-FORM-H-PSU-1000W-EU	PSU, 1000W, NVR6/AINVR2 FORM H, EU	1,533.00
NVR6-AINVR2-FORM-H-PSU-1000W-NA	PSU, 1000W, NVR6/AINVR2 FORM H, NA	1,533.00
NVR6-AINVR2-FORM-H-PSU-1000W-UK	PSU, 1000W, NVR6/AINVR2 FORM H, UK	1,533.00
NVR6-AINVR2-FORM-H-RAM-32GB	KIT, 2x16GB for 1CPU, NVR6/AINVR2 FORM H	1,738.80
NVR6-AINVR2-FORM-H-SFPPLUS-DA	KIT,10G SFP+ DA Cable,NVR6/AINVR2 FORM H	252.00
NVR6-AINVR2-FORM-H-SFPPLUS-LR	KIT,10G SFP+ LR Tsc,NVR6-AINVR2 FORM H	1,963.50
NVR6-AINVR2-FORM-H-SFPPLUS-SR	KIT,10G SFP+ SR Tsc, NVR6/AINVR2 FORM H	942.90
NVR6-AINVR2-PRM-FORM-D-HDDS-HOT-20TB	HDD,20T,SATA,Ex,Cd,NVR6AINVR2 160/200 D	6,571.95
NVR6-AINVR2-PRM-PLUS-FORM-H-KYD-WARR-5YR	WARRANTY, 5YR Keep Your Drive,NVR FORM H	5,618.55
NVR6-AINVR2-STD-FORM-D-2NDCPU	KIT, 2nd CPU, 2x16GB, NVR6/AINVR2 STD D	5,742.45
NVR6-AINVR2-STD-FORM-D-WARR-5Y4HMC	WARRANTY,UPG to 4HR,NVR6AINVR2STD FORM D	6,386.10
NVR6-AINVR2-STDPRM-FORM-D-STATIC-RAIL	KIT,STATIC RAIL,NVR5PRM1 NVR6/AINVR2 STD	210.00
NVR6-FORM-D-AVA-SAN-CONNECT	Kit,NVR6 AVA SAN Con,STD/PRM ex CPU	1,996.05
NVR6-FORM-H-AVA-SAN-CONNECT	KIT, NVR6 AVA SAN Con,STD/PRM ex CPU	2,795.10
VMA-AIA2-2NDPS-AU	Secondary Power Supply for AI Appliance 2, AU	564.49
VMA-AIA2-2NDPS-EU	Secondary Power Supply for AI Appliance 2, EU	564.49
VMA-AIA2-2NDPS-NA	Secondary Power Supply for AI Appliance 2, NA	564.49
VMA-AIA2-2NDPS-UK	Secondary Power Supply for AI Appliance 2, UK	564.49
AINVR2-PRM-FORM-D-120TB-AU	AI NVR 2 PRM FORM D 120 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	57,700.65
AINVR2-PRM-FORM-D-120TB-NA	AI NVR 2 PRM FORM D 120 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	57,700.65
AINVR2-PRM-FORM-D-120TB-UK	AI NVR 2 PRM FORM D 120 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	57,700.65
AINVR2-PRM-FORM-D-160TB-AU	AI NVR 2 PRM FORM D 160TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	70,859.25
AINVR2-PRM-FORM-D-160TB-EU	AI NVR 2 PRM FORM D 160TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	70,859.25
AINVR2-PRM-FORM-D-160TB-NA	AI NVR 2 PRM FORM D 160TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	70,859.25
AINVR2-PRM-FORM-D-160TB-UK	AI NVR 2 PRM FORM D 160TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	70,859.25
AINVR2-PRM-FORM-D-200TB-AU	AI NVR 2 PRM FORM D 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	86,852.85
AINVR2-PRM-FORM-D-200TB-EU	AI NVR 2 PRM FORM D 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	86,852.85
AINVR2-PRM-FORM-D-200TB-NA	AI NVR 2 PRM FORM D 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	86,852.85
AINVR2-PRM-FORM-D-200TB-UK	AI NVR 2 PRM FORM D 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	86,852.85
AINVR2-PRM-FORM-D-72TB-AU	AI NVR 2 PRM FORM D 72TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	43,575.00
AINVR2-PRM-FORM-D-72TB-EU	AI NVR 2 PRM FORM D 72TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	43,575.00
AINVR2-PRM-FORM-D-72TB-NA	AI NVR 2 PRM FORM D 72TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	43,575.00

AINVR2-PRM-FORM-D-72TB-UK	AI NVR 2 PRM FORM D 72TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	43,575.00
AINVR2-PRM-FORM-D-96TB-AU	AI NVR 2 PRM FORM D 96TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	49,035.00
AINVR2-PRM-FORM-D-96TB-EU	AI NVR 2 PRM FORM D 96TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	49,035.00
AINVR2-PRM-FORM-D-96TB-NA	AI NVR 2 PRM FORM D 96TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	49,035.00
AINVR2-PRM-PLUS-FORM-H-200TB-AU	AI NVR 2 PRM PLUS FORM H 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	96,288.15
AINVR2-PRM-PLUS-FORM-H-200TB-EU	AI NVR 2 PRM PLUS FORM H 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	96,288.15
AINVR2-PRM-PLUS-FORM-H-200TB-NA	AI NVR 2 PRM PLUS FORM H 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	96,288.15
AINVR2-PRM-PLUS-FORM-H-200TB-UK	AI NVR 2 PRM PLUS FORM H 200 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	96,288.15
AINVR2-PRM-PLUS-FORM-H-240TB-AU	AI NVR 2 PRM PLUS FORM H 240 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	110,043.15
AINVR2-PRM-PLUS-FORM-H-240TB-EU	AI NVR 2 PRM PLUS FORM H 240 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	110,043.15
AINVR2-PRM-PLUS-FORM-H-240TB-NA	AI NVR 2 PRM PLUS FORM H 240 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	110,043.15
AINVR2-PRM-PLUS-FORM-H-240TB-UK	AI NVR 2 PRM PLUS FORM H 240 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	110,043.15
AINVR2-PRM-PLUS-FORM-H-280TB-AU	AI NVR 2 PRM PLUS FORM H 280 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	122,185.35
AINVR2-PRM-PLUS-FORM-H-280TB-EU	AI NVR 2 PRM PLUS FORM H 280 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	122,185.35
AINVR2-PRM-PLUS-FORM-H-280TB-NA	AI NVR 2 PRM PLUS FORM H 280 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	122,185.35
AINVR2-PRM-PLUS-FORM-H-280TB-UK	AI NVR 2 PRM PLUS FORM H 280 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	122,185.35
AINVR2-PRM-PLUS-FORM-H-360TB-AU	AI NVR 2 PRM PLUS FORM H 360TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	145,609.80
AINVR2-PRM-PLUS-FORM-H-360TB-EU	AI NVR 2 PRM PLUS FORM H 360TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	145,609.80
AINVR2-PRM-PLUS-FORM-H-360TB-NA	AI NVR 2 PRM PLUS FORM H 360TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	145,609.80
AINVR2-PRM-PLUS-FORM-H-360TB-UK	AI NVR 2 PRM PLUS FORM H 360TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	145,609.80
AINVR2-PRM-PLUS-FORM-H-440TB-AU	AI NVR 2 PRM PLUS FORM H 440 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, AU	170,063.25
AINVR2-PRM-PLUS-FORM-H-440TB-EU	AI NVR 2 PRM PLUS FORM H 440 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, EU	170,063.25
AINVR2-PRM-PLUS-FORM-H-440TB-NA	AI NVR 2 PRM PLUS FORM H 440 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, NA	170,063.25
AINVR2-PRM-PLUS-FORM-H-440TB-UK	AI NVR 2 PRM PLUS FORM H 440 TB 2U Rack Mnt, HardenedOS, 5Y Onsite 4HMC, UK	170,063.25
AINVR2-STD-FORM-D-16TB-AU	AI NVR 2 STD FORM D 16TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, AU	18,480.00
AINVR2-STD-FORM-D-16TB-EU	AI NVR 2 STD FORM D 16TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, EU	18,480.00
AINVR2-STD-FORM-D-16TB-NA	AI NVR 2 STD FORM D 16TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, NA	18,480.00
AINVR2-STD-FORM-D-16TB-UK	AI NVR 2 STD FORM D 16TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, UK	18,480.00
AINVR2-STD-FORM-D-24TB-AU	AI NVR 2 STD FORM D 24TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, AU	19,686.45
AINVR2-STD-FORM-D-24TB-EU	AI NVR 2 STD FORM D 24TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, EU	19,686.45
AINVR2-STD-FORM-D-24TB-NA		19,686.45

	AI NVR 2 STD FORM D 24TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, NA	
AINVR2-STD-FORM-D-24TB-UK	AI NVR 2 STD FORM D 24TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, UK	19,686.45
AINVR2-STD-FORM-D-32TB-AU	AI NVR 2 STD FORM D 32TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, AU	21,732.90
AINVR2-STD-FORM-D-32TB-EU	AI NVR 2 STD FORM D 32TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, EU	21,732.90
AINVR2-STD-FORM-D-32TB-NA	AI NVR 2 STD FORM D 32TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, NA	21,732.90
AINVR2-STD-FORM-D-32TB-UK	AI NVR 2 STD FORM D 32TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, UK	21,732.90
AINVR2-STD-FORM-D-48TB-NA	AI NVR 2 STD FORM D 48TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, NA	29,270.85
AINVR2-STD-FORM-D-64TB-AU	AI NVR 2 STD FORM D 64TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, AU	36,606.15
AINVR2-STD-FORM-D-64TB-EU	AI NVR 2 STD FORM D 64TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, EU	36,606.15
AINVR2-STD-FORM-D-64TB-NA	AI NVR 2 STD FORM D 64TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, NA	36,606.15
AINVR2-STD-FORM-D-64TB-UK	AI NVR 2 STD FORM D 64TB 2U Rack Mnt, HardenedOS, 5Y Onsite NBD, UK	36,606.15
VMA-AIA2-WARR-EXTEND-2YR	2 Year Warranty Extension for AI Appliance 2	1,214.72
HD-NVR3-W10UPG	Windows 10 (LTSB 1607) upgrade kit for NVR3-STD, NVR3-VAL, NVRWS3 and RMWS3	352.78
IDRAC8-ENT-UPG	IDRAC 8 Enterprise Upgrade for NVR3 Models	813.87
HD-NVR3-PRM-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Premium	4,858.92
HD-NVR3-STD-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Standard	3,036.82
HD-NVR3-VAL-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Value	2,029.31
HD-NVR3-VAL-WARR-EXTEND-2YR-G2	2 Year Warranty Extension for NVR3 Value	2,029.31
HD-NVR4-PRM-2NDCPU	2nd CPU + Heatsink + 2x 16GB RAM, NVR4 Premium	3,213.00
HD-NVR4-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	358.34
HD-NVR4-STD-10GBE	Network Card, DP 10G-SFP+, NVR4 Standard	801.72
HD-NVR4-STD-2NDPS-NA	Power Supply for NVR4 Standard with an North American power cord, 750W	564.85
IDRAC9-ENT-UPG	IDRAC 9 Enterprise Upgrade for AI NVR, NVR4/4X, or AIA	813.87
NVR4-HDDS-HOT-2TB	Spare Hard Drive, 2TB, Front/Rear Bay, SATA compatible with NVR4-VAL-6TB	874.61
NVR4-HDDS-INT-16TB	HARD DRIVE, 16TB, Int	2,331.92
NVR4-S19-COA	Windows Server 2019 Field Upgrade Kit for NVR4/NVR4X. Compatible with NVR4-VAL, NVR4-STD, NVR4-PRM, NVR4X-STD and NVR4X-PRM. Required to upgrade from Windows 10 LTSB or Windows Server 2016 to Windows Server 2019. Package includes the Upgrade USB drive and the Windows 2019 COA license and activation key.	1,726.82
NVR4-VAL-10GBE	Network Card, DP 10G-SFP+, NVR4 Value	904.97
NVR4-VAL-2NDPS-NA	Power Supply for NVR4 Value with an North American power cord, 350W	498.04
NVR4/4X/5-21H2-W10UPG	KIT, Upgrade NVR4/4X Windows 10 21H2	400.19
HD-NVR4-PRM-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Premium	4,858.92
HD-NVR4-STD-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Standard	3,036.82
NVR4-VAL-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Value	1,214.72
NVR4X-1100W-2NDPS-AU	PSU, Second HS, 1100W, w/ POWERCORD Australia	578.44
NVR4X-PRM1-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 64/96/128/157TB.	4,858.92
NVR4X-PRM2-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 192/217TB.	4,858.92
NVR4X-STD-WARR-5Y4HMC		3,036.82

Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X STD.

NVR4X-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for NVR4X Workstations	468.03
NVR5-10GBASET-A1	KIT,X710,10G-BT LP,QP,NVR5STD/PRM<=160TB	2,302.24
NVR5-10GBASET-A2	KIT,X710,10G-BT FH,QP,NVR5PRM192/224TB	2,302.24
NVR5-10GBASET-B	KIT,10G-BaseT Low Profile,Dual Port,NVR5 PRM 252TB+	1,253.24
NVR5-AVA-SAN-CONNECT-A	Kit,NVR5 AVA SAN Con,STD/PRM 16-224 TB ex CPU	1,995.65
NVR5-AVA-SAN-CONNECT-B	KIT,NVR5 AVA SAN Connectivity,PRM 252TB+	2,794.74
NVR5-HDD-HOT-2TB	Spare hard drive, 2 TB, front/rear bay, compatible with NVR5 VAL 6 TB	874.61
NVR5-HDD-HOT-4TB	HDD,4TB,Ext,Caddy,NVR5 STD16/24TB	1,117.56
NVR5-HDD-HOT-8TB	HDD,8TB,Ext,Caddy,NVR5 STD32-64TB	1,853.06
NVR5-HDDS-HOT-12TB	HDD,12TB,Ext,Caddy,NVR5 PRM 96TB	2,588.56
NVR5-HDDS-HOT-16TB-A1	HDD,16TB,Ext,Caddy,NVR5 PRM 128/160TB	5,257.26
NVR5-HDDS-HOT-16TB-A2	HDD,16TB,Ext,Caddy,NVR5 PRM 192/224TB	5,257.26
NVR5-HDDS-HOT-18TB	HDD,18TB,Ext,Caddy,NVR5 PRM 252TB+	5,401.39
NVR5-HDDS-INT-16TB	HDD,16TB,Int,NVR5 PRM 192/224TB	3,458.70
NVR5-PRM-2NDCPU	KIT, 2nd CPU, 6x8GB, NVR5 PRM 192/224TB	8,067.93
NVR5-PSU-1000W-AU	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, AU	1,532.60
NVR5-PSU-1000W-EU	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, EU	1,532.60
NVR5-PSU-1000W-NA	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, NA	1,532.60
NVR5-PSU-1000W-UK	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, UK	1,532.60
NVR5-PSU-1100W-A1-AU	PSU, 1100W, NVR5 PRM 96-160TB, AU	899.86
NVR5-PSU-1100W-A1-EU	PSU, 1100W, NVR5 PRM 96-160TB, EU	899.86
NVR5-PSU-1100W-A1-NA	PSU, 1100W, NVR5 PRM 96-160TB, NA	899.86
NVR5-PSU-1100W-A1-UK	PSU, 1100W, NVR5 PRM 96-160TB, UK	899.86
NVR5-PSU-1100W-A2-AU	PSU, 1100W, NVR5 PRM 192/224TB, AU	899.86
NVR5-PSU-1100W-A2-EU	PSU, 1100W, NVR5 PRM 192/224TB, EU	899.86
NVR5-PSU-1100W-A2-NA	PSU, 1100W, NVR5 PRM 192/224TB, NA	899.86
NVR5-PSU-1100W-A2-UK	PSU, 1100W, NVR5 PRM 192/224TB, UK	899.86
NVR5-PSU-800W-AU	PSU, 800W, NVR5 STD, AU	412.92
NVR5-PSU-800W-EU	PSU, 800W, NVR5 STD, EU	412.92
NVR5-PSU-800W-NA	PSU, 800W, NVR5 STD, NA	412.92
NVR5-PSU-800W-UK	PSU, 800W, NVR5 STD, UK	412.92
NVR5-RAM-16GB-A	KIT, 2x8GB, NVR5 STD,PRM<=224TB	1,669.50
NVR5-RAM-16GB-B	KIT, 2x8GB RAM, NVR5 PRM 252TB+	869.25
NVR5-SFPPLUS-DA	KIT,10G SFP+ SR DA,NVR5 STD/PRM	252.21
NVR5-SFPPLUS-LR-A	KIT,10G SFP+ LR Tsc,NVR5 STD/PRM<=224TB	2,024.27
NVR5-SFPPLUS-LR-B	KIT,10G SFP+ LR Transceivers, NVR5 PRM 252TB+	1,963.33
NVR5-SFPPLUS-SR-A	KIT,10G SFP+ SR Tsc,NVR5 STD/PRM<=224TB	399.01
NVR5-SFPPLUS-SR-B	KIT,10G SFP+ SR Transceivers, NVR5 PRM 252TB+	942.71
NVR5-STATIC-RAIL-A1	Static Rail for NVR5 STD/PRM 16-160TB	210.00
NVR5-STD-10GBE	KIT,X710,10G-SFP+ OCP,DP,NVR5 STD	801.72
NVR5-STD-2NDCPU	KIT, 2nd CPU, 2x8GB, NVR5 STD	3,421.31
NVR5-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for NVR5 Workstations	468.03
WKS-RACK	4 Post Rack Shelf for three NVR4-WKS or RM5-WKS, 7U	498.04

NVR5-PRM-252TB-S19-NA	NVR5 PRM 252TB 2U Rack Mnt, WS19 NA	110,043.42
NVR5-PRM-288TB-S19-EU	NVR5 PRM 288TB 2U Rack Mnt, WS19 EU	122,185.14
NVR5-PRM-288TB-S19-NA	NVR5 PRM 288TB 2U Rack Mnt, WS19 NA	122,185.14
NVR5-PRM-288TB-S19-UK	NVR5 PRM 288TB 2U Rack Mnt, WS19 UK	122,185.14
NVR5-PRM-360TB-S19-NA	NVR5 PRM 360TB 2U Rack Mnt, WS19 NA	145,609.34
NVR5-PRM-360TB-S19-UK	NVR5 PRM 360TB 2U Rack Mnt, WS19 UK	145,609.34
NVR-KYD-WARR-1YR-A	1 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	387.56
NVR-KYD-WARR-2YR-A	2 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	578.44
NVR-KYD-WARR-3YR-A	3 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	769.33
NVR-KYD-WARR-4YR-A	4 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	966.00
NVR-KYD-WARR-5YR-A	5 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	1,156.88
NVR-KYD-WARR-5YR-B	WARRANTY, 5 Yr KYD, NVR5 PRM 252TB+	5,618.55
NVR5-PRM1-WARR-5Y4HMC-EDU	WARR,UPG 5Y4HMC, 96-160TB,NVR5 PRM,EDU	10,752.64
NVR5-PRM1-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,96-160TB,NVR5 PRM,EDU	6,124.68
NVR5-PRM2-WARR-5Y4HMC-EDU	WARR,UPG 5Y4HMC,192/224TB,NVR5 PRM,EDU	10,752.64
NVR5-PRM2-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,192/224TB,NVR5 PRM,EDU	6,124.68
NVR5-STD-WARR-5Y4HMC	WARRANTY,UPG to 4HR, NVR5 STD	2,892.74
NVR5-STD-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,NVR5 STD,EDU	2,835.50
NVR6-PRM-FIPS-FORM-D-160TB-NA	NVR6 PRM FIPS 160TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	77,944.65
NVR6-PRM-FIPS-FORM-D-200TB-NA	NVR6 PRM FIPS 200TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	95,538.45
NVR6-PRM-FIPS-FORM-D-72TB-NA	NVR6 PRM FIPS 72TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	47,932.50
NVR6-PRM-FORM-D-120TB-S22-AU	NVR6 PRM FORM D 120 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	57,700.65
NVR6-PRM-FORM-D-120TB-S22-EU	NVR6 PRM FORM D 120 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	57,700.65
NVR6-PRM-FORM-D-120TB-S22-NA	NVR6 PRM FORM D 120 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	57,700.65
NVR6-PRM-FORM-D-120TB-S22-UK	NVR6 PRM FORM D 120 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	57,700.65
NVR6-PRM-FORM-D-160TB-S22-AU	NVR6 PRM FORM D 160TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	70,859.25
NVR6-PRM-FORM-D-160TB-S22-EU	NVR6 PRM FORM D 160TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	70,859.25
NVR6-PRM-FORM-D-160TB-S22-NA	NVR6 PRM FORM D 160TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	70,859.25
NVR6-PRM-FORM-D-160TB-S22-UK	NVR6 PRM FORM D 160TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	70,859.25
NVR6-PRM-FORM-D-200TB-S22-AU	NVR6 PRM FORM D 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	86,852.85
NVR6-PRM-FORM-D-200TB-S22-EU	NVR6 PRM FORM D 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	86,852.85
NVR6-PRM-FORM-D-200TB-S22-NA	NVR6 PRM FORM D 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	86,852.85
NVR6-PRM-FORM-D-200TB-S22-UK	NVR6 PRM FORM D 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	86,852.85
NVR6-PRM-FORM-D-72TB-S22-AU	NVR6 PRM FORM D 72TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	43,575.00
NVR6-PRM-FORM-D-72TB-S22-EU	NVR6 PRM FORM D 72TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	43,575.00
NVR6-PRM-FORM-D-72TB-S22-NA	NVR6 PRM FORM D 72TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	43,575.00
NVR6-PRM-FORM-D-72TB-S22-UK	NVR6 PRM FORM D 72TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	43,575.00
NVR6-PRM-FORM-D-96TB-S22-AU	NVR6 PRM FORM D 96TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	49,035.00
NVR6-PRM-FORM-D-96TB-S22-EU	NVR6 PRM FORM D 96TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	49,035.00
NVR6-PRM-FORM-D-96TB-S22-NA	NVR6 PRM FORM D 96TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	49,035.00
NVR6-PRM-FORM-D-96TB-S22-UK	NVR6 PRM FORM D 96TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	49,035.00
NVR6-PRM-PLUS-FORM-H-200TB-S22-AU	NVR6 PRM PLUS FORM H 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	96,288.15
NVR6-PRM-PLUS-FORM-H-200TB-S22-EU	NVR6 PRM PLUS FORM H 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	96,288.15
NVR6-PRM-PLUS-FORM-H-200TB-S22-NA		96,288.15

	NVR6 PRM PLUS FORM H 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	
NVR6-PRM-PLUS-FORM-H-200TB-S22-UK	NVR6 PRM PLUS FORM H 200 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	96,288.15
NVR6-PRM-PLUS-FORM-H-240TB-S22-AU	NVR6 PRM PLUS FORM H 240 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	110,043.15
NVR6-PRM-PLUS-FORM-H-240TB-S22-EU	NVR6 PRM PLUS FORM H 240 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	110,043.15
NVR6-PRM-PLUS-FORM-H-240TB-S22-NA	NVR6 PRM PLUS FORM H 240 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	110,043.15
NVR6-PRM-PLUS-FORM-H-240TB-S22-UK	NVR6 PRM PLUS FORM H 240 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	110,043.15
NVR6-PRM-PLUS-FORM-H-280TB-S22-AU	NVR6 PRM PLUS FORM H 280 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	122,185.35
NVR6-PRM-PLUS-FORM-H-280TB-S22-EU	NVR6 PRM PLUS FORM H 280 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	122,185.35
NVR6-PRM-PLUS-FORM-H-280TB-S22-NA	NVR6 PRM PLUS FORM H 280 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	122,185.35
NVR6-PRM-PLUS-FORM-H-280TB-S22-UK	NVR6 PRM PLUS FORM H 280 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	122,185.35
NVR6-PRM-PLUS-FORM-H-360TB-S22-AU	NVR6 PRM PLUS FORM H 360TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	145,609.80
NVR6-PRM-PLUS-FORM-H-360TB-S22-EU	NVR6 PRM PLUS FORM H 360TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	145,609.80
NVR6-PRM-PLUS-FORM-H-360TB-S22-NA	NVR6 PRM PLUS FORM H 360TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	145,609.80
NVR6-PRM-PLUS-FORM-H-360TB-S22-UK	NVR6 PRM PLUS FORM H 360TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	145,609.80
NVR6-PRM-PLUS-FORM-H-440TB-S22-AU	NVR6 PRM PLUS FORM H 440 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, AU	170,063.25
NVR6-PRM-PLUS-FORM-H-440TB-S22-EU	NVR6 PRM PLUS FORM H 440 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, EU	170,063.25
NVR6-PRM-PLUS-FORM-H-440TB-S22-NA	NVR6 PRM PLUS FORM H 440 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, NA	170,063.25
NVR6-PRM-PLUS-FORM-H-440TB-S22-UK	NVR6 PRM PLUS FORM H 440 TB 2U Rack Mnt, WS22, 5Y Onsite 4HMC, UK	170,063.25
NVR6-STD-FIPS-FORM-D-16TB-NA	NVR6 STD FIPS 16TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	21,483.00
NVR6-STD-FIPS-FORM-D-24TB-NA	NVR6 STD FIPS 24TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	22,810.20
NVR6-STD-FIPS-FORM-D-32TB-NA	NVR6 STD FIPS 32TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	25,061.40
NVR6-STD-FIPS-FORM-D-48TB-NA	NVR6 STD FIPS 48TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	33,353.25
NVR6-STD-FIPS-FORM-D-64TB-NA	NVR6 STD FIPS 64TB, Form D 2U Rack Mnt, WS19 NA. Available in United States Only.	41,421.45
NVR6-STD-FORM-D-16TB-S22-AU	NVR6 STD FORM D 16TB 2U Rack Mnt, WS22, 5Y Onsite NBD, AU	19,530.00
NVR6-STD-FORM-D-16TB-S22-EU	NVR6 STD FORM D 16TB 2U Rack Mnt, WS22, 5Y Onsite NBD, EU	19,530.00
NVR6-STD-FORM-D-16TB-S22-NA	NVR6 STD FORM D 16TB 2U Rack Mnt, WS22, 5Y Onsite NBD, NA	19,530.00
NVR6-STD-FORM-D-16TB-S22-UK	NVR6 STD FORM D 16TB 2U Rack Mnt, WS22, 5Y Onsite NBD, UK	19,530.00
NVR6-STD-FORM-D-16TB-W10-AU	NVR6 STD FORM D 16TB 2U Rack Mnt, W10, 5Y Onsite NBD, AU	18,480.00
NVR6-STD-FORM-D-16TB-W10-EU	NVR6 STD FORM D 16TB 2U Rack Mnt, W10, 5Y Onsite NBD, EU	18,480.00
NVR6-STD-FORM-D-16TB-W10-NA	NVR6 STD FORM D 16TB 2U Rack Mnt, W10, 5Y Onsite NBD, NA	18,480.00
NVR6-STD-FORM-D-16TB-W10-UK	NVR6 STD FORM D 16TB 2U Rack Mnt, W10, 5Y Onsite NBD, UK	18,480.00
NVR6-STD-FORM-D-24TB-S22-AU	NVR6 STD FORM D 24TB 2U Rack Mnt, WS22, 5Y Onsite NBD, AU	20,736.45
NVR6-STD-FORM-D-24TB-S22-EU	NVR6 STD FORM D 24TB 2U Rack Mnt, WS22, 5Y Onsite NBD, EU	20,736.45
NVR6-STD-FORM-D-24TB-S22-NA	NVR6 STD FORM D 24TB 2U Rack Mnt, WS22, 5Y Onsite NBD, NA	20,736.45

NVR6-STD-FORM-D-24TB-S22-UK	NVR6 STD FORM D 24TB 2U Rack Mnt, WS22, 5Y Onsite NBD, UK	20,736.45
NVR6-STD-FORM-D-24TB-W10-AU	NVR6 STD FORM D 24TB 2U Rack Mnt, W10, 5Y Onsite NBD, AU	19,686.45
NVR6-STD-FORM-D-24TB-W10-EU	NVR6 STD FORM D 24TB 2U Rack Mnt, W10, 5Y Onsite NBD, EU	19,686.45
NVR6-STD-FORM-D-24TB-W10-NA	NVR6 STD FORM D 24TB 2U Rack Mnt, W10, 5Y Onsite NBD, NA	19,686.45
NVR6-STD-FORM-D-24TB-W10-UK	NVR6 STD FORM D 24TB 2U Rack Mnt, W10, 5Y Onsite NBD, UK	19,686.45
NVR6-STD-FORM-D-32TB-S22-AU	NVR6 STD FORM D 32TB 2U Rack Mnt, WS22, 5Y Onsite NBD, AU	22,782.90
NVR6-STD-FORM-D-32TB-S22-EU	NVR6 STD FORM D 32TB 2U Rack Mnt, WS22, 5Y Onsite NBD, EU	22,782.90
NVR6-STD-FORM-D-32TB-S22-NA	NVR6 STD FORM D 32TB 2U Rack Mnt, WS22, 5Y Onsite NBD, NA	22,782.90
NVR6-STD-FORM-D-32TB-S22-UK	NVR6 STD FORM D 32TB 2U Rack Mnt, WS22, 5Y Onsite NBD, UK	22,782.90
NVR6-STD-FORM-D-32TB-W10-AU	NVR6 STD FORM D 32TB 2U Rack Mnt, W10, 5Y Onsite NBD, AU	21,732.90
NVR6-STD-FORM-D-32TB-W10-EU	NVR6 STD FORM D 32TB 2U Rack Mnt, W10, 5Y Onsite NBD, EU	21,732.90
NVR6-STD-FORM-D-32TB-W10-NA	NVR6 STD FORM D 32TB 2U Rack Mnt, W10, 5Y Onsite NBD, NA	21,732.90
NVR6-STD-FORM-D-32TB-W10-UK	NVR6 STD FORM D 32TB 2U Rack Mnt, W10, 5Y Onsite NBD, UK	21,732.90
NVR6-STD-FORM-D-48TB-S22-AU	NVR6 STD FORM D 48TB 2U Rack Mnt, WS22, 5Y Onsite NBD, AU	30,320.85
NVR6-STD-FORM-D-48TB-S22-EU	NVR6 STD FORM D 48TB 2U Rack Mnt, WS22, 5Y Onsite NBD, EU	30,320.85
NVR6-STD-FORM-D-48TB-S22-NA	NVR6 STD FORM D 48TB 2U Rack Mnt, WS22, 5Y Onsite NBD, NA	30,320.85
NVR6-STD-FORM-D-48TB-S22-UK	NVR6 STD FORM D 48TB 2U Rack Mnt, WS22, 5Y Onsite NBD, UK	30,320.85
NVR6-STD-FORM-D-48TB-W10-AU	NVR6 STD FORM D 48TB 2U Rack Mnt, W10, 5Y Onsite NBD, AU	29,270.85
NVR6-STD-FORM-D-48TB-W10-EU	NVR6 STD FORM D 48TB 2U Rack Mnt, W10, 5Y Onsite NBD, EU	29,270.85
NVR6-STD-FORM-D-48TB-W10-NA	NVR6 STD FORM D 48TB 2U Rack Mnt, W10, 5Y Onsite NBD, NA	29,270.85
NVR6-STD-FORM-D-48TB-W10-UK	NVR6 STD FORM D 48TB 2U Rack Mnt, W10, 5Y Onsite NBD, UK	29,270.85
NVR6-STD-FORM-D-64TB-S22-AU	NVR6 STD FORM D 64TB 2U Rack Mnt, WS22, 5Y Onsite NBD, AU	37,656.15
NVR6-STD-FORM-D-64TB-S22-EU	NVR6 STD FORM D 64TB 2U Rack Mnt, WS22, 5Y Onsite NBD, EU	37,656.15
NVR6-STD-FORM-D-64TB-S22-UK	NVR6 STD FORM D 64TB 2U Rack Mnt, WS22, 5Y Onsite NBD, UK	37,656.15
NVR6-STD-FORM-D-64TB-W10-AU	NVR6 STD FORM D 64TB 2U Rack Mnt, W10, 5Y Onsite NBD, AU	36,606.15
NVR6-STD-FORM-D-64TB-W10-EU	NVR6 STD FORM D 64TB 2U Rack Mnt, W10, 5Y Onsite NBD, EU	36,606.15
NVR6-STD-FORM-D-64TB-W10-NA	NVR6 STD FORM D 64TB 2U Rack Mnt, W10, 5Y Onsite NBD, NA	36,606.15
NVR6-STD-FORM-D-64TB-W10-UK	NVR6 STD, FORM D, 64TB, W10 UK	36,606.15

## Video Archives

MODEL NUMBER	DESCRIPTION	MSRP \$
AVA-HED1-NVR4-CONNECT	Kit to connect an NVR4 to an Avigilon Video Archive	2,509.25
AVA-HED1-NVR4X-PRM1-CONNECT	AVA Connectivity Kit, 64/96/128/157TB PRM Models	5,806.88
AVA-HED1-NVR4X-PRM2-CONNECT	AVA Connectivity Kit 192TB and 217TB PRM Models	2,509.25
AVA-HED1-NVR5-CONNECT-A	Kit,AVA Con NVR5STD/PRM 16-224 TB ex STD 2CPU	2,793.67
AVA-HED1-NVR5-CONNECT-B	KIT,AVA Connectivity, NVR5 PRM 252TB+	3,155.36
AVA-HED1-NVR6-FORM-D-CONNECT	AVA Connectivity Kit for Direct Attachment of a NVR6 STD/PRM FORM D (excluding 2nd CPU for NVR6 STD)	2,794.05
AVA-HED1-NVR6-FORM-H-CONNECT	AVA Connectivity Kit for Direct Attachment of a NVR6 PRM+ FORM H	3,155.25
AVA-SAN-CONNECT-1	Kit, AVA SAN Con 1x AVA Tsc & FC	446.89
AVA-SAN-CONNECT-8	Kit, AVA SAN Con 8x AVA Tsc & FC	3,575.13
AVA-WARR-EXTEND-1YR	1 Year Warranty Extension for Avigilon Video Archive	8,102.96
AVA-WARR-EXTEND-2YR	2 Year Warranty Extension for Avigilon Video Archive	16,204.71
AVA-EXP1-263TB	Video Archive Expansion Unit, 263TB, 3YR Support	69,968.35

AVA-EXP1-263TB-5YR	Video Archive Expansion Unit, 263TB, 5YR Support	86,610.12
AVA-EXP1-526TB	Video Archive Expansion Unit, 526TB, 3YR Support	118,557.43
AVA-EXP1-526TB-5YR	Video Archive Expansion Unit, 526TB, 5YR Support	136,413.95
AVA-EXP1-789TB	Video Archive Expansion Unit, 789TB, 3YR Support	155,862.74
AVA-EXP1-789TB-5YR	Video Archive Expansion Unit, 789TB, 5YR Support	173,706.13
AVA-HDD1-263TB	263TB Expansion Disk Pack for Avigilon Video Archive	67,089.92
AVA-HED1-225TB	Video Archive Head Unit, 225TB, 3YR Support	87,460.43
AVA-HED1-225TB-5YR	Video Archive Head Unit, 225TB, 5YR Support	100,700.96
AVA-HED1-488TB	Video Archive Head Unit, 488TB, 3YR Support	148,196.84
AVA-HED1-488TB-5YR	Video Archive Head Unit, 488TB, 5YR Support	167,996.89
AVA-HED1-751TB	Video Archive Head Unit, 751TB, 3YR Support	183,363.19
AVA-HED1-751TB-5YR	Video Archive Head Unit, 751TB, 5YR Support	200,430.15

## Workstations

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	759.21
ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digital and conventional PTZ.	1,147.91
NVR5-WKS-4TB-AU	NVR5 Workstation 4TB, Windows 10, AU	2,887.50
NVR5-WKS-4TB-EU	NVR5 Workstation 4TB, Windows 10, EU	2,887.50
NVR5-WKS-4TB-NA	NVR5 Workstation 4TB, Windows 10, NA	2,887.50
NVR5-WKS-4TB-UK	NVR5 Workstation 4TB, Windows 10, UK	2,887.50
NVR5-WKS-8TB-AU	NVR5 Workstation 8TB, Windows 10, AU	3,349.50
NVR5-WKS-8TB-EU	NVR5 Workstation 8TB, Windows 10, EU	3,349.50
NVR5-WKS-8TB-NA	NVR5 Workstation 8TB, Windows 10, NA	3,349.50
NVR5-WKS-8TB-UK	NVR5 Workstation 8TB, Windows 10, UK	3,349.50
NVR4-WKS-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4-WKS or RM5-WKS	467.67
RM5-WKS-WARR-EXTENDED-2YR	2 Year Extended Warranty for RM5-WKS	467.67
NVR6-STD-FORM-D-64TB-S22-NA	NVR6 STD FORM D 64TB 2U Rack Mnt, WS22, 5Y Onsite NBD, NA	37,656.15

MODEL NUMBER	DESCRIPTION	MSRP \$
120-0323		0.05
CWD-CABLE-6PIN-IP67	CWD CABLE, 6 PIN, IP67	160.00
CWD-POWER-CORD-US-4M	CWD POWER CORD, US, 4M	241.00
SP01-146A-AW	SMR 1.5-IN NPT EXT,300MM WT Pantone 427C	95.72
SP01-146B-AW		194.78
UNITY8-ENT-RD	Unity Enterprise Redundant Recording Camera Channel	105.00
V500-KF		895.00
VB-400-DEMO-KIT	VB400 COMPLETE SALES DEMO KIT	1,000.00
VM-EPL-V-1-N	Licence: 1x VideoManager for V Series	400.00
VM-ESA-V-24M-1	SW Assurance 24 months for 1x V series licence	145.00

# License Plate Recognition MSRP - USD

Pricelist effective November 10, 2025

**Pricelist for products shipping to USA**

**Summary Of Changes**

## Camera

### HD LPR

MODEL NUMBER	DESCRIPTION	MSRP \$
VSF-L6Q-P-KIT	L6Q Quick Deploy Camera (12VDC)	8,725.00
VSF-L6Q-S-KIT-18AH	L6Q Quick Deploy Camera (Cat 1 Solar Kit) 18amp	9,450.00
VSF-L6Q-S-KIT-CAT3-18AH	L6Q Quick Deploy Camera (Cat 3 Solar Kit) 18amp	9,450.00

## Services

### Warranty

MODEL NUMBER	DESCRIPTION	MSRP \$
LPR-CDFS-L6Q-HWW-02	Extended Hardware Warranty - 2 Additional Years	1,225.00
LPR-CDFS-L6Q-HWW-04	Extended Hardware Warranty - 4 Additional Years	2,450.00

## Software

### LPR

MODEL NUMBER	DESCRIPTION	MSRP \$
LPR-L6A-VSBSCSVC-1YR	Annual L6A Device License Fee for VME for 1 Year	685.00
LPR-L6A-VSBSCSVC-3YR	Annual L6A Device License Fee for VME for 3 Years	2,055.00
LPR-L6A-VSBSCSVC-5YR	Annual L6A Device License Fee for VME for 5 Year	3,425.00
LPR-VS-CLIENTPORTAL-H	Client Portal Account (Acct Setup)	0.00
LPR-VS-LEARN-1S	Vigilant's Law Enforcement Archival Reporting Network (LEARN ) Software - Tier 1	27,150.00
LPR-VS-LEARN-2S	LEARN OnPrem SW- Up to 25 Cams - Tier 2	54,275.00
LPR-VS-LEARN-3S	LEARN OnPrem SW- Up to 100 Cams - Tier 3	109,100.00
LPR-VS-LEARN-4S	LEARN OnPrem SW- Up to 500 Cams - Tier 4	181,825.00
LPR-VS-LEARN-5S	LEARN OnPrem SW- Unlimited Cams- Tier 5	290,925.00
LPR-VS-LIC-01	Vigilant Camera License - On prem	2,350.00
LPR-VS-VM-HS-1YR	VehicleManager for Public Safety Annual Subscription for 1 Years	5,100.00
LPR-VS-VM-HS-3YR	VehicleManager For Public Safety Annual Subscription for 3 Years	15,275.00
LPR-VS-VM-HS-5YR	VehicleManager For Public Safety Annual Subscription for 5 Years	25,475.00
LPR-VS-VME-HS-1YR	VehicleManager Enterprise Annual Subscription for 1 Year	1,100.00
LPR-VS-VME-HS-3YR	VehicleManager Enterprise Annual Subscription for 3 Year	3,275.00
LPR-VS-VME-HS-5YR	VehicleManager Enterprise Annual Subscription for 5 Year	5,475.00
LPR-VS-VPS-PT-01-1YR	Parking Enforcement System Toolkit - 1 Year	1,475.00
LPR-VS-VPS-PT-01-3YR	Parking Enforcement System Toolkit - 3 Year	4,375.00
LPR-VS-VPS-PT-01-5YR	Parking Enforcement System Toolkit - 5 Year	7,275.00
LPR-VSBSCSVC-L6Q-1YR	Vigilant L6Q Device License - 1 Year	700.00
LPR-VSBSCSVC-L6Q-3YR	Vigilant L6Q Device License - 3 Year	2,075.00
LPR-VSBSCSVC-L6Q-5YR	Vigilant L6Q Device License - 5 Year	3,475.00

## Video Management

### Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
VS-L6Q-120VAC	L6Q 120V AC External power supply	250.00
VS-L6Q-12VDC	L6Q 12V DC Power Cable	175.00
VS-L6Q-40WSP	L6Q Solar Panel Only	800.00
VS-L6Q-BATTCHRG12V4A	Solar Battery Charge Cable	150.00
VS-L6Q-EANT	L6Q External LTE Antenna	225.00
VS-L6Q-MUC-D	L6Q Multi Unit Dual Desktop Charger	475.00
VS-L6Q-MUC-S	L6Q Multi Unit Single Desktop Charger	300.00
VS-L6Q-POLE-PWR-TAP-35FT	L6Q Pole Power Tap, 100-277V to 12V, 35ft	875.00
VS-L6Q-SFT-CASE	L6Q Rapid-Deployment Carry Case	150.00
VS-L6Q-SPEB	L6Q Solar Panel Expansion Battery Only	475.00

### Accessories Other

MODEL NUMBER	DESCRIPTION	MSRP \$
VERIZON-NANO-SIM	Annual Cellular Data Plan (NanoSIM)	1,750.00
VERIZON-NANO-SIM-PP-2YR	Annual Cellular Data Plan (NanoSIM) for 2 Year	3,500.00
VERIZON-NANO-SIM-PP-4YR	Annual Cellular Data Plan (NanoSIM) for 4 Year	7,000.00

### Integration

MODEL NUMBER	DESCRIPTION	MSRP \$
LPR-3PC-1EP-INT	On Premises License Third Party Cameras - Edge	5,475.00
LPR-3PC-1SP-INT	On Premises License Thrid Party Cameras - Centralized	3,650.00
LPR-ACI-01-1YR	Avigilon Camera Integration for 1 Year	525.00
LPR-ACI-01-3YR	Avigilon Camera Integration for 3 Year	1,550.00
LPR-ACI-01-5YR	Avigilon Camera Integration for 5 Year	2,550.00
LPR-LINC-1YR	Annual camera license - Centralized - 1 Year	750.00
LPR-LINC-3YR	Annual camera license - Centralized - 3 Year	2,200.00
LPR-LINC-5YR	Annual camera license - Centralized - 5 Year	3,650.00
LPR-VS-CP-API	Hosted LPR Client Portal Account - API Service	7,275.00
LPR-VS-VPS-PI-1YR	Parking Integration - 1 Year	1,475.00
LPR-VS-VPS-PI-3YR	Parking Integration - 3 Year	4,375.00
LPR-VS-VPS-PI-5YR	Parking Integration - 5 Year	7,275.00

## Warranty

MODEL NUMBER	DESCRIPTION	MSRP \$
LPR-VS-LEARN-1S-WA-1YR	LEARN OnPrem SWW - Tier 1 - 1 Year	5,450.00
LPR-VS-LEARN-1S-WA-3YR	LEARN OnPrem SWW - Tier 1 - 3 Year	16,300.00
LPR-VS-LEARN-1S-WA-5YR	LEARN OnPrem SWW - Tier 1 - 5 Year	27,150.00
LPR-VS-LEARN-2S-WA-1YR	LEARN OnPrem SWW - Tier 2 - 1 Year	10,875.00
LPR-VS-LEARN-2S-WA-3YR	LEARN OnPrem SWW - Tier 2 - 3 Year	32,575.00
LPR-VS-LEARN-2S-WA-5YR	LEARN OnPrem SWW - Tier 2 - 5 Year	54,275.00
LPR-VS-LEARN-3S-WA-1YR	LEARN OnPrem SWW - Tier 3 - 1 Year	21,825.00
LPR-VS-LEARN-3S-WA-3YR	LEARN OnPrem SWW - Tier 3 - 3 Year	65,475.00
LPR-VS-LEARN-3S-WA-5YR	LEARN OnPrem SWW - Tier 3 - 5 Year	109,100.00
LPR-VS-LEARN-4S-WA-1YR	LEARN OnPrem SWW - Tier 4 - 1 Year	36,375.00
LPR-VS-LEARN-4S-WA-3YR	LEARN OnPrem SWW - Tier 4 - 3 Year	109,100.00
LPR-VS-LEARN-4S-WA-5YR	LEARN OnPrem SWW - Tier 4 - 5 Year	181,825.00
LPR-VS-LEARN-5S-WA-1YR	LEARN OnPrem SWW - Tier 5 - 1 Year	58,200.00
LPR-VS-LEARN-5S-WA-3YR	LEARN OnPrem SWW - Tier 5 - 3 Year	174,550.00
LPR-VS-LEARN-5S-WA-5YR	LEARN OnPrem SWW - Tier 5 - 5 Year	290,925.00

## Workstation

MODEL NUMBER	DESCRIPTION	MSRP \$
VS-CB-VIP-120V	Vigilant Fixed Camera Communications Box for LinC - Supports up to 6 Cameras	4,800.00